



Global Solutions For Aluminium Extrusions


AUTOMOBILE PROFILES



Global Solutions For Aluminium Extrusions


Die No.7129

0.812Kg/m




Die No.1222

0.579Kg/m




Die No.19142

4.932Kg/m



Die No.1243

0.620Kg/m






Global Solutions For Aluminium Extrusions


Die No.19501

5.237Kg/m




Die No.19502

3.219Kg/m




Die No.19547

4.558Kg/m



Die No.19546

7.431Kg/m






Global Solutions For Aluminium Extrusions


Die No.19548

4.190Kg/m




Die No.20744

5.707 Kg/m




Die No.19143

8.140 Kg/m




Die No.19144

8 . 260 Kg/m



Die No.20740

6. 024 Kg/m






Global Solutions For Aluminium Extrusions


Die No.20741

7.538 Kg/m



Die No.20742

4.253 Kg/m





Global Solutions For Aluminium Extrusions

Die No.20743


3 . 70 Kg/m



TRANSPORT


Die No.: 7418

Wt.: 1.800-1.900 (KG/M)




Die No.: 55525

Wt.: 0.855 - 0.984 (KG/M)




Die No.: 55397

Wt.: 2.100-2.250 (KG/M)



Die No.:55399


Wt.:2.520-2.720 (KG/M)



Auto Components


Die No.:55341

Wt.:1.385-1.550 (KG/M)




Die No.:55424

Wt.:1.920-2.080 (KG/M)




Die No.: 55398

Wt.: 2.120 2.290 (KG/M)



Die No.: 55340


Wt.: 1.850-2.000 (KG/M)



TRANSPORT

Die No.: 55312

Wt.: 3.343-3.610 (KG/M)



Die No.: 55564

Wt.: 1.125-1.234 (KG/M)




Die No.: 55498

Wt.: 2.250-2.438 (KG/M)



Die No.: 23578


Wt.: 0.078-0.105 (KG/M)



Auto Components


Die No.: 55563

Wt.: 1.342-1.457 (KG/M)




Die No.: 3322

Wt.: 2.985-3.000 (KG/M)




Die No.: 55425

Wt.: 1.937-1.994 (KG/M)



Die No.: 55493


Wt.: 0.941-1.061 (KG/M)



TRANSPORT


Die No.: 27023

Wt.: 0.812-0.935 (KG/M)




Die No.: 55568

Wt.: 0.947-0.999 (KG/M)



Die No.: 55509


Wt.: 2.057-2.151 (KG/M)



Auto Components


Die No.: 27022

Wt.: 0.735-0.845 (KG/M)



Die No.: 78062


Wt.: 0.173 - 0.201 (KG/M)



TRANSPORT

Die No.: 9056

Wt.: 0.150 (KG/M)




Die No.: 9095

Wt.: 0.600-0.630 (KG/M)




Die No.: 55416

Wt.: 3.370-3.650 (KG/M)



Die No.: 48050

Wt.: 0.250 - 0.300 (KG/M)



Radiator Tube/Heat Exchanger


Die No.: 9077

Wt.: 0.130-1.160 (KG/M)




Die No.: 55415

Wt.: 2.280-2.470 (KG/M)




Die No.: 55040

Wt.: 7.870-8.350 (KG/M)



Die No.: 9074


Wt.: 0.480 - 0.550 (KG/M)



TRANSPORT


Die No.: 9073

Wt.: 0.192-0.258 (KG/M)




Die No.: 9092

Wt.: 0.855 (KG/M)



Die No.: 55311

Wt.: 2.150-2.200 (KG/M)



Die No.: 55546

Wt.: 6.572 - 6.881 (KG/M)



Radiator Tube/Heat Exchanger

Die No.: 9059

Wt.: 0.415 - 0.445 (KG/M)



Die No.: 9037

Wt.: 0.330-0.360 (KG/M)




Die No.: 9072

Wt.: 0.270 - 0.330 (KG/M)



Die No.: 55605


Wt.: 3.612-3.763 (KG/M)



TRANSPORT


Die No.: 55604

Wt.: 1.918-2.039 (KG/M)




Die No.: 55550

Wt.: 1.809 - 1.953 (KG/M)




Die No.: 9044

Wt.: 0.435-0.465 (KG/M)



Die No.: 55601


Wt.: 6.112-6.308 (KG/M)



Radiator Tube/Heat Exchanger


Die No.: 48503

Wt.: 0.680 - 0.790 (KG/M)



Die No.: 55305

Wt.: 2.500-2.700 (KG/M)




Die No.: 9089

Wt.: 0.260 (KG/M)



Die No.: 55602


Wt.: 2.410-2.521 (KG/M)



TRANSPORT


Die No.: 48501

Wt.: 0.280 - 0.340 (KG/M)



Die No.: 9091

Wt.: 0.255 (KG/M)



Die No.: 9062

Wt.: 0.345 (KG/M)



Die No.: 9054

Wt.: 0.560 (KG/M)



Radiator Tube/Heat Exchanger

Die No.: 9058

Wt.: 0.210 (KG/M)




Die No.: 9060

Wt.: 0.108 (KG/M)



Die No.: 9047


Wt.: 0.405-0.435 (KG/M)



TRANSPORT


Die No.: 976

Wt.: 0 (KG/M)




Die No.: 7409

Wt.: 0.485-0.585 (KG/M)




Die No.: 16107

Wt.: 0.380-0.410 (KG/M)



Die No.: 987


Wt.: 1.760 (KG/M)



Transport Miscellaneous


Die No.: 7340

Wt.: 0.260-0.350 (KG/M)




Die No.: 16357

Wt.: 1.165-1.210 (KG/M)




Die No.: 978

Wt.: 0 (KG/M)



Die No.: 16273


Wt.: 0.210-0.230 (KG/M)



TRANSPORT


Die No.: 7111

Wt.: 0.543 - 0.643 (KG/M)




Die No.: 16371

Wt.: 0.170-0.250 (KG/M)




Die No.: 3403

Wt.: 0.235-0.280 (KG/M)



Die No.: 7343


Wt.: 0.730-0.780 (KG/M)



Transport Miscellaneous


Die No.: 7391

Wt.: 0.115-0.145 (KG/M)




Die No.: 7160

Wt.: 1.375-1.475 (KG/M)




Die No.: 981

Wt.: 0 (KG/M)



Die No.: 7141


Wt.: 0.250 (KG/M)



TRANSPORT


Die No.: 6145

Wt.: 0.032 - 0.040 (KG/M)




Die No.: 979

Wt.: 0 (KG/M)




Die No.: 971

Wt.: 2.600 (KG/M)



Die No.: 7480


Wt.: 1.040-1.100 (KG/M)



Transport Miscellaneous


Die No.: 7419

Wt.: 1.900-2.000 (KG/M)



Die No.: 7368

Wt.: 0.920-0.950 (KG/M)




Die No.: 977

Wt.: None (KG/M)



Die No.: 7496


Wt.: 0.600-0.650 (KG/M)



TRANSPORT


Die No.: 982

Wt.: 0 (KG/M)




Die No.: 16537

Wt.: 0.370-0.450 (KG/M)




Die No.: 10085

Wt.: 4.359-4.474 (KG/M)



Die No.: 7431


Wt.: 0.745-0.815 (KG/M)



Transport Miscellaneous


Die No.: 986

Wt.: 0 (KG/M)




Die No.: 7112

Wt.: 0.740 (KG/M)




Die No.: 16331

Wt.: 0.150-0.200 (KG/M)



Die No.: 78070


Wt.: 0.786-0.960 (KG/M)



TRANSPORT


Die No.: 78179

Wt.: 0.179-0.217 (KG/M)



Die No.: 78204


Wt.: 0.081 (KG/M)




Transport Miscellaneous

Die No.: 78171


Wt.: 0.262-0.300 (KG/M)




BUSBODY SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15522	34.50	7.80	1.20	0.162



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12933	32.20	18.50	1.50	0.321




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12934	25.40	25.40	1.50	0.254




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12936	38.10	12.70	2.80	0.303




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12937	48.00	7.80	2.00	0.330




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12938	29.50	5.10	1.60	0.167




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12939	52.00	14.70	1.60	0.527




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11718	47.20	28.00	2.50	0.715




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11719	47.36	38.00	3.60	1.178



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11720	28.50	15.00	2.00	0.523



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11721	31.20	2.35	1.20	0.153




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11722/A	127.00	16.00	2.00	0.774

ALL DIMENSIONS ARE IN MM.


WEIGHT TOLERANCES ± 7 TO 10%

AUG-2025


BUSBODY SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11723	31.00	7.00	3.00	0.267



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11724	19.04	31.70	1.80	0.226




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11725	50.00	25.00	1.40	0.350




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11726	68.00	50.00	2.00	0.770




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11727	43.30	12.80	1.80	0.455




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11728	127.00	5.00	1.50	0.665




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11729	36.00	21.00	2.00	0.700




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11730	53.00	26.00	3.00	1.377




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17094	20.00	19.20	1.80	0.223



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11737	21.00	15.00	3.00	0.515



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17093	55.00	33.00	3.00	1.675




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15501	73.00	73.00	5.00	3.590

ALL DIMENSIONS ARE IN MM.


WEIGHT TOLERANCES ± 7 TO 10%

AUG-2025


BUSBODY SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ANG 15502	76.20	50.80	6.40	2.062




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15503	27.50	11.50	2.50	0.258




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15504	57.00	16.00	3.15	0.484




Sr.No.	Section No.	A	B	C	Wt. Kg/Mtr.
1	15505	27.50	20.00	3.09	0.479




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15506	38.50	33.00	3.00	0.551




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15507	39.50	32.50	2.50	0.890




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15508	68.20	34.50	1.50	0.488




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15509	51.50	27.00	1.50	0.538




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15510	49.60	7.00	1.80	0.362



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15511	22.00	9.50	2.00	0.355



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15512	43.35	41.00	2.00	0.559




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15513	19.00	7.25	1.20	0.106

ALL DIMENSIONS ARE IN MM.


WEIGHT TOLERANCES ± 7 TO 10%

AUG-2025


BUSBODY SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15514	45.00	19.00	1.50	0.336




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15518	31.00	15.00	2.00	0.354




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	15520	55.00	39.10	2.30	1.058




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22000	82.56	56.15	2.50	1.766




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22001	80.63	28.00	2.50	1.168




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22004	15.00	12.50	1.80	0.183




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22005	51.15	45.75	1.80	0.640




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22006	45.75	42.15	1.80	0.598




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22007	43.10	24.90	2.50	0.472



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22008	67.00	46.00	2.00	0.769



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22009	40.00	20.00	2.00	0.662




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	22010	56.00	34.00	2.80	2.071

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


AUG-2025

1771




Wt:1.690 KG/12'

1772




Wt:0.695 KG/M

1701




Wt:0.470KG/M

1702




Wt:0.300 KG/M

1703




Wt:0.255 KG/M

1704




Wt:0.400 KG/M

1705




Wt:0.533 KG/M

1741




Wt:0.250 KG/M

1742




Wt:0.335 KG/M

1743




Wt:0.310 KG/M

7351




Wt:0.315KG/M

7352




Wt:0.350 KG/M

7353



Wt:0.515 KG/M

7354




Wt:0.850 KG/M

7355



Wt:0.800 KG/M

7356




Wt:0.380 KG/M

7357




Wt:0.910 KG/M

7358



Wt:0.820 KG/M

7359




Wt:1.000KG/M

7360




Wt:0.550 KG/M

SI-01




Wt:0.170-0.185 KG/M

9571




Wt:1.400 KG/M

9572




Wt:1.370 KG/M

9573




Wt:1.150 KG/M

9574




Wt:0.400 KG/M

9575




Wt:1.100 KG/M

9576



Wt:5.500KG/12'

9577




Wt:11.760 KG/12'

9578




Wt:1.200 KG/12'

9579




Wt:3.200 KG/12'

9580



Wt:2.325 KG/M

AL-01




Wt:1.000 KG/12'




Global Solutions For Aluminium Extrusions

AL-02




Wt:0.620 KG/12'

TK-01




Wt:3.330 KG/M85-

TK-02



Wt:5.840 KG/M

TK-03




Wt:5.240 KG/M

TK-04




Wt:1.970 KG/M

TK-05




Wt:2.900 KG/M

TK-06




Wt:1.400 KG/M

TK-07




W t : 1.370KG / M

TK-08




Wt:0.890 KG/M

TK-09



Wt:2.443 KG/M

TK-10




Wt:2.713 KG/M

TK-11




Wt:4.000-4.200 KG/M

TK-12




Wt:0.800-0.840 KG/M

TK-13




Wt:5.100-5.360 KG/M

TK-14




Wt:6.135 KG/M

TK-15




Wt:2.250 KG/M

TK-16




Wt:1.850 KG/M

TK-17




Wt:3.000 KG/M

TK-18




Wt:1.340 KG/M

TK-19




Wt:6.600 KG/M

TK-20




Wt:5.810 KG/M

GEW-01/Ry9661




Wt:3.140 KG/M

GEW-02/Ry 9662



Wt:3.300-3.480 KG/M

1908




Wt:0.147-0.155 KG/M

AUTOMOBILE CARRIER


SEC. NO:- 5401

Weight :-3.785kg/12'




SEC. NO:- 5403

Weight :-5.545kg/12'



SEC. NO:- 5405


Weight : 2.865kg/12'



AUTOMOBILE CARRIER


SEC. NO:- 5407

Weight :3.770kg/12'




SEC. NO:- 5409

Weight : 4.020kg/12'



SEC. NO:- 5411


Weight : 2.285kg/12'



AUTOMOBILE CARRIER


SEC. NO:- 5413

Weight : 2.325kg/12'




SEC. NO:- 5415

Weight : 3.845kg/12'



SEC. NO:- 5417


Weight : 3.355kg/12'



AUTOMOBILE CARRIER


SEC. NO:- 5419

Weight : 3.250kg/12'




SEC. NO:- 5421

Weight :1.670kg/12'



SEC. NO:- 5423


Weight : 2.290kg/12'



AUTOMOBILE CARRIER


SEC. NO:- 5425

Weight :3.860kg/12'




SEC. NO:- 5427

Weight :2.860kg/12'




SEC. NO:- 5429

Weight :3.940kg/12'




SEC. NO:- 5431

Weight : 4.200kg/12'





SEC. NO:- 5433

Weight : 3.325kg/12'





AUTOMOBILE CARRIER

SEC. NO:- 5435 Weight : 3.980 kg/12' SEC. NO:- 5437 Weight : 3.510 kg/12'




SEC. NO:- 5439 Weight : 2.700 kg/12' SEC. NO:- 5441 Weight : 3.050 kg/12'



SEC. NO:- 5445


Weight : 4.860 kg/12'



AUTOMOBILE CARRIER


SEC No. 7333

Weight : 4.000 kg / 12'




SEC No. 7419

Weight : 4.450 kg / 12'



SEC No. 7423


Weight : 4.735 kg / 12'



AUTOMOBILE CARRIER


SEC. NO:-7594

Weight :2.817kg/12'



SEC. NO:-7701

Weight :3.800kg/12'



SEC No.:- 8753

Weight:-3.000Kg/12'

