




Global Solutions For Aluminium Extrusions

ELECTRICAL PROFILES

ELECTRICAL & ELECTRONICS


Die No.: 9085

Wt.: 1.930 (KG/M)




Die No.: 9083

Wt.: 0.210 (KG/M)




Die No.: 5739

Wt.: 0.036 - 0.046 (KG/M)



Die No.: 5749


Wt.: 0.330-0.400 (KG/M)



Electrical Section


Die No.: 5727

Wt.: 0.300-0.350 (KG/M)




Die No.: 55789

Wt.: 9.400-9.904 (KG/M)




Die No.: 46173

Wt.: 0.290-0.359 (KG/M)



Die No.: 45671


Wt.: 0.220 - 0.270 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 45692

Wt.: 0.200-0.250 (KG/M)




Die No.: 45814

Wt.: 1.060 - 1.200 (KG/M)




Die No.: 45697

Wt.: 0.250-0.300 (KG/M)



Die No.: 45874


Wt.: 3.900 - 4.250 (KG/M)



Electrical Section

Die No.: 45696

Wt.: 0.280-0.340 (KG/M)




Die No.: 45832

Wt.: 1.830 - 2.000 (KG/M)




Die No.: 45791

Wt.: 1.100-1.230 (KG/M)



Die No.: 5754


Wt.: 0.140-0.175 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 5731

Wt.: 0.220-0.280 (KG/M)



Die No.: 45816


Wt.: 4.400 - 4.800 (KG/M)



Q

Die No.: 9105

Wt.: 0.240-0.340 KG (KG/M)



Die No.: 46252

Wt.: 2.770-2.892 (KG/M)



Electrical Section


Die No.: 45815

Wt.: 0.650 - 0.760 (KG/M)




Die No.: 5747

Wt.: 0.410-0.500 (KG/M)




Die No.: 46241

Wt.: 3.711-4.213 (KG/M)



Die No.: 46242


Wt.: 2.955-3.431 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 5629

Wt.: None (KG/M)




Die No.: 45600

Wt.: 0.630 - 0.680 (KG/M)




Die No.: 45876

Wt.: 2.00-2.200 (KG/M)



Die No.: 9600


Wt.: 1.300 - 1.450 (KG/M)



Electrical Section


Die No.: 45902

Wt.: 2.380 - 2.580 (KG/M)




Die No.: 5712

Wt.: 1.130-1.160 (KG/M)



Die No.: 55532

Wt.: 0.410 - 0.501 (KG/M)



Die No.: 45854

Wt.: 0.890 - 1.020 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 5743

Wt.: 0.380-0.430 (KG/M)




Die No.: 45809

Wt.: 0.610 - 0.710 (KG/M)




Die No.: 45975

Wt.: 1.459 - 1.613 (KG/M)



Die No.: 45890


Wt.: 0.750 - 870 (KG/M)



Electrical Section


Die No.: 45980

Wt.: 1.025 - 1.155 (KG/M)




Die No.: 45926

Wt.: 1.200 - 1.350 (KG/M)




Die No.: 45994

Wt.: 1.204 - 1.336 (KG/M)



Die No.: 45925


Wt.: 1.250 - 1.400 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 12376

Wt.: 2.590 - 3.030 (KG/M)




Die No.: 45862

Wt.: 0.850 - 0.960 (KG/M)




Die No.: 12375

Wt.: 4.615 - 5.350 (KG/M)



Die No.: 1947


Wt.: 0.060-0.090 (KG/M)



Electrical Section


Die No.: 45855

Wt.: 0.240-0.290 (KG/M)




Die No.: 6535

Wt.: 0.680 - 0.800 (KG/M)




Die No.: 45653

Wt.: 0.510-0.600 (KG/M)



Die No.: 45649


Wt.: 0.060-0.080 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 45654

Wt.: 0.305-0.370 (KG/M)




Die No.: 1935

Wt.: 0.040-0.070 (KG/M)




Die No.: 45695

Wt.: 0.530-0.620 (KG/M)



Die No.: 45921


Wt.: 0.450-0.550 (KG/M)



Electrical Section


Die No.: 45651

Wt.: 1.435-1.585 (KG/M)




Die No.: 45652

Wt.: 1.630-1.800 (KG/M)




Die No.: 45601

Wt.: 0.990 - 1.040 (KG/M)



Die No.: 45922


Wt.: 0.850 - 0.950 /mtr (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 45934

Wt.: 0.182 - 0.222 (KG/M)




Die No.: 5744

Wt.: 0.300-0.350 (KG/M)




Die No.: 45895

Wt.: 0.180 - 0.220 (KG/M)



Die No.: 45670


Wt.: 1.300-1.380 (KG/M)



Electrical Section

Die No.: 55560

Wt.: 4.640 - 4.900 (KG/M)




Die No.: 45778

Wt.: 0.510 - 0.600 (KG/M)




Die No.: 45805

Wt.: 0.960 - 1.100 (KG/M)



Die No.: 45923


Wt.: 0.800 - 1.00 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 45694

Wt.: 0.300-0.360 (KG/M)




Die No.: 45850

Wt.: 0.390-0.470 (KG/M)




Die No.: 45755

Wt.: 0.150 - 0.185 (KG/M)



Die No.: 45897


Wt.: 1.00-1.120 (KG/M)



Electrical Section


Die No.:45703

Wt.:0.520-0.600 (KG/M)



Die No.: 45790

Wt.: 1.000-1.200 (KG/M)



Die No.: 45924

Wt.: 0.250 - 0.300 (KG/M)



Die No.: 49649


Wt.: 0.124 - 0.140 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 5621

Wt.: 0.535-0.600 (KG/M)



Die No.: 5721

Wt.: 0.315-0.370 (KG/M)




Die No.: 5601

Wt.: 0.520-0.600 (KG/M)



Die No.: 45935


Wt.: 0.381 - 0.466 (KG/M)



Electrical Section


Die No.: 45865

Wt.: 0.180-0.230 (KG/M)




Die No.: 45973

Wt.: 0.422 - 0.516 (KG/M)




Die No.: 5695

Wt.: 0.545-0.575 (KG/M)



Die No.: 45904


Wt.: 0.260-0.320 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 5611

Wt.: 0.465-0.535 (KG/M)




Die No.: 45833

Wt.: 1.200-1.400 (KG/M)




Die No.: 45938

Wt.: 1.513-1.672 (KG/M)



Die No.: 5714

Wt.: 0.430 - 0.430 (KG/M)



Electrical Section

Die No.: 45896

Wt.: 2.100 - 2.260 (KG/M)




Die No.: 5620

Wt.: 0.580-0.650 (KG/M)




Die No.: 45879

Wt.: 1.230-1.330 (KG/M)



Die No.: 49659


Wt.: 0.290 - 0.350 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 5684

Wt.: 0.705-0.735 (KG/M)




Die No.: 5622

Wt.: 0.990-1.080 (KG/M)




Die No.: 46069

Wt.: 3.275 - 3.365 (KG/M)



Die No.: 5686


Wt.: 0.330-0.390 (KG/M)



Electrical Section


Die No.: 8510

Wt.: 0.570 (KG/M)




Die No.: 5734

Wt.: 0.130-0.180 (KG/M)




Die No.: 5673

Wt.: 0.295-0.325 (KG/M)



Die No.: 5628


Wt.: None (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 46192

Wt.: 0.206-0.238 (KG/M)




Die No.: 45875

Wt.: 3.960-4.300 (KG/M)




Die No.: 46372

Wt.: 0.235-0.253 (KG/M)



Die No.: 56050


Wt.: 19.394-19.781 (KG/M)



Electrical Section


Die No.: 46371

Wt.: 0.735-0.813 (KG/M)




Die No.: 46370

Wt.: 0.179-0.203 (KG/M)



Die No.: 46452


Wt.: 0.430 - 0.468 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.:45990


Wt.:0.257-0.350 (KG/M)




Electric Section

Die No.: 49567

Wt.: 0.350 - 0.420 (KG/M)




2001




Wt:0.850 KG/M

2002




Wt:1.050 KG/M

2003




Wt:0.650KG/2.4 M

2004




Wt:1.200KG/M

2005




Wt:0.900 KG/M

2006




Wt:0.200 KG/M

2007




Wt:0.920 KG/M

1931




Wt:2.986 KG/12'

1591




Wt:0.315 KG/M

1571




Wt:3.440 KG/M

1572




Wt:0.375KG/M

1573




Wt:4.760KG/M

9391




Wt:3.280 KG/M

9392




Wt:1.360 KG/M

2171




Wt:3.790 KG/M

SLM-01




Wt:1.390 KG/M

SV-01




Wt:0.310 KG/M

SNT-01




Wt: 1.170KG/12'

SNT-02




Wt:1.365 KG/12'

SNT-03




Wt: 6.740 KG/12'

SNT-04



Wt:3.111 KG/12'

SNT-05




Wt:1.100 KG/12'

SNT-06




Wt:1.720 KG/12'

SNT-07



Wt:4.520 KG/12'

BusBar/FlatBar



Sr.No.	Die.No.	Size(mm)		Weight Kg/m
		A	B	
1 2	11139	9.00	7.00	0.170
3 4	11135	12.15	7.20	0.235
5 6	11143	12.55	7.90	0.267
7 8	11142	15.50	10.00	0.400
9	11131	19.00	3.00	0.153
10	11124	19.10	6.35	0.327
11	11137	28.00	30.00	2.268
12	11001	20.00	10.00	0.540
13	11144	22.40	16.90	1.021
14	11116	23.00	1.50	0.096
15	11110	23.00	2.50	0.155
16	11141	24.00	2.40	0.155
17	11101	25.00	2.00	0.135
18	11123	25.00	3.00	0.202
19	11102	25.00	4.00	0.270
20	11103	25.00	5.00	0.337
	11112	25.00	6.00	0.400
	11120	25.00	8.00	0.538
	11104	25.00	10.00	0.675
	11126	25.00	12.00	0.675

BusBar/FlatBar

21	11140	25.40	16.00	1.097
22	11106	30.00	3.00	0.243
23	11138	32.00	3.00	0.259
24	11117	30.00	8.00	0.647
25	11118	30.00	10.00	0.809
26	11114	30.00	18.00	1.450
27	11130	32.00	6.00	0.518
28	11121	32.00	10.00	0.864
29	11125	32.00	1.60	0.122
30	11119	32.00	12.00	1.036
31	11134	33.60	1.30	0.117
32	11113	38.00	3.00	0.307
33	11105	38.00	5.00	0.513
34	11115	38.00	8.00	0.820
35	11111	38.00	12.00	1.230
36	11132	38.10	25.40	2.612
37	11128	40.00	1.80	0.194
38	11133	40.00	5.00	0.540
39	11107	40.00	6.00	0.648
40	11127	40.00	6.50	0.702
41	11108	40.00	10.00	1.080
42	11109	40.00	12.00	1.296
43	11136	40.00	16.00	1.728
44	11129	44.30	1.40	0.167
45	11122	45.00	9.00	1.093
46	11205	50.00	1.50	0.155
47	11204	50.00	2.00	0.270
48	11203	50.00	3.00	0.405
49	11206	50.00	4.00	0.539
50	11210	50.00	5.00	0.675
51	11201	50.00	6.00	0.810
52	11202	50.00	10.00	1.350

BusBar/FlatBar










53	11207	50.00	12.00	1.620
54	11208	50.80	16.00	2.194
55	11209	50.80	19.05	2.612
56	11312	50.80	25.40	3.483
57	11320	50.80	32.00	4.389
58	11313	60.00	10.00	1.620
59	11322	63.00	3.00	0.510
60	11315	63.00	6.00	1.020
61	11308	63.00	10.00	1.700
62	11319	63.50	25.40	4.354
63	11323	63.50	19.05	2.903
64	11317	63.50	32.00	5.486
65	11301	65.00	10.00	1.755
66	11309	75.00	2.50	0.506
67	11314	75.00	6.00	1.215
68	11303	75.00	10.00	1.890
69	11304	75.00	12.00	2.430
70	11302	76.00	3.00	0.615
71	11310	76.00	6.00	1.231
72	11316	76.20	16.00	3.291
73	11311	76.20	19.05	3.919
74	11318	76.20	25.40	5.225

BusBar/FlatBar


75	11321	76.00	12.70	2.605
76	11305	80.00	4.00	0.864
77	11306	80.00	10.00	2.160
78	11307	80.00	12.00	2.590
79	11411	100.00	5.00	1.350
80	11405	100.00	6.00	1.620
81	11401	100.00	10.00	2.700
82	11402	100.00	12.00	3.240
83	11409	101.60	16.00	4.389
84	11404	101.60	19.05	5.225
85	11410	100.00	20.00	5.400
86	11406	101.60	25.40	6.967
87	11407	120.00	10.00	3.240
88	11403	120.00	12.00	3.888
89	11601	125.00	10.00	3.375
90	11408	127.00	6.00	2.057
91	11602	127.00	10.00	3.429
92	11603	127.00	16.00	5.486
93	11702	150.00	10.00	4.050
94	11701	150.00	12.00	4.860
95	11703	152.40	6.35	2.612
96	11704	152.40	12.70	5.225

Industrial Profile


HEAT SINK




DSL BUSBAR SECTION




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 11746	20.00	15.00	1.20	0.237




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 11747/A	26.10	15.00	2.00	0.395




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11705	18.40	15.70	1.10	0.280
2	11763	18.40	15.70	1.30	0.294




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11768	18.40	15.70	1.30	0.286




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	23080	18.40	15.90	1.00	0.278




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11745	18.80	16.00	1.40	0.314




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11748	19.00	16.00	1.50	0.369




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11749	28.00	34.00	2.50	0.888



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11765	34.00	28.00	3.50	1.262



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11766	34.00	28.00	2.30	0.900




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11767	52.00	35.75	3.50	1.852

ELECTRICAL & ELECTRONICS


Die No.: 9412

Wt.: 1.100-1.160 (KG/M)




Die No.: 9194

Wt.: 0.440-0.480 (KG/M)




Die No.: 49477

Wt.: 0.340 - 0.380 (KG/M)



Die No.: 45609


Wt.: 0.800 - 0.840 (KG/M)



Resistor


Die No.: 45929

Wt.: 1.066 - 1.202 (KG/M)




Die No.: 9411

Wt.: 0.180-0.230 (KG/M)




Die No.: 49478

Wt.: 0.500 - 0.57 (KG/M)



Die No.: 9178


Wt.: 0.380-0.420 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 5862

Wt.: 1.100-1.170 (KG/M)




Die No.: 45629

Wt.: 0.690-0.800 (KG/M)




Die No.: 9195

Wt.: 0.380-0.420 (KG/M)



Die No.: 5828


Wt.: 1.200-1.270 (KG/M)



Resistor


Die No.: 45837

Wt.: 0.580 - 0.680 (KG/M)




Die No.: 9413

Wt.: 2.965-3.000 (KG/M)




Die No.: 8206

Wt.: 3.630-3.660 (KG/M)



Die No.: 5829


Wt.: 1.600 - 1.670 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 49627

Wt.: 3.350 - 3.600 (KG/M)




Die No.: 5861

Wt.: 3.00-3.070 (KG/M)



Die No.: 5863


Wt.: 1.187 - 1.505 (KG/M)



Resistor


Die No.: 5842

Wt.: 2.000-2.100 (KG/M)




Die No.: 9437

Wt.: 0.445-0.485 (KG/M)




Die No.: 45606

Wt.: 0.165 - 0.200 (KG/M)




ELECTRICAL & ELECTRONIC

PROFILE NO:- 8402




WT. RANGE KG/12' :- 2.450 - 2.750

PROFILE NO:- 8403




WT. RANGE KG/12' :- 0.462 - 0.550

PROFILE NO:- 8404




WT. RANGE KG/12' :- 0.100 - 0.130

PROFILE NO:- 8405




WT. RANGE KG/12' :- 0.220 - 0.280

PROFILE NO:- 8406




WT. RANGE KG/12' :- 0.160 - 0.200

PROFILE NO:- 8407




WT. RANGE KG/12' :- 0.150 - 0.250

PROFILE NO:- 8413




WT. RANGE KG/12' :- 0.660 - 0.740

PROFILE NO:- 8415




WT. RANGE KG/12' :- 0.630 - 0.700

PROFILE NO:- 8416




WT. RANGE KG/12' :- 3.325 - 3.700

PROFILE NO:- 8417




WT. RANGE KG/12' :- 0.800 - 0.900

PROFILE NO:- 8418




WT. RANGE KG/12' :- 2.350 - 2.600

PROFILE NO:- 8421



WT. RANGE KG/12' :- 0.315 - 0.350


PROFILE NO:- 8422



WT. RANGE KG/12' :- 0.150 - 0.200


ELECTRICAL & ELECTRONIC

PROFILE NO:- 8423




WT. RANGE KG/12':- 0.140 - 0.200

PROFILE NO:- 8424




WT. RANGE KG/12':- 0.135 - 0.200

PROFILE NO:- 8425




WT. RANGE KG/12':- 0.125 - 0.200

PROFILE NO:- 8426




WT. RANGE KG/12':- 0.200 - 0.250

PROFILE NO:- 8428




WT. RANGE KG/12':- 0.970 - 1.100

PROFILE NO:- 8427




WT. RANGE KG/12':- 0.235 - 0.300

PROFILE NO:- 8429




WT. RANGE KG/12':- 0.530 - 0.600

PROFILE NO:- 8600




WT. RANGE KG/12':- 1.550 - 1.750

PROFILE NO:- 8602



WT. RANGE KG/12':- 3.000 - 3.400


PROFILE NO:- 8601



WT. RANGE KG/12':- 0.280 - 0.350


ELECTRICAL & ELECTRONIC

PROFILE NO:- 8603




WT. RANGE KG/12':- 1.800 - 2.100

PROFILE NO:- 8604




WT. RANGE KG/12':- 1.750 - 1.950

PROFILE NO:- 8607




WT. RANGE KG/12':- 1.950 - 2.180

PROFILE NO:- 8605




WT. RANGE KG/12':- 1.100 - 1.200

PROFILE NO:- 8608




WT. RANGE KG/12':- 3.440 - 3.820

PROFILE NO:- 8609




WT. RANGE KG/12':- 2.850 - 3.150

PROFILE NO:- 8606




WT. RANGE KG/12':- 0.315 - 0.400

PROFILE NO:- 8610




WT. RANGE KG/12':- 0.900 - 1.000

PROFILE NO:- 8611



WT. RANGE KG/12':- 0.900 - 1.050


PROFILE NO:- 8612



WT. RANGE KG/12':- 0.450 - 0.500


ELECTRICAL & ELECTRONIC

PROFILE NO:- 8613



WT. RANGE KG/12':- 1.650 - 1.850

PROFILE NO:- 8614



WT. RANGE KG/12':- 1.450 - 1.650