




Global Solutions For Aluminium Extrusions


FILTER/AC GRILL PROFILES

2651




Wt:0.170-0.185 KG/M

2652




Wt:0.200-0.230 KG/M

2653




Wt:0.140-0.150 KG/M

2654



Wt:0.295-0.340 KG/M

2655




Wt:0.275-0.310 KG/M

2656




Wt:0.715-0.785 KG/M

2657




Wt:0.860-0.940 KG/M

2658




Wt:2.820 KG/M

2659




Wt:4.650 KG/M

2660




Wt:0.375-0.400 KG/M

2661




Wt:0.515-0.545 KG/M

2662




Wt:0.630-0.665 KG/M

2663




Wt:1.340-1.480 KG/M

2664




Wt:1.835 KG/M

2665




Wt:0.195 KG/M

2666




Wt:0.300 KG/M

2667




Wt:1.670 KG/M

2668




Wt:1.650 KG/M

9331




Wt:0.066 KG/M

9332



Wt:0.325 KG/M

9333




Wt:0.190 KG/M

9334




Wt:0.100 KG/M

2681



Wt:0.140-0.180 KG/M

2682




Wt:0.185-0.225 KG/M




Global Solutions For Aluminium Extrusions

2683




Wt:0.240-0.280 KG/M

2684




Wt:0.320-0.390 KG/M

2685




Wt:0.255 KG/M

2686




Wt:0.200-0.250 KG/M

2687




Wt:0.400 KG/M

2688




Wt:0.200-0.250 KG/M

2689



Wt:0.620 KG/M

2690




Wt:0.050 KG/M




Global Solutions For Aluminium Extrusions

2691




Wt:0.255 KG/M

9311




Wt:0.330-0.400 KG/M

9312




Wt: 0.420-0.465 KG/M

9313




Wt: 0.345-0.380 KG/M

9314




Wt:0.190-0.230 KG/M

9315



Wt:0.370-0.420 KG/M

9316



Wt: 0.450-0.500 KG/M

9317




Wt: 0.555-0.620KG/M



Global Solutions For Aluminium Extrusions

7501




Wt:2.370 KG/M

HVAC


Die No.: 6941

Wt.: 0.375-0.400 (KG/M)




Die No.: 38621

Wt.: 0.216-0.259 (KG/M)




Die No.: 38634

Wt.: 0.349-0.438 (KG/M)



Die No.: 37191


Wt.: 0.115-0.142 (KG/M)



A.C. Grill, Louvers & Dampers

Die No.: 36141

Wt.: 0.035-0.045 (KG/M)




Die No.: 38623

Wt.: 0.323-0.415 (KG/M)




Die No.: 38637

Wt.: 0.338-0.403 (KG/M)



Die No.: 37192


Wt.: 0.090-0.135 (KG/M)



HVAC


Die No.: 37199

Wt.: 0.213-0.290 (KG/M)




Die No.: 6504

Wt.: 0.580 - 0.680 (KG/M)




Die No.: 6786

Wt.: 0.700-0.820 (KG/M)



Die No.: 6524


Wt.: 1.340-1.400 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 37214

Wt.: 0.170-0.256 (KG/M)




Die No.: 36006

Wt.: 0.265 - 0.315 (KG/M)



Die No.: 6793

Wt.: 0.090-0.140 (KG/M)



Die No.: 6602


Wt.: 0.070-0.090 (KG/M)



HVAC


Die No.: 6604

Wt.: 0.080-0.120 (KG/M)




Die No.: 6617

Wt.: 0.080 - 0.120 (KG/M)




Die No.: 6620

Wt.: 0.235 - 0.265 (KG/M)



Die No.: 6623


Wt.: 0.300 - 0.360 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 6607

Wt.: 0.250-0.340 (KG/M)




Die No.: 6618

Wt.: 0.300 - 0.330 (KG/M)




Die No.: 6622

Wt.: 0.230 - 0.280 (KG/M)



Die No.: 6848

Wt.: 0.965-0.995 (KG/M)



HVAC


Die No.: 6625

Wt.: 0.250 - 0.250 (KG/M)




Die No.: 36074

Wt.: 0.100 - 0.130 (KG/M)




Die No.: 36105

Wt.: 0.190-0.250 (KG/M)



Die No.: 36100


Wt.: 0.270 - 0.320 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 6626

Wt.: 0.240 - 0.290 (KG/M)




Die No.: 36091

Wt.: 0.285 - 0.350 (KG/M)




Die No.: 36107

Wt.: 0.064-0.080 (KG/M)



Die No.: 36101

Wt.: 0.260 - 0.320 (KG/M)



HVAC


Die No.: 36117

Wt.: 0.140-0.170 (KG/M)




Die No.: 36094

Wt.: 0.730 - 0.850 (KG/M)



Die No.: 36097

Wt.: 0.095 - 0.117 (KG/M)



Die No.: 36070


Wt.: 0.085 - 0.100 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36123

Wt.: 0.400 - 0.480 (KG/M)




Die No.: 36095

Wt.: 0.100-0.130 (KG/M)




Die No.: 6718

Wt.: 0.205 - 0.235 (KG/M)



Die No.: 36072


Wt.: 0.200 - 0.240 (KG/M)



HVAC


Die No.: 36071

Wt.: 0.145 - 0.185 (KG/M)




Die No.: 36075

Wt.: 0.180 - 0.230 (KG/M)




Die No.: 37145

Wt.: 0.201-0.246 (KG/M)



Die No.: 37143


Wt.: 0.208-0.248 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36073

Wt.: 0.120 - 0.160 (KG/M)




Die No.: 6959

Wt.: 0.090-0.120 (KG/M)




Die No.: 37149

Wt.: 0.052-0.061 (KG/M)



Die No.: 37144


Wt.: 0.078-0.097 (KG/M)



HVAC


Die No.: 36178

Wt.: 0.077-0.105 (KG/M)




Die No.: 37146

Wt.: 0.048-0.057 (KG/M)




Die No.: 36049

Wt.: 0.700 - 0.820 (KG/M)



Die No.: 6955


Wt.: 0.220-0.250 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36179

Wt.: 0.095-0.121 (KG/M)




Die No.: 37148

Wt.: 0.052-0.061 (KG/M)




Die No.: 6823

Wt.: 0.120-0.150 (KG/M)



Die No.: 36181


Wt.: 0.235-0.287 (KG/M)



HVAC


Die No.: 37189

Wt.: 0.140-0.178 (KG/M)




Die No.: 36146

Wt.: 0.400-0.480 (KG/M)




Die No.: 36137

Wt.: 0.230 - 0.280 (KG/M)



Die No.: 6840


Wt.: 0.215-0.245 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 6998

Wt.: 0.395-0.450 (KG/M)




Die No.: 36142

Wt.: 0.300-0.350 (KG/M)




Die No.: 36139

Wt.: 0.190-0.240 (KG/M)



Die No.: 36211


Wt.: 0.176 - 0.224 (KG/M)



HVAC


Die No.: 36127

Wt.: 0.371-0.454 (KG/M)




Die No.: 6603

Wt.: 0.250-0.300 (KG/M)




Die No.: 36183

Wt.: 0.336 - 0.410 (KG/M)



Die No.: 36184


Wt.: 0.286 - 0.350 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36209

Wt.: 0.066 - 0.089 (KG/M)




Die No.: 36205

Wt.: 0.163-0.207 (KG/M)



Die No.: 6790


Wt.: 1.020-1.100 (KG/M)



HVAC


Die No.: 36210

Wt.: 0.166 - 0.211 (KG/M)



Die No.: 36190

Wt.: 0.054 - 0.073 (KG/M)




Die No.: 36175

Wt.: 0.88-0.113 (KG/M)



Die No.: 6521


Wt.: 0.060-0.090 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36157

Wt.: 0.070-0.100 (KG/M)




Die No.: 36203

Wt.: 0.132-0.168 (KG/M)




Die No.: 36177

Wt.: 0.078-0.106 (KG/M)



Die No.: 36126


Wt.: 0.180-0.230 (KG/M)



HVAC


Die No.: 36155

Wt.: 0.100-0.130 (KG/M)




Die No.: 36108

Wt.: 0.350-0.440 (KG/M)




Die No.: 36173

Wt.: 0.290-0.355 (KG/M)



Die No.: 36220


Wt.: 0.118-0.167 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36218

Wt.: 0.061 - 0.082 (KG/M)




Die No.: 36145

Wt.: 0.270 - 0.330 (KG/M)




Die No.: 36174

Wt.: 0.286-0.350 (KG/M)



Die No.: 36152


Wt.: 0.298-0.485 (KG/M)



HVAC


Die No.: 37153

Wt.: 0.345-0.422 (KG/M)




Die No.: 36215

Wt.: 0.164-0.209 (KG/M)




Die No.: 6970

Wt.: 0.190 - 0.240 (KG/M)



Die No.: 36232


Wt.: 0.320 - 0.400 (KG/M)



A.C. Grill, Louvers & Dampers

Die No.: 36180

Wt.: 0.300-0.401 (KG/M)




Die No.: 36213

Wt.: 0.068-0.093 (KG/M)




Die No.: 36191

Wt.: 0.394 - 0.482 (KG/M)



Die No.: 36005


Wt.: 0.265 - 0.310 (KG/M)



HVAC


Die No.: 36096

Wt.: 0.350-0.380 (KG/M)




Die No.: 6619

Wt.: 0.245 - 0.275 (KG/M)



Die No.: 6503

Wt.: 0.660-0.730 (KG/M)



Die No.: 6624


Wt.: 0.130 - 0.160 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 6783

Wt.: 0.114 - 0.136 (KG/M)




Die No.: 6791

Wt.: 0.370-0.410 (KG/M)




Die No.: 6610

Wt.: 0.170 - 0.200 (KG/M)



Die No.: 6616

Wt.: 0.260 - 0.300 (KG/M)



HVAC


Die No.: 35020

Wt.: 0.480 - 0.550 (KG/M)




Die No.: 36147

Wt.: 0.340 - 0.410 (KG/M)




Die No.: 36182

Wt.: 0.336 - 0.410 (KG/M)



Die No.: 6980

Wt.: 0.120-0.155 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36092

Wt.: 0.255 - 0.310 (KG/M)




Die No.: 37147

Wt.: 0.052-0.061 (KG/M)




Die No.: 36221

Wt.: 0.123 - 0.157 (KG/M)



Die No.: 36114


Wt.: 0.150-0.190 (KG/M)



HVAC


Die No.: 36156

Wt.: 0.063-0.079 (KG/M)




Die No.: 36172

Wt.: 0.110-0.140 (KG/M)




Die No.: 36222

Wt.: 0.219 - 0.306 (KG/M)



Die No.: 36093


Wt.: 0.060-0.090 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36116

Wt.: 0.090-0.110 (KG/M)




Die No.: 36109

Wt.: 0.179-0.242 (KG/M)



Die No.: 36519

Wt.: 0.640-0.750 (KG/M)



Die No.: 6608


Wt.: 0.240-0.270 (KG/M)



HVAC


Die No.: 36022

Wt.: 0.170 - 0.210 (KG/M)




Die No.: 36228

Wt.: 0.809 - 0.931 (KG/M)




Die No.: 36098

Wt.: 0.140-0.170 (KG/M)



Die No.: 37142


Wt.: 0.295-0.354 (KG/M)



A.C. Grill, Louvers & Dampers

Die No.: 36085

Wt.: 0.190-0.230 (KG/M)



Die No.: 36176

Wt.: 0.163-0.208 (KG/M)



Die No.: 36104

Wt.: 0.060 - 0.075 (KG/M)



Die No.: 36125

Wt.: 0.070 - 0.090 (KG/M)



HVAC


Die No.: 36106

Wt.: 0.045-0.060 (KG/M)



Die No.: 36088

Wt.: 0.073-0.094 (KG/M)




Die No.: 6747

Wt.: 0.070-0.130 (KG/M)



Die No.: 36204


Wt.: 0.149-0.190 (KG/M)



A.C. Grill, Louvers & Dampers

Die No.: 36518

Wt.: 0.576-0.836 (KG/M)



Die No.: 6534

Wt.: 0.230-0.270 (KG/M)



Die No.: 6601

Wt.: 0.130-0.170 (KG/M)



Die No.: 6792

Wt.: 0.420-0.480 (KG/M)



HVAC


Die No.: 6903

Wt.: 0.068-0.087 (KG/M)




Die No.: 6520

Wt.: 0.060-0.090 (KG/M)




Die No.: 37215

Wt.: 0.083 - 0.125 (KG/M)



Die No.: 37216


Wt.: 0.071-0.090 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 36208

Wt.: 0.060 - 0.110 (KG/M)




Die No.: 36219

Wt.: 0.062 - 0.084 (KG/M)




Die No.: 38368

Wt.: 0.406-0.542 (KG/M)



Die No.: 37259


Wt.: 0.279-0.391 (KG/M)



HVAC


Die No.: 37260

Wt.: 0.161-0.242 (KG/M)




Die No.: 37265

Wt.: 0.061-0.077 (KG/M)




Die No.: 37267

Wt.: 0.070-0.088 (KG/M)



Die No.: 37269


Wt.: 0.189-0.229 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 37261

Wt.: 0.086-0.128 (KG/M)




Die No.: 37266

Wt.: 0.054-0.070 (KG/M)




Die No.: 37268

Wt.: 0.087-0.121 (KG/M)



Die No.: 37270


Wt.: 0.101-0.129 (KG/M)



HVAC


Die No.: 37271

Wt.:0.100-0.128 (KG/M)



Die No.: 37273

Wt.:0.309-0.416 (KG/M)



Die No.: 37275


Wt.:0.220-0.298 (KG/M)



A.C. Grill, Louvers & Dampers


Die No.: 37272

Wt.:0.150-0.190 (KG/M)




Die No.: 37274

Wt.:0.398-0.591 (KG/M)



Die No.: 37276


Wt.:0.187-0.253 (KG/M)



HVAC

Die No.: 37211

Wt.: 0.920-1.130 (KG/M)




Die No.: 37233

Wt.: 0.496-0.572 (KG/M)




Die No.: 37085

Wt.: 1.550-1.700 (KG/M)



Die No.: 37073


Wt.: 0.290-0.350 (KG/M)



A.C.Filter


Die No.: 37232

Wt.: 0.543-0.706 (KG/M)




Die No.: 37064

Wt.: 0.420-0.480 (KG/M)




Die No.: 37017

Wt.: 0.030-0.040 (KG/M)



Die No.: 37005


Wt.: 0.500 - 0.570 (KG/M)



HVAC


Die No.: 37008

Wt.: 0.385-0.465 (KG/M)




Die No.: 37187

Wt.: 0.633 - 0.871 (KG/M)




Die No.: 36224

Wt.: 0.084 - 0.140 (KG/M)



Die No.: 37102


Wt.: 0.681 - 0.800 (KG/M)



A.C.Filter


Die No.: 37104

Wt.: 1.165 - 1.314 (KG/M)




Die No.: 37097

Wt.: 0.370 - 0.430 (KG/M)




Die No.: 37256

Wt.: 0.330-0.400 (KG/M)



Die No.: 37096

Wt.: 0.280 - 0.340 (KG/M)



HVAC


Die No.: 37107

Wt.: 0.369 - 0.451 (KG/M)




Die No.: 37115

Wt.: 0.257 - 0.351 (KG/M)




Die No.: 37113

Wt.: 0.559 - 0.722 (KG/M)



Die No.: 37080


Wt.: 0.370-0.450 (KG/M)



A.C.Filter


Die No.: 6638

Wt.: 0.260 - 0.310 (KG/M)



Die No.: 37114

Wt.: 0.169 - 0.233 (KG/M)




Die No.: 37068

Wt.: 0.820 - 0.910 (KG/M)



Die No.: 37167


Wt.: 0.698-0.873 (KG/M)



HVAC


Die No.: 36090

Wt.: 0.150 - 0.190 (KG/M)




Die No.: 37132

Wt.: 1.416 - 1.698 (KG/M)




Die No.: 37009

Wt.: 0.185-0.230 (KG/M)



Die No.: 8530


Wt.: 1.620-1.780 (KG/M)



A.C.Filter


Die No.: 37116

Wt.: 0.814 - .948 (KG/M)



Die No.: 37025

Wt.: 0.225-0.280 (KG/M)




Die No.: 36110

Wt.: 0.450-0.550 (KG/M)



Die No.: 37054


Wt.: 0.410-00.500 (KG/M)



HVAC


Die No.: 37082

Wt.: 0.374-0.457 (KG/M)




Die No.: 37152

Wt.: 0.292-0.395 (KG/M)




Die No.: 37013

Wt.: 0.385-0.470 (KG/M)



Die No.: 6511


Wt.: 0.230-0.270 (KG/M)



A.C.Filter


Die No.: 37054

Wt.: 0.410-0.500 (KG/M)




Die No.: 37074

Wt.: 0.200-0.250 (KG/M)




Die No.: 37014

Wt.: 0.470 - 0.550 (KG/M)



Die No.: 6639


Wt.: 0.415 - 0.455 (KG/M)



HVAC


Die No.:37217

Wt.:0.290-0.404 (KG/M)



Die No.: 37186


Wt.: 0.599 - 0.684 (KG/M)



A.C.Filter


Die No.: 37208

Wt.: 0.170-0.219 (KG/M)



Die No.: 37183

Wt.: 0.475 - 0.611 (KG/M)






Global Solutions For Aluminium Extrusions


CLEAN ROOM PROFILES

9951




Wt:1.510 KG/M

9952




Wt:0.117 KG/M

9953




Wt:0.918 KG/M

9954




Wt:2.170 KG/M

9955




Wt:0.250 KG/M

ST-01




Wt:0.930-1.060 KG/M

ST-02



Wt:0.700-0.800 KG/M

ST-03



Wt:0.250-0.300 KG/M

ST-04




Wt:2.394 KG/12'

ST-05




Wt:2.776 KG/12'

ST-06



Wt:1.315 KG/12'

ST-07




Wt:1.325 KG/12'

ST-08




Wt:0.575 KG/12'

ST-09




Wt:4.157 KG/12'

ST-10




Wt:3.120 KG/12'

ST-11




Wt:0.937 KG/12'

2751




Wt:0.592 KG/M

2752




Wt:0.436 KG/M

2753




Wt:0.320 KG/M

2391




Wt:1.300 KG/M

2392




Wt:0.940 KG/M

2393




Wt:0.170 KG/M

2601




Wt:0.650 KG/M

2602




Wt:0.520 KG/M

2603




Wt:1.260 KG/M

2604




Wt:1.110 KG/M

2605




Wt:0.770 KG/M

2606




Wt:0.650 KG/M

2607




Wt:0.460 KG/M

2608




Wt:0.260 KG/M

2609




Wt:0.360 KG/M

2610




Wt:1.985 KG/M

2611




Wt:1.350 KG/M

2612




Wt:0.750 KG/M

2613




Wt:4.765 KG/12'

2614




Wt:1.680 KG/12'

2615




Wt:5.820 KG/12'

2616




Wt:1.580 KG/12'

2617




Wt:1.080 KG/12'

2618




Wt:0.590 KG/12'

2619




Wt:1.370 KG/12'

2620




Wt:1.050 KG/12'

2621




Wt:1.420 KG/12'

2622




Wt:1.300 KG/M

1801




Wt:0.940 KG/M

1802




Wt:0.170 KG/M

1803



Wt:0.340 KG/M

1804



Wt:0.250 KG/M

HVAC


Die No.: 37023

Wt.: 0.200 - 0.250 (KG/M)




Die No.: 35438

Wt.: 0.120 - 0.150 (KG/M)




Die No.: 23106

Wt.: 0.370-0.425 (KG/M)



Die No.: 35402


Wt.: 0.310 - 0.370 (KG/M)



Clean Room


Die No.: 3514

Wt.: 0.330-0.380 (KG/M)




Die No.: 35439

Wt.: 0.180 - 0.220 (KG/M)




Die No.: 23107

Wt.: 0.340-0.407 (KG/M)



Die No.: 35403


Wt.: 0.180 - 0.220 (KG/M)



HVAC


Die No.: 35404

Wt.: 0.260 - 0.310 (KG/M)




Die No.: 35410

Wt.: 0.300-0.370 (KG/M)




Die No.: 37069

Wt.: 0.840-0.940 (KG/M)



Die No.: 35446


Wt.: 0.210 - 0.260 (KG/M)



Clean Room


Die No.: 35405

Wt.: 0.280 - 0.340 (KG/M)




Die No.: 35411

Wt.: 0.140 - 0.180 (KG/M)




Die No.: 45872

Wt.: 0.350-0.420 (KG/M)



Die No.: 4526


Wt.: 0.200-0.220 (KG/M)



HVAC


Die No.: 37024

Wt.: 0.750 - 0.860 (KG/M)




Die No.: 37103

Wt.: 0.142-0.181 (KG/M)




Die No.: 37088

Wt.: 1.158 - 1.306 (KG/M)



Die No.: 45873


Wt.: 0.165-0.215 (KG/M)



Clean Room


Die No.: 23716

Wt.: 0.186-0.280 (KG/M)




Die No.: 37094

Wt.: 0.267 - 0.327 (KG/M)




Die No.: 55431

Wt.: 0.620 - 0.720 (KG/M)



Die No.: 37101


Wt.: 0.588 - 0.691 (KG/M)



HVAC


Die No.: 37105

Wt.: 1.313 - 1.480 (KG/M)




Die No.: 37091

Wt.: 0.464 - 0.532 (KG/M)




Die No.: 37089

Wt.: 0 (KG/M)



Die No.: 46011


Wt.: 0.889 - 1.087 (KG/M)



Clean Room


Die No.: 23009

Wt.: 0.435-0.480 (KG/M)




Die No.: 36165

Wt.: 0.850 - 0.970 (KG/M)




Die No.: 37092

Wt.: 0.565 - 0.663 (KG/M)



Die No.: 45880


Wt.: 0.650 - 0.770 (KG/M)



HVAC


Die No.: 37174

Wt.: 0.197 - 0.246 (KG/M)




Die No.: 37093

Wt.: 0.230-0.290 (KG/M)



Die No.: 3182


Wt.: 0.155 - 0.200 (KG/M)



Clean Room


Die No.: 23715

Wt.: 0.270 - 0.330 (KG/M)



Die No.: 24225

Wt.: 0.432-0.569 (KG/M)





Global Solutions For Aluminium Extrusions


AIR HANDLING UNIT PROFILES

9101




Wt:0.230 KG/M

9102




Wt:0.480 KG/M

9103




Wt:0.700 KG/M

9104




Wt:0.920 KG/M

9105




Wt:0.800 KG/M

9106




Wt:0.285 KG/M

9107




Wt:0.740 KG/M

9108




Wt:1.030 KG/M

9109




Wt:0.920 KG/M

9110




Wt:0.560-0.615 KG/M

9111




Wt:0.960-1.060 KG/M

9112



Wt:0.640-0.680 KG/M

9113




Wt:0.740-0.790 KG/M

9114




Wt:0.300-0.320 KG/M

9115




Wt:0.860-0.900 KG/M

9116




Wt: KG/M

9117




Wt:3.086 KG/12'

1805




Wt:5.130 KG/12'

2221



Wt:1.700 KG/M

7851



Wt:0.430 KG/M

7852




Wt:0.425 KG/M

8081




Wt: 0.880KG/M

8082



Wt:0.425 KG/M

9931



Wt:5.573 KG/12'




Global Solutions For Aluminium Extrusions

9932




Wt: 0.922KG/12'

9933




Wt: 5.648KG/12'


AHU SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 11707	55.00	60.00	2.50	1.705




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 11708	40.00	40.00	2.20	0.936




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 11709	40.00	40.00	1.40	0.618




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 11710	70.00	40.00	1.40	0.818




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11716	40.00	30.00	1.30	0.875




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11750	55.00	60.00	2.60	1.697




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11751	40.00	40.00	2.40	0.995




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11752	108.00	15.00	1.10	0.843




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11753	125.00	25.00	1.20	0.705



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11754	125.00	39.00	1.50	1.213



Sr.No.	Drawing No.	A	B	T	Wt. Kg/Mtr.
1	11761	28.40	28.40	1.90	0.309




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11778	70.00	28.00	1.50	0.607


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

AHU SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11779	50.00	50.00	1.60	0.653




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11780	50.00	20.00	1.50	0.595


INDUSTRIAL SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11704	100.50	30.00	8.50	3.075




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12183	125.00	65.00	6.00	2.405



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 11706	57.50	42.00	4.50	3.463



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	11701	Ø18.5	Ø11.0	3.75	0.417
2	11702	Ø21.0	Ø13.5	3.75	0.487



Sr.No.	Section No.	A	B	C	Wt. Kg/Mtr.
1	11703	50.00	19.00	10.50	1.384


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

HVAC


Die No.: 6899

Wt.: 0.885-0.950 (KG/M)




Die No.: 8560

Wt.: 1.420-1.520 (KG/M)




Die No.: 35026

Wt.: 0.570 - 0660 (KG/M)



Die No.: 35022


Wt.: 0.690 - 0.800 (KG/M)



Air Handling Unit


Die No.: 36814

Wt.: 0.868-1.119 (KG/M)




Die No.: 35440

Wt.: 1.100 - 1.130 (KG/M)




Die No.: 35021

Wt.: 0.290 - 0.350 (KG/M)



Die No.: 35082


Wt.: 0.750 - 0.860 (KG/M)



HVAC


Die No.: 35083

Wt.: 1.240 - 1.390 (KG/M)




Die No.: 35073

Wt.: 0.240-0.290 (KG/M)




Die No.: 35055

Wt.: 1.300-1.480 (KG/M)



Die No.: 35089


Wt.: 1.770-1.950 (KG/M)



Air Handling Unit


Die No.: 35072

Wt.: 0.650-0.750 (KG/M)




Die No.: 35046

Wt.: 0.850-0.980 (KG/M)




Die No.: 35062

Wt.: 0.450-0.550 (KG/M)



Die No.: 35442


Wt.: 0.120-0.150 (KG/M)



HVAC


Die No.: 35086

Wt.: 1.480 - 1.640 (KG/M)




Die No.: 35050

Wt.: 0.640-0.740 (KG/M)




Die No.: 6898

Wt.: 0.785-0.860 (KG/M)



Die No.: 35052


Wt.: 0.680-780 (KG/M)



Air Handling Unit


Die No.: 35087

Wt.: 0.930-1.100 (KG/M)




Die No.: 6879

Wt.: 1.345-1.445 (KG/M)




Die No.: 23457

Wt.: 0.290-0.360 (KG/M)



Die No.: 35058


Wt.: 0.670-0.770 (KG/M)



HVAC


Die No.: 8557

Wt.: 1.000-1.050 (KG/M)




Die No.: 8559

Wt.: 0.850-0.950 (KG/M)




Die No.: 35023

Wt.: 0.620 - 0.720 (KG/M)



Die No.: 3244


Wt.: 1.622-1.833 (KG/M)



Air Handling Unit


Die No.: 8558

Wt.: 1.240-1.300 (KG/M)




Die No.: 35000

Wt.: 0.800-0.900 (KG/M)




Die No.: 35441

Wt.: 1.300 - 1.450 (KG/M)



Die No.: 35053


Wt.: 0.870 - 1.000 (KG/M)



HVAC


Die No.: 37133

Wt.: 1.276 - 1.558 (KG/M)




Die No.: 36815

Wt.: 0.923-1.173 (KG/M)




Die No.: 6875

Wt.: 1.000-1.1000 (KG/M)



Die No.: 6827


Wt.: 0.600 - 0.700 (KG/M)



Air Handling Unit


Die No.: 35001

Wt.: 1.200 - 1.340 (KG/M)




Die No.: 6876

Wt.: 0.800-0.900 (KG/M)




Die No.: 6854

Wt.: 0.340-0.370 (KG/M)



Die No.: 6985


Wt.: 0.650-0.680 (KG/M)



HVAC


Die No.: 6891

Wt.: 1.040-1.120 (KG/M)




Die No.: 35048

Wt.: 0.480-0.590 (KG/M)




Die No.: 35102

Wt.: 0.900 - 1.000 (KG/M)



Die No.: 23611


Wt.: 0.915 - 1.055 (KG/M)



Air Handling Unit


Die No.: 3245

Wt.: 2.640-2.670 (KG/M)




Die No.: 6770

Wt.: 0.935 - 1.000 (KG/M)




Die No.: 6825

Wt.: 0.575-0.650 (KG/M)



Die No.: 37090


Wt.: 0.957 - 1.079 (KG/M)



HVAC


Die No.: 35088

Wt.: 0.720 - 0.830 (KG/M)




Die No.: 6862

Wt.: 0.870-0.920 (KG/M)




Die No.: 33946

Wt.: 0.145 - 0.195 (KG/M)



Die No.: 6885


Wt.: 1.100-1.170 (KG/M)



Air Handling Unit


Die No.: 37048

Wt.: 0.680-0.800 (KG/M)




Die No.: 6881

Wt.: 0.930-1.030 (KG/M)




Die No.: 33980

Wt.: 0.294 - 0.374 (KG/M)



Die No.: 6883


Wt.: 0.650 - 0.700 (KG/M)



HVAC


Die No.: 6869

Wt.: 0.770-0.870 (KG/M)




Die No.: 35085

Wt.: 0.570 - 0.660 (KG/M)




Die No.: 33027

Wt.: 0.330 - 0.400 (KG/M)



Die No.: 6878


Wt.: 0.855 - 0.930 (KG/M)



Air Handling Unit


Die No.: 35056

Wt.: 1.110-1.250 (KG/M)




Die No.: 36121

Wt.: 1.00-1.130 (KG/M)




Die No.: 6863

Wt.: 0.940 - 1.020 (KG/M)



Die No.: 35024


Wt.: 0.725 - 0.825 (KG/M)



HVAC


Die No.: 35047

Wt.: 1.160-1.300 (KG/M)



Die No.: 6887

Wt.: 0.640-0.720 (KG/M)




Die No.: 35084

Wt.: 0.810-0.930 (KG/M)



Die No.: 36189


Wt.: 0.170-0.216 (KG/M)



Air Handling Unit


Die No.: 6882

Wt.: 1.080-1.215 (KG/M)




Die No.: 6890

Wt.: 0.970-1.150 (KG/M)




Die No.: 8561

Wt.: 1.130-1.200 (KG/M)



Die No.: 37134


Wt.: 1.000 - 1.220 (KG/M)



HVAC


Die No.: 6880

Wt.: 2.155 - 2.200 (KG/M)




Die No.: 37007

Wt.: 0.340 - 0.410 (KG/M)



Die No.: 35061


Wt.: 0.460 - 0.550 (KG/M)



Air Handling Unit


Die No.: 6901

Wt.: 0.260-0.310 (KG/M)



Die No.: 36122

Wt.: 0.720 - 0.820 (KG/M)



Die No.: 35447

Wt.: 0.780 - 0.900 (KG/M)

