


WINDOW PROFILES


ARCHITECTURAL

ROUND BAR



SL NO.	SECTION NO.	Ø	WT. RANGE KGS/12'
1	1301	9.10	0.6 00- 0.630
2	1302	9.60	0.7 00- 0.730
3	1303	9.75	0.7 35- 0.765
4	1304	10.5	0.8 50- 0.880
5	1305	10.65	0.8 70- 0.900
6	1306	11.4	0.9 00- 1.020
7	1307	12.0	1.1 00- 1.130
8	1308	15.5	1.8 60- 1.900
9	1309	17.5	2.3 00- 2.300
10	1310	19.0	2.8 00- 2.830
11	1311	22.2	3.8 00- 3.830
12	1312	25.4	4.0 00- 4.050
13	1313	30.0	6.9 50- 7.000
14	1314	31.75	7.8 00- 7.850
15	1315	36.0	10.000- 10.050
16	1316	38.0	11.200- 11.250
17	1317	39.8	12.000- 12.500
18	1318	40.0	12.400- 12.450
18	1319		

SQUARE BAR




SL NO.	SECTION NO.	A	WT. RANGE KGS/12'
1	135	12.0	1.4 00- 1.450
2	1	12.5	1.4 50- 1.550
3	135	12.7	1.5 50- 1.600
4	2	19.0	3.5 50- 3.600
5	135	25.4	6.3 50- 6.400
6	3	38.0	14.250- 14.300
7	135		
8	4		
9	135		
10	5		

135
6
135
7
135
8
135
9
136
0

ARCHITECTURAL


TOWER BOLT



SL NO.	SECTION NO.	A	B	T	WT. RANGE KGS/12'
		22.5	9.78	8.70	
1	142	26.0	10.6	9.60	0.300-0.350
2	5	28.0	10.9	9.40	0.350-0.400
3	142	28.0	11.3	9.80	0.500-0.550
4	6	30.0	11.6	9.60	0.550-0.600
5	1429	30.0	12.0	10.5	0.700-0.750
6	1430	31.0	12.14	10.4	0.600-0.650
7	1431	31.0	12.36	10.5	0.650-0.700
8	1432	31.5	12.8	10.7	0.700-0.750
9	1433	35.0	12.6	11.4	0.760-0.800
10	1434	35.0	13.0	11.2	0.550-0.600
11	1435	36.0	14.0	11.7	0.800-0.850
12	1436	37.0	14.8	12.0	1.100-1.150
13	1437				1.380-1.450

ARCHITECTURAL


BULB TEE



SECTION NO.	A	B	T	Weight (Kg/Mtr.)	Weight (Kg/12')
1715	24.0	24.0	0.55	0.91	0.3 30-
1716	38.0		0.55	0.2 20	0.450 0.8

00- 1.000

PLAIN TEE




SECTION NO.	A	B	T	WT. RANGE KGS/12'	WT. RANGE KGS/12'
1726	19.0	19.0	1.10	0.1	0.4 00- 0.500
1727	25.0	25.0	1.10	10	0.5 00- 0.550

0.1

50


ARCHITECTURAL

EQUAL ANGLE



SL NO.	SECTION NO.	A	B	T	WEIGHT KGS/12'
1	173	19.0	19.0	2.20	0.7 00- 0.800
2	6	25.0	25.0	1.10	0.4 00- 0.600
3	173	25.0	25.0	2.00	0.9 00- 0.1000
4	7	25.0	25.0	2.40	1.3 00- 1.500
5	173	25.0	25.0	3.20	1.8 00- 2.000
6	8	38.0	38.0	1.95	1.4 00- 1.500
7	173	38.0	38.0	2.60	1.8 00- 2.000
8	9	50.0	50.0	3.00	2.8 00- 3.000


SINGLE CHANNEL



SL NO.	SECTION NO.	A	B	T	WEIGHT KGS/12'
1	176	9	12	0.95	0.2 00- 0.250
2	7	12	50	0.70	0.2 00- 0.250
3	176	25		1.50	1.4 00- 1.500


ARCHITECTURAL

SINGLE PARTITION



SEC. NO.	A	B	T	WT RANGE KGS/12'
2361	50.00	25.0	0.85	1.400-1.600
2362	63.50	38.1	0.85	1.700-2.000
2363	63.50	38.1	0.95	2.000-2.200
2364	63.50	38.1	1.20	2.400-2.600
2365	63.50	38.1	1.35	2.800-3.000
2366	63.50	38.1	1.50	3.100-3.400
2367	63.50	38.1	2.00	4.050-4.500
2368	63.50	38.1	2.50	4.950-5.450
2369	63.50	38.1	3.00	5.900-6.300
2370	101.60	44.50	1.30	3.800-4.000
2371	101.60	44.50	1.50	4.400-
2372	101.60	44.50	2.00	4.800
2373	101.60	44.50	2.50	5.800-6.200
2374	101.60	44.50	3.00	7.150-7.550
				8.450-8.900

DOUBLE PARTITION



SEC. NO.	A	B	T	WT RANGE KGS/12'
2401	50.00	25.0	0.75	1.400-1.600
2402	63.50	38.1	0.70	1.700-2.000
2403	63.50	38.1	0.85	2.000-2.200
2404	63.50	38.1	1.00	2.400-2.600
2405	63.50	38.1	1.20	2.800-3.000
2406	63.50	38.1	1.50	3.300-3.600
2407	63.50	38.1	2.00	4.300-
2408	63.50	38.1	2.50	4.700
2409	1	38.1	3.00	5.200-5.600
2410	01.60	44.50	1.20	6.150-6.550
2411	1	44.50	1.50	6.800-7.200
2412	01.60	44.50	2.00	7.400-7.800
2413	1	44.50	2.50	8.400-8.800
2414	01.60	44.50	3.00	9.450-9.850


01.60

1

01.60

ARCHITECTURAL

GLAZING CLIP




SEC. NO.	A	B	T	Weight KG/12'
2451	18.40	17.00	0.50	0.200-0.250
2452	18.40	17.00	0.60	0.260-0.300
2453	18.40	17.00	0.75	0.350-0.400
2454	18.40	17.00	0.85	0.400-0.450

SEC. NO:-2461


Weight:- 0.500KG/12'

GLAZING PATTA



ARCHITECTURAL


SEC. NO:-



SEC. NO.	A	B	T	Weight KG/12'
2531	47.	44.45	0.95	2.000-
2532	0	44.45	1.20	2.200
2533	47.	44.45	1.40	2.400-
2534	0	44.45	2.00	3.600-4.000
2535	47.	44.45	1.35	3.800-
2536	0	44.45	2.00	3.000
2537	47.	44.45	3.00	5.200-

0
85.
0
85.
0
85.
0


SEC. NO:-



SEC. NO.	A	B	T	Weight KG/12'
2551	47.	44.45	1.05	2.000-2.200
2552	0	44.45	1.25	2.400-2.600
2553	47.	44.45	1.50	2.800-3.000
2554	0	44.45	2.00	3.650-3.900
2555	47.	44.45	1.50	3.800-
2556	0	44.45	2.00	4.200
2557	47.		3.00	5.000-

0
85.
0
85.
0
85.
0


SEC. NO:-



SEC. NO.	A	B	T	Weight KG/12'
2441	47.0	44.4	1.10	2.000-
2442	47.0	5	1.30	2.200
2443	47.0	44.4	1.60	2.400-
2444	47.0	5	2.00	3.600-3.800
2445	85.0	44.4	1.50	3.800-4.200
2446	85.0	5	2.00	5.000-5.400
2447	85.0	44.4	3.00	7.300-7.800

5
44.4
5
44.4
5
44.4
5

SEC. NO:-




SEC. NO.	A	B	T	Weight KG/12'
2561	47.	44.45	0.90	2.000-
2562	0	44.45	1.10	2.200
2563	47.	44.45	1.40	2.400-
2564	0	44.45	2.00	3.600-4.100
2565	47.	44.45	1.40	3.800-
2566	0	44.45	2.00	3.000
2567	47.		3.00	5.300-

0
85.
0
85.
0


ARCHITECTURAL

SEC. NO:-2581




SR. NO.	A	B	T	Weight KG/12'
01	47.0	44.45	1.15	2.0 00-2.300


SEC. NO:-2591



SR. NO.	A	B	T	Weight KG/12'
01	47.0	44.45	1.10	2.4 00-2.7 00



SEC. NO.	A	B	T	C	Wt.(KG/12')
2501	114.30	44.45	1.12	25.00	3 .7 50 -4
2502	114.30	44.45	1.25	25.00	.000 4.0 00 -4.500




SEC. NO.	A	B	T	C	Wt.(KG/12')
2611	114.30	44.45	1.20	12.00	3.8 00 -4.200

SEC NO. :-2013

DOOR SECTION


Weight :- 5.320kg/12'



ARCHITECTURAL


SEC No. 7377

Weight :- 3.450kg/12'




SEC No. 7378

Weight :- 5.800kg/12'




SEC No. 7461

Weight :- 2.556kg/12'




SEC No. 7484

Weight :- 5.685kg/12'




SEC No. 7485

Weight :- 0.380kg/12'



SEC No. 7497


Weight :- 1.480kg/12'



ARCHITECTURAL


SEC No. 7498

Weight :- 1.740kg/12'




SEC No. 7499

Weight :- 2.350kg/12'




SEC No. 7514

Weight :-1.685kg/12'




SEC No. 7521

Weight :- 0.920kg/12'




SEC No. 7575

Weight :- 2.600kg/12'



SEC No. 7962


Weight:-1.375Kg/12'



ARCHITECTURAL


SEC No. 8638









Weight: 2.550Kg/12'



SEC No.: 8750

Weight: 1.990Kg/12'



Die No. 19052 1.697 Kg/m 	Die No. 19702 1.095Kg/m 
Die No. 19603 1.365Kg/m 	Die No. 7053 1.387Kg/m 
Die No. 7127 1.028 Kg/m 	Die No. 19150 0.967 Kg/m 
Die No.20061 1.455Kg/m 	Die No. 21076 1.199 Kg/m 


Die No. 1391 0.833Kg/m	Die No. 19151 0.925Kg/m
Die No. 1390 0.358Kg/m	Die No. 19118 0.260Kg/m
Die No. 7118 0.295Kg/m	Die No. 19154 0.062Kg/m
Die No. 20090 1.392Kg/m	Die No. 19985 1.829Kg/m



Global Solutions For Aluminium Extrusions


Die No. 20071

0.590 Kg/m




Die No. 19207

1.134 Kg/m




Die No. 19010

1.569 Kg/m




Die No. 19141

5.854 Kg/m




Die No. 21032

2.435 Kg/m






Global Solutions For Aluminium Extrusions




Die No. 9259

2.683 Kg/m




Die No. 21061

2.211 Kg/m




Die No. 19149

3.15 Kg/m



Die No. 7117


4.428 Kg/m



CLIP :-7118


Die No. 7136

1.944 Kg/m




Die No.P-8041

4.991Kg/m




Die No.9565


4.244Kg/m



Die No. 19549


6.039Kg/m







Global Solutions For Aluminium Extrusions






Global Solutions For Aluminium Extrusions


Die No. 9528

8.535 KG/M



Die No. 19982

6.021 KG/M






Global Solutions For Aluminium Extrusions


Die No. 9067

8.228 Kg/m



Die No. 19942

0.764Kg/m






Global Solutions For Aluminium Extrusions


Die No. 9065

5.577KG/M



Die No. 19560


4.885KG/M




SlidingWindow

18MMSERIES

Handle




52203
(0.390 kg/m)




52204
(0.540 kg/m)

Interlock




52304
(0.503 kg/m)




52305
(0.464kg/m)

TopBottom




52403
(0.390 kg/m)



52404
(0.553 kg/m)

Middle




52602
(0.408kg/m)

SlidingWindow

18MMSERIES

TOPBOTTOM




52451
(0.655 kg/m)

HANDLE




52251
(0.545 kg/m)

INTERLOCK




52351
(0.653 kg/m)

TWOTRACKTOP



Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	52003	61.00	31.75	1.00	0.532
2	52004	61.00	31.75	1.30	0.691
3	52005	61.00	31.75	1.50	0.798

TWOTRACKBOTTOM




Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	52102	61.00	31.75	1.00	0.587
2	52103	61.00	31.75	1.30	0.710
3	52104	61.00	31.75	1.55	1.010

SlidingWindow


18MMSERIES

THREE TRACK TOP



Sr.No.	Die.No.	Size(mm)			Weight Kg/m
		A	B	T	
1	52052	92.00	31.75	1.00	0.605
2	52054	92.00	31.75	1.30	0.926
3	52053	92.00	31.75	1.60	1.077

THREE TRACK BOTTOM




Sr.No.	Die.No.	Size(mm)			Weight Kg/m
		A	B	T	
1	52152	92.00	31.75	1.00	0.879
2	52153	92.00	31.75	1.30	1.060
3	52154	92.00	31.75	1.60	1.340


SlidingWindow

18MM SERIES

FOUR TRACK TOP




FOUR TRACK BOTTOM




SlidingWindow


25MM SERIES




Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	53202	50.00	25.00	1.00	0.530
2	53204	50.00	25.00	1.20	0.562
3	53203	50.00	25.00	1.50	0.725



Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	53301	50.00	25.00	1.00	0.500
2	53302	50.00	25.00	1.20	0.646




Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	53401	50.00	25.00	1.00	0.400
2	53403	50.00	25.00	1.20	0.550
3	53402	50.00	25.00	1.85	0.890



53601
(0.523 kg/m)


SlidingWindow

25MMSERIES BEARINGBOTTOM




Sr.No.	Die.No.	Size(mm)			Weight Kg/m
		A	B	T	
1	53501	5200	1800	1.00	0.543
2	53502	5200	1800	1.10	0.600
3	53503	5200	1800	1.50	0.790

HANDLE




33405
(0.612 kg/m)

HANDLESINGLELEG



33402
(0.945 kg/m)

PLAINDOORCENTRE




33406
(0.612 kg/m)

SlidingWindow


25MM SERIES

TWO TRACK BOTTOM




53101
(0.724 kg/m)

TWO TRACK TOP




53001
(0.612 kg/m)

THREE TRACK TOP



53051
(0.975 kg/m)




53052
(0.990 kg/m)


SlidingWindow

25MM SERIES

THREE TRACK BOTTOM




53151
(1.014 kg/m)




53152
(1.162 kg/m)

TWO TRACK BOTTOM HOLLOW



53551
(0.996 kg/m)


MIDDLE




33403
(1.188 kg/m)

SlidingWindowEuroSeries


22MMSERIES




33003
(0.790 kg/m)



33004
(1.140 kg/m)




33407
(0.600 kg/m)




33203
(0.250 kg/m)

27MMSERIES








33002
(0.745 kg/m)



33001
(1.163kg/m)












SlidingWindowEuroSeries

26MM SERIES






SlidingWindowEuroSeries

29MM SERIES









SlidingWindowEuroSeries

35MMSERIES




CasementWindowSeries

40MMSERIES




Casement Window Series


42MM SERIES



34001
(0.480 kg/m)



34401
(0.647 kg/m)




34201
(0.710 kg/m)




34601
(0.258 kg/m)


62MM SERIES



47102
(0.926 kg/m)




47103
(0.402 kg/m)



47104
(0.313 kg/m)

DoorProfile


Singlepartition



Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1 2	54001	50.00	25.00	1.50	0.348
3 4	54101	63.00	38.00	0.85	0.488
5 6	54102	63.00	38.00	1.00	0.587
7 8	54103	63.00	38.00	1.15	0.667
9 9	54105	63.00	38.00	1.25	0.720
10	54104	63.00	38.00	1.60	0.900
11	54106	63.50	38.10	1.95	1.091
12	54201	83.00	38.00	1.35	0.868
	54301	101.00	44.50	1.20	0.990
	54304	101.00	44.50	1.50	1.136
	54302	101.00	44.50	2.00	1.590
	54303	101.00	44.50	3.00	2.330
	54401	123.00	44.50	3.00	2.685


DoorProfile

DOUBLE PARTITION




Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1 2	55001	50.00	25.00	0.70	0.370
3 4	55101	63.00	38.00	0.90	0.590
5 6	55102	63.00	38.00	1.00	0.642
7 8	55104	63.00	38.00	1.25	0.777
9	55103	63.00	38.00	1.55	0.937
10	55105	63.50	38.00	1.50	0.937
11	55106	63.50	38.00	3.00	1.728
12	55107	63.50	38.10	1.85	1.101
13	55201	83.00	38.00	1.30	0.875
14	55202	83.00	38.00	2.00	1.456
	55301	101.00	44.50	1.30	1.050
	55302	101.00	44.50	1.50	1.270
	55303	101.00	44.50	2.00	1.650
	55304	101.00	44.50	3.00	2.360

GLASSING STRIP




57501
(0.120 kg/m)



57502
(0.239 kg/m)


DoorProfile

DOOR VERTICAL




Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	56301	47.00	44.00	1.10	0.630
2	56302	47.00	44.00	1.44	0.780
3	56303	47.00	44.00	1.50	0.810
4	56351	85.00	44.50	1.40	1.066
5	56354	85.00	44.50	1.50	1.134
6	56353	85.00	44.50	2.00	1.455
7	56352	85.00	44.50	3.00	2.077

DOOR TOP SINGLE LEG




56401
(0.772 kg/m)



56451
(1.350 kg/m)


DoorProfile

DOORMIDDLESINGLE



Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	56001	47.00	44.00	1.15	0.610
2	56002	47.00	44.00	1.70	0.850






DOORMIDDLEDDOUBLE



Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	56101	47.00	44.00	1.05	0.610
2	56102	47.00	44.00	1.50	0.830
3	56151	85.00	44.00	1.20	0.940


DoorProfile

DOORFRAMESECTION




DoorProfile

L PIPE




Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	40111	48.00	24.00	0.90	0.357
2	40112	48.00	24.00	1.10	0.433

L TUBE




Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	40213	38.00	24.00	1.00	0.322
2	40214	38.00	24.00	1.35	0.430

GLASSING CLIP



Sr.No.	Die.No.	Size(mm)			Weight
		A	B	T	Kg/m
1	57001	21.00	17.25	0.50	0.069
2	57002	21.00	17.25	0.55	0.072
3	57003	21.00	17.25	0.70	0.093
4	57005	21.00	17.25	1.20	0.144




57004
(0.170 kg/m)

Doorprofile

MOULDING DOOR SERIES


60MM SERIES

HANDLE1.00




31001
(0.510 kg/m)

TOP




31003
(0.497 kg/m)

MIDDLE



31004
(0.480 kg/m)

HANDLE SINGLE LEG




31008
(0.510 kg/m)


DoorProfile

MOULDING DOOR SERIES


80MM SERIES



31002
(0.587 kg/m)




31005
(0.581 kg/m)



31007
(0.586 kg/m)








HANDLE SINGLE LEG



31006
(0.562 kg/m)





HandRailing

HAND RAILING - TOP





HandRailing

HAND RAILING - BOTTOM




HandRailing

HAND RAILING - BOTTOM




BUILDING & CONSTRUCTIONS

DIE No: 24330




Wt. Range : 0.912-1.177

DIE No: 24343



Wt. Range : 0.124-0.153


DIE No: 38361



Wt. Range : 0.230-0.323


Sliding Window Section

DIE No: 38364




Wt. Range : 1.154-1.460

DIE No: 38645



Wt. Range : 0.918-1.198

DIE No: 38479




Wt. Range : 0.640-0.859

BUILDING & CONSTRUCTIONS

DIE No: 23465

Die No.: 23465

Wt.: 0.450-500 (KG/M)




Wt. Range : 0.450-500 KG

DIE No: 8474

Die No.: 8474

Wt.: 0.880-0.910 (KG/M)




Wt. Range : 0.880-0.910KG

DIE No: 23989

Die No.: 23989

Wt.: 1.016 - 1.621 (KG/M)




Wt. Range : 1.016 - 1.621

Sliding Window Section

DIE No: 38438

Die No.: 38438

Wt.: 0.269-0.379 (KG/M)




Wt. Range : 0.269-0.379

DIE No: 38439

Die No.: 38439

Wt.: 0.317-0.428 (KG/M)




Wt. Range : 0.317-0.428

DIE No: 38638

Die No.: 38638


Wt.: 0.267-0.345 (KG/M)



Wt. Range : 0.267-0.345


BUILDING & CONSTRUCTIONS

DIE No: 972




Wt. Range : 1.510-1.540KG

DIE No: 38639



Wt. Range : 0.130-0.159


DIE No: 38359



Wt. Range : 0.110-0.147


Sliding Window Section

DIE No: 8826




Wt. Range : 0.700-0.730KG

DIE No: 24030



Wt. Range : 0.951-1.230


DIE No: 38360



Wt. Range : 0.131-0.168


BUILDING & CONSTRUCTIONS

DIE No: 23466




Wt. Range : 0.530-0.600

DIE No: 2460



Wt. Range :


DIE No: 23418



Wt. Range : 0.750-0.860


Sliding Window Section

DIE No: 38155




Wt. Range : 0.500-0.678

DIE No: 38156



Wt. Range : 0.725-0.964


DIE No: 246



Wt. Range :


BUILDING & CONSTRUCTIONS

DIE No: 8517




Wt. Range :

DIE No: 23631



Wt. Range : 1.090 - 1.336


DIE No: 23630



Wt. Range : 0.906 - 1.082


Sliding Window Section

DIE No: 8518




Wt. Range : 0.230 - 0.280

DIE No: 24340



Wt. Range : 0.629-0.744


DIE No: 23988



Wt. Range : 1.673 - 2.114


BUILDING & CONSTRUCTIONS

DIE No: 975




Wt. Range : 4.000

DIE No: 23991



Wt. Range : 0.807 - 1.165


DIE No: 38336



Wt. Range : 1.124-1.469


Sliding Window Section

DIE No: 13078




Wt. Range : 0.416-0.510

DIE No: 23990



Wt. Range : 0.747 - 1.076


DIE No: 38337



Wt. Range : 1.123-1.469


BUILDING & CONSTRUCTIONS

DIE No: 38338




Wt. Range : 0.243-0.340

DIE No: 38478



Wt. Range : 0.634-0.851


DIE No: 38367



Wt. Range : 1.608-2.017


Sliding Window Section

DIE No: 38477




Wt. Range : 0.616-0.827

DIE No: 38365



Wt. Range : 0.158-0.234


DIE No: 38369



Wt. Range : 0.659-0.911


BUILDING & CONSTRUCTIONS

DIE No: 38370




Wt. Range : 0.545-0.745

DIE No: 38578



Wt. Range : 0.183-0.239


DIE No: 38640



Wt. Range : 0.570-0.708


Sliding Window Section

DIE No: 38398




Wt. Range : 1.906-2.422

DIE No: 38575



Wt. Range : 1.781-2.630


DIE No: 38571



Wt. Range : 0.439-0.587


BUILDING & CONSTRUCTIONS

DIE No: 38577




Wt. Range : 1.005-1.309

DIE No: 38576



Wt. Range : 0.440-0.599


DIE No: 38572



Wt. Range : 0.574-0.750


Sliding Window Section

DIE No: 38568




Wt. Range : 0.991-1.388

DIE No: 38567



Wt. Range : 0.695-0.973


DIE No: 38570



Wt. Range : 0.559-0.775


BUILDING & CONSTRUCTIONS

DIE No: 38372




Wt. Range : 0.817-1.094

DIE No: 38374



Wt. Range : 0.668-0.917


DIE No: 38482



Wt. Range : 0.462-0.619


Sliding Window Section

DIE No: 38373




Wt. Range : 0.590-0.792

DIE No: 38375



Wt. Range : 0.686-0.947


DIE No: 38476



Wt. Range : 1.313-1.746


BUILDING & CONSTRUCTIONS

DIE No: 38339



Wt. Range : 1.663-2.169


DIE No: 38342



Wt. Range : 0.573-0.747



Sliding Window Section

DIE No: 38341





Wt. Range : 0.970-1.265

Die No. 1531 0.900 KG/12FT





Die No.	T	W / 12FT
1571	0.75	0.900-1.000
1571	0.85	1.000-1.200
1571	1.0	1.200-1.400
1571	1.20	1.400-1.600
1571	1.30	1.600-1.800
1571	1.45	1.800-2.000

Die No. 1532 1.250 KG/12FT




Die No.	T	W / 12FT
19825	0.75	1.200-1.400
19825	1.0	1.400-1.600
19825	1.15	1.600-1.800
19825	1.25	1.800-2.000


Die No. 1552 1.400 KG/12FT



Die No.	T	W / 12FT
1592	0.75	0.900-1.000
1592	0.85	1.000-1.200
1592	1.0	1.200-1.400
1592	1.2	1.400-1.600
1592	1.3	1.600-1.800
1592	1.45	1.800-2.000










Die No.	T	W / 12FT
1593	0.80	1.000 - 1.200
1593	0.95	1.200 - 1.400




Die No.	T	W / 12FT
1631	0.8	1.200-1.400
1631	0.95	1.400-1.600
1631	1.05	1.600-1.800
1631	1.20	1.800-2.000


Die No. 1525 2.200 KG/12FT 1.800 KG/12FT	Die No. 22023 2.200 KG/12FT
Die No. 1526 1.900 KG/12FT	Die No. 22024 2.400 KG/12FT
Die No. 1527 2.200 KG/12FT 1.800 KG/12FT	Die No. 22025 1.800 KG/12FT
Die No. 16142 2.150 KG/12FT	Die No. 16133 1.800 KG/12FT


Die No. 1533 1.950 KG/12FT 	Die No. 1534 1.600 KG/12FT 
Die No. 1528 1.500 KG/12FT 	Die No. 1529 1.610 KG/12FT 
Die No. 1505 1.560 KG/12FT 	Die No. 1501 1.550 KG/12FT 
Die No. 1530 1.620 KG/12FT 	

Die No. 11010.950 KG/12FT


Die No. 11021.080 KG/12FT









Die No.	T	W / 12FT
19462	0.65	1.200-1.400
19462	0.75	1.400-1.600
19462	0.85	1.600-1.800
19462	0.95	1.800-2.000
19462	1.05	2.000-2.200
19462	1.55	3.000-3.200




Die No.	T	W / 12FT
19461	0.65	1.400-1.600
19461	0.75	1.600-1.800
19461	0.85	1.800-2.000
19461	0.95	2.200-2.400
19461	1.55	3.400-3.600

Die No. 200151.400 KG/12FT







Die No.	T	W / 12FT
19464	0.65	1.600-1.800
19464	0.70	1.800-2.000
19464	0.80	2.200-2.400
19464	0.90	2.400-2.600
19464	1.00	2.600-2.800
19464	1.10	2.800-3.000
19464	1.20	3.000-3.200
19464	1.30	3.500-3.700
19464	1.55	4.200-4.400




Die No.	T	W / 12FT
19463	0.70	2.200-2.400
19463	0.80	2.400-2.600
19463	0.85	2.600-2.800
19463	0.90	2.800-3.000
19463	1.00	3.000-3.200
19463	1.15	3.600-3.800
19463	1.25	3.800-4.000
19463	1.55	4.700-4.900




Die No.	T	W / 12FT
1150	0.85	2.800-3.000
1150	0.90	3.000-3.200
1150	0.95	3.200-3.400
1150	1.00	3.400-3.600
1150	1.05	3.600-3.800
1150	1.20	4.100-4.300
1150	1.55	5.300-5.500



Die No.	T	W / 12FT
1162	0.85	3.400-3.600
1162	0.90	3.600-3.800
1162	0.95	3.800-4.000
1162	1.00	4.100-4.300
1162	1.15	4.600-4.800
1162	1.55	6.100-6.300




Die No.	T	W / 12FT
1167	0.80	3.800-4.000
1167	0.90	4.300-4.600
1167	1.10	5.300-5.600



Die No.	T	W / 12FT
1168	0.85	4.600-4.800
1168	0.90	5.000-5.200
1168	1.10	6.000-6.200


Die No. 16091

3.280 KG/12FT




Die No. 16092

1.260 KG/12FT




Die No. 3003






3.350 KG /12FT











Die No. 19905

6.130 KG/12FT




Enq No. 1569 0.787 Kg/m 	Enq No. 1570 1.095 Kg/m 
Enq No. 1566 0.443 Kg/m 	Enq No. 1567 0.339 Kg/m 
Enq No. 1568 0.555 Kg/m 	

Die No. 16035 1.830 KG/12FT 	Die No. 16027 2.040 KG/12FT 
Die No. 16028 2.160 KG/12FT 	Die No. 16029 1.650 KG/12FT 
Die No. 16031 2.250 KG/12FT 	Die No. 16030 2.670 KG/12FT 
Die No. 16032 2.880 KG/12FT 	Die No. 16033 3.619 KG/12FT 


Die No. 16189

0.542KG/M




Die No. 16190

0.839KG/M




Die No. 16191

1.121KG/M




Die No. 16183

0.849KG/M




Die No. 16527

0.757KG/M




Die No. 16528









1.095KG/M









Die No. 16529

1.554KG/M




Die No. 16184 0.542KG/M  CLIP: 16182	Die No. 22029 0.583KG/M 
Die No. 16500 0.561KG/M 	Die No. 22028 0.612KG/M 
Die No. 19552 0.563KG/M  CLIP: 16182	Die No. 21162 0.433KG/M 
Die No. 20032 0.429KG/M 	Die No. 16182 0.238KG/M 


Die No. 7115 0.924KG/M 	Die No. 7116 1.301KG/M 
Die No. 7114 0.421KG/M 	Die No. 7112 0.579KG/M 
Die No. 7113 0.262KG/M 	




Die No.	T	W / 12FT
1611	0.80	1.400-1.600
1611	0.95	1.600-1.800
1611	1.05	1.800-2.000
1611	1.20	2.000-2.200
1611	1.30	2.200-2.400
1611	1.40	2.400-2.600



Die No.	T	W / 12FT
1615	0.95	1.800-2.000
1615	1.05	2.000-2.200
1615	1.15	2.200-2.400
1615	1.25	2.400-2.600
1615	1.45	2.800-3.000




Die No.	T	W / 12FT
1612	0.90	1.600-1.800
1612	1.00	1.800-2.000



Die No.	T	W / 12FT
1621	0.95	1.800-2.00
1621	1.05	2.000-2.200
1621	1.15	2.200-2.400
1621	1.20	2.400-2.600
1621	1.30	2.600-2.800
1621	1.40	2.800-3.000


Die No. 16026

2.510 KG/12FT




Die No. 1340

2.750 KG/12FT




Die No. 1340M

2.450 KG/12FT




Die No. 1339

2.870KG/12FT




Die No. 1341

2.570 KG/12FT




Die No. 16165

2.780 KG/12FT




Die No. 16166








2.940 KG/12FT









Die No. 10059

2.490 KG/12FT




Die No. 21136 3.000 KG/12FT 	Die No. 21137 3.000 KG/12FT 
Die No. 21138 3.100 KG/12FT 	Die No. 21139 3.000 KG/12FT 
Die No. 21140 1.500 KG/12FT 	Die No. 21141 0.800 KG/12FT 
Die No. 21143 1.500 KG/12FT 	

Die No. 16229 1.860 KG/12FT 1.400 KG/12FT 	Die No. 16230 1.860 KG/12FT 1.500 KG/12FT 
Die No. 1151 2.090 KG/12FT 	Die No. 1156 2.300 KG/12FT 
Die No. 1161 3.100 KG/12FT 3.340 KG/12FT 3.700 KG/12FT 	
Die No. 1166 3.560 KG/12FT 4.000 KG/12FT 	


Die No. 16080

4.200 KG/12FT
4.800 KG/12FT




Die No. 16081

5.215 KG/12FT
6.100 KG/12FT




Die No. 16146

6.200 KG/12FT




Die No. 16147

7.300 KG/12FT




Die No. 19459

3.870 KG/12FT




Die No. 19426





5.930 KG/12FT






Die No. 19820









5.280 KG/12FT



Die No. 16119 0.962KG/M 	Die No. 16118 1.357KG/M 
Die No. 16120 0.583KG/M  CLIP : 16121	Die No. 16121 0.399 KG/M 


Die No. 19454 0.722KG/M	Die No. 19391 0.981KG/M
Die No. 19453 1.343KG/M	
Die No. 19835 0.512KG/M	Die No. 19389 0.502KG/M
Die No. 19388 0.729KG/M	Die No. 19387 0.575KG/M

Die No. 19836 0.578KG/M 	Die No. 19386 0.567KG/M 
Die No. 19390 0.286KG/M 	

Die No.19920 0.624KG/M 	Die No.19917 0.965KG/M 
Die No. 16423 0.566KG/M 	Die No.19656 0.908KG/M 
Die No.19677 0.814KG/M 	Die No.19678 1.176KG/M 
Die No. 16422 0.997KG/M 	Die No.19650 1.324KG/M 

Die No.19951

1.064KG/M




Die No. 16424

0.454KG/M




Die No.19916

0.647KG/M




Die No.19913

0.402KG/M




Die No.19475

0.661KG/M




Die No.19950

0.601KG/M




Die No.19662

0.251KG/M




Die No. S7011

0.927 KG/M




Die No. S7013

1.224 KG/M




Die No. S7014

0.613 KG/M




Die No. S7012

1.394 KG/M




Die No. S7015

0.744 KG/M




Die No. 19518

2.235KG/M




Die No. 19519

1.792KG/M




Die No. 19520

0.971KG/M




Die No. 19913

0.402KG/M




Die No. 7134

1.464KG/M



Die No. 7133


0.729KG/M



CLIP : 16141


Die No. 21074

1.029KG/M




Die No. 21059

1.409KG/M




Die No. 23091

2.059KG/M




Die No. 21094

0.057 KG/M




Die No. 21113

0.996KG/M




Die No. 21114

1.394KG/M




Die No.21115

0.519KG/M




Die No.21116


0.651KG/M




Die No.21119
0.685KG/M



Die No.21118
0.512KG/M



Die No.21117
0.145KG/M




Die No. 1343 0.970KG/M	Die No. 21041 0.789KG/M
Die No. 1332 1.444KG/M	Die No. 21042 1.303KG/M
Die No. 28193 1.835KG/M	
Die No. 1333 0.690KG/M CLIP : 1331	Die No. 16180 0.675KG/M CLIP : 1331

Die No. 19735 0.644KG/M	Die No. 1331 0.322KG/M
Die No. 20028 0.549KG/M	Die No. 20029 0.499KG/M
Die No. 20065 1.204KG/M	Die No.21096 1.154 KG/M
Die No. 19376 0.680KG/M	Die No. 19332 1.394KG/M


Die No. 2701

0.719KG/M




Die No. 2702

0.871KG/M




Die No. 2703







1.398KG/M



Die No. 2704


1.905KG/M



Die No. 2708 0.862KG/M  CLIP :2709 & 16141	Die No. 2707 0.890KG/M  CLIP :2709 & 16141
Die No. 2705 0.810 KG/M  CLIP :2709 & 16141	Die No. 2706 0.838KG/M  CLIP :2709 & 16141
Die No. 2709 0.273KG/M 	Die No. 2710 0.262KG/M 


Die No. 19371

1.535KG/M




Die No. 19372

2.167KG/M




Die No. 21044

0.701KG/
M
0.750KG/
M




Die No. 19370

0.797KG/M




Die No. 21043

0.308KG/M




Die No. 21103

0.302KG/M




Die No. 1211

0.693KG/M




Die No. 1210

1.081KG/M



Die No. 1212


0.755KG/
M 0.855
KG/M



CLIP : 1213


Die No. 1213

0.260KG/M



Die No. 16177


1.262KG/M



CLIP : 1213


Die No. 28197









0.681KG/M



Die No. 28192


0.272KG/M



Die No. 16197 1.108KG/M 	Die No. 16195 1.586KG/M 
Die No. 19474 1.107KG/M 	Die No. 16199 0.247KG/M 
Die No. 16200 0.860KG/M 	Die No. 16198 0.829KG/M 
Die No. 16209 1.180KG/M 	Die No. 16196 0.272KG/M 


Die No. 19625

1.865KG/M




Die No. 19626

1.185KG/M




Die No. 19620

0.779KG/M




Die No. 19623

1.082KG/M




Die No. 16105

1.856KG/M




Die No. 16106

0.970KG/M




Die No. 16108

0.612KG/M




Die No. 16107

1.347KG/M




Die No. 16138

0.629KG/M




Die No. 16137

1.112KG/M




Die No. 16136

1.584 KG/M




Die No. 16135









2.225KG/M













Die No.19537

3.091KG/M




Die No. 16140 0.744KG/M 	Die No. 16139 0.723KG/M 
Die No.19722 0.699KG/M 	Die No. 21019 0.794KG/M 
Die No. 20065 1.204KG/M 	Die No.21096 1.154 KG/M 
Die No. 16141 0.273KG/M 	Die No. 19469 0.177KG/M 

Die No. 19478  0.748KG/M	Die No. 20017  0.117KG/M
Die No. 21018  0.549KG/M	Die No. 23108  1.014KG/M

Die No. 5117 1.394KG/M 	Die No. 5160 2.049KG/M 
Die No. 5178 1.720KG/M 	Die No. 5118 0.788KG/M 
Die No. 5123 0.785KG/M 	Die No. 5116 0.329KG/M 


Die No. 21036

0.745KG/M




Die No. 21035

1.155KG/M




Die No. 21060

1.251KG/M




Die No. 21038

0.663KG/M




Die No. 16141





0.273KG/M



Die No. 21039


1.026KG/M



Die No.19542 0.548KG/M 	Die No.19543 1.218KG/M 
Die No.19544 1.657KG/M 	
Die No. 19545 0.103 KG/M 	


Die No. 19671

1.826KG/M




Die No. 16462

2.083KG/M




Die No. 19669

0.871KG/M





Die No. 19670

0.717KG/M




Die No. 19672
0.094KG/M

Die No. 19674
0.218KG/M




Die No. 19673

1.380KG/M




Enq No. 1556

1.109KG/M




Enq No. 1550

1.470 KG/M




Enq No. 1551

0.774KG/M




Enq No. 1553

0.490KG/M



Enq No. 1554

0.809KG/M




Enq No. 1552

0.721KG/M




Enq No. 1555

0.193KG/M




Enq No. 1562

1.314 KG/M




Enq No. 1563

1.725 KG/M




Enq No. 1558

0.815KG/M




Enq No. 1559

0.590KG/M




Enq No. 1560

0.992KG/M




Enq No. 1561

0.639KG/M




Enq No. 1959

1.242 KG/M




Enq No. 1960

1.717 KG/M




Enq No. 1961

0.877KG/M




Enq No. 1962

0.633KG/M




Enq No. 1963

1.161KG/M




Die No. 16218

1.387KG/M




Die No. 16205

2.006KG/M



Die No. 19901

1.985KG/M




Die No. 16206


0.826KG/M





Die No. 19444

0.267KG/M




CLIP : 19444 & 2709



Die No. 2812 0.770KG/M 	Die No. 2813 0.690KG/M 
Die No. 2814 0.834KG/M 	Die No. 2815 1.141KG/M 


Die No. 2903

0.491KG/M




Die No. 2901

1.097KG/M




Die No. 2902

1.723KG/M




Die No. 2904

0.877KG/M




Die No. 2905

0.892KG/M




Die No. 2906





0.820KG/M



Die No. 2907


0.836KG/M



Die No. 2908 0.148KG/M 	Die No. 2909 0.357KG/M 
Die No. 2910 0.275KG/M 	Die No. 2911 0.282KG/M 


Die No. 2903

0.491KG/M




Die No. 2901

1.097KG/M




Die No. 2902

1.723KG/M




Die No. 2904

0.877KG/M




Die No. 2905

0.892KG/M




Die No. 2906





0.820KG/M












Die No. 2907








0.836KG/M



Die No. 2908 0.148KG/M 	Die No. 2909 0.357KG/M 
Die No. 2910 0.275KG/M 	Die No. 2911 0.282KG/M 


Die No. 16009 0.080KG/M 	Die No. 16004 1.312KG/M 
Die No. 16005 1.760KG/M 	
Die No. 16539 2.345KG/M 	
Die No. 16006 0.863 KG/M 	Die No. 16008 0.182KG/M 

Die No. 16541 1.020KG/M 	Die No. 16007 0.685KG/M 
Die No. 23020 0.543KG/M 	

Die No.16181 1.023 Kg/m 	Die No.16014 1.451 Kg/m 
Die No.16134 1.956 Kg/m 	
Die No. 7128 1.057 KG/M 	Die No. 7129 0.812 KG/M 
Die No. 16013 0.543KG/M 	Die No. 16012 0.194KG/M 


Die No. 19621

0.795KG/M




Die No. 19624

1.128KG/M




Die No.19822

1.039KG/M




Die No. 19623

1.082KG/M




Die No. 16063

0.307KG/M




Die No. 19622

0.318KG/M




Die No. 19619

0.304KG/M




Die No.16604

2.015 Kg/m




Die No.16613

1.696 Kg/m




Die No.16605

1.787 Kg/m




Die No.16617

2.585 Kg/m




Die No.16618

2.821 Kg/m




Die No. 16614

1.066KG/M




Die No. 16611

1.010KG/M




Die No. 16607

0.623KG/M




Die No. 16612

1.206 KG/M




Die No. 23020



0.543 KG/M



Die No. 16610


0.206 KG/M



Die No. 16608 0.933KG/M 	Die No. 16609 0.120 KG/M 


Die No. 16066

1.450KG/M




Die No. 19452

1.827KG/M




Die No. 19640

2.137 KG/M




Die No. 16192

2.365KG/M




Die No. 19443






0.988KG/M



Die No. 16193


1.035KG/M



Die No.20026 0.684KG/M 	Die No.20027 0.633KG/M 
Die No.20066 1.321KG/M 	Die No.21095 1.275KG/M 
Die No. 16194 0.380KG/M 	


Die No. 21047

1.309KG/M




Die No. 21048

1.909KG/M




Die No. 16193

1.037KG/M




Die No. 19443

0.988KG/M




Die No.20026




0.684KG/M



Die No.20027


0.633KG/M



Die No.20066 1.321KG/M 	Die No.21095 1.275KG/M 
Die No. 16194 0.380KG/M 	

Die No. 28180


1.033KG/M



RAIL :- 28183

Die No. 28181


0.276KG/M



RAIL :- 28183

Die No. 28182


1.678KG/M



RAIL :- 28183


Die No. 28150

1.132KG/M




Die No. 28152

1.011KG/M




Die No. 28183

0.126KG/M




Die No. 28153

0.779KG/M




Die No. 28154

0.922KG/M




Die No. 28148

1.417KG/M




Die No. 28151

1.093KG/M




Die No. 16054

1.214KG/M




Die No. 16049

0.832KG/M




Die No. 16050

0.798KG/M




Die No. 16051

0.846KG/M




Die No. 16223

1.574KG/M




Die No. 16222

2.226KG/M




Die No. 16221

1.042KG/M




Die No. 16220




1.126KG/M



Die No. 16219


0.792KG/M



Die No. 2842 0.110KG/M 	Die No. 2844 1.104KG/M 
Die No. 2845 0.414KG/M 	


Die No. 16596

1.296KG/M




Die No. 16595

1.914KG/M




Die No. 21188

1.077KG/M




Die No. 21189

0.929 KG/M



Die No. 16597


0.661 KG/M



Die No. 16598


1.053 KG/M



Die No. 16599 1.497KG/M 	Die No. 21191 0.129 KG/M 
	Die No. 21190 0.282 KG/M 


Enq No. 1970

1.045 KG/M




Enq No. 1965

0.873 KG/M




Enq No. 1963

1.161 KG/M




Enq No. 1964

0.835 KG/M




Enq No. 1968

1.164 KG/M




Enq No. 1966

0.757 KG/M




Enq No. 1969

0.972 KG/M




Enq No. 1967

1.085 KG/M




Enq No. 2018

1.667 KG/M




Enq No. 2020

1.460 KG/M




Enq No. 2019





2.401 KG/M



Enq No. 2021


2.086 KG/M



Enq No. 2014 1.105 KG/M 	Enq No. 2015 1.016 KG/M 
Enq No. 2016 0.810 KG/M 	Enq No. 2017 1.260 KG/M 


Die No. 5167

1.354KG/M




Die No. 19380

1.615KG/M




Die No. 5168

1.315KG/M




Die No. 5154

1.371KG/M




Die No. 5166

2.254KG/M




Die No. 7080

2.158KG/M




Die No. 6293

2.523KG/M




Die No. 7079

0.295KG/M




Die No. 7081

0.744KG/M




Die No. 7083

0.527KG/M




Die No. 7085

0.061KG/M




Die No. 3703

0.310KG/M




Die No. 3704

0.342KG/M




Die No. 3705

0.329KG/M




Die No. 3706

0.361KG/M




Die No. 3707

0.689KG/M




Die No. 3708

0.314KG/M




Die No. 19709

1.115KG/M




Die No.S4969

0.819KG/M




Die No. 7082

0.426KG/M




Enq No. 1951

1.895KG/M




Enq No. 1956

1.222KG/M




Enq No. 1957

0.837KG/M




Enq No. 1958

1.374 KG/M




Enq No. 1955

0.493KG/M




Enq No. 1954

0.211KG/M




Enq No.1953

0.507KG/M




Enq No.1952

0.971KG/M




Die No. 16442

0.929 KG/M




Die No. 16443

0.453 KG/M




Die No. 16444

2.350 KG/M




Die No. 16445

0.318 KG/M




Die No. 16446


2.974 KG/M



Die No. 16447

3.641 KG/M




Die No. 16448 1.707 KG/M 	

GLASS-SERIES


SEC. NO:-2621

Weight :- 2.090kg/12'




SEC. NO:-2623

Weight :- 1.220kg/12'




SEC. NO:-2625

Weight :- 9.370kg/12'




SEC. NO:-2631

Weight :- 6.265kg/12'




SEC. NO:-2636

Weight :- 2.410kg/12'



SEC. NO:-2637


Weight :- 1.300kg/12'



GLASS-SERIES


SEC. NO:-2641

Weight :- 10.000kg/12'




SEC. NO:-2646

Weight :- 3.540kg/12'




SEC No. 7322

Weight :-1.160kg/12'




SEC No. 8221

Weight:-3.650Kg/12'




SEC No. 8222

Weight:-1.000Kg/12'



SEC No. :-8272


Weight:-7.717Kg/12'



GLASS SERIES


SEC No. :-VA8273

Weight:-0.734Kg/12'




SEC No. 8302

Weight:-1.000Kg/12'



SEC No. 8315


Weight:-0.930Kg/12'



G RILL


SEC No. 7120

Weight :-1.300kg/12'




SEC No. 7121

Weight :-2.300kg/12'




SEC No. 7122

Weight :-1.400kg/12'




SEC No. 7330

Weight :-0.585kg/12'




SEC No. 7334

Weight :-0.430kg/12'



SEC No. 7421


Weight :-2.000kg/12'



G RILL


SEC No. 7422

Weight :-0.550kg/12'




SEC No. 7425

Weight :-0.320kg/12'




SEC No. 7426

Weight :-0.600kg/12'




SEC No. 7651

Weight :-0.660kg/12'




SEC. NO:-7652

Weight :- 3.800kg/12'



SEC. NO:-7653


Weight :- 4.235kg/12'



G RILL


SEC. NO:-7654

Weight :-4.660kg/12'




SEC. NO:-7655

Weight :- 5.090kg/12'




SEC. NO:-7656

Weight :- 5.735kg/12'




SEC. NO:-7657

Weight :- 5.950kg/12'




SEC. NO:-7658

Weight :- 6.380kg/12'



SEC. NO:-7659


Weight :- 0.660kg/12'



G RILL


SEC. NO:-7660

Weight :- 0.633kg/12'




SEC. NO:-7661

Weight :- 1.477kg/12'




SEC No. 7921

Weight:-1.635Kg/12'




SEC No:-8171

Weight:2.350Kg/12'




SEC No:-8172

Weight:0.700Kg/12'



SEC No. :-MA8231


Weight:-16.00Kg/12'



G RILL


SEC No. :-8283

Weight:-5.300Kg/12'




SEC No. :-8284

Weight:-4.545Kg/12'




SEC No. VA8308

Weight:-2.200Kg/12'




SEC No. VA8309

Weight:-2.300Kg/12'




SEC No. VA8310

Weight:-2.350Kg/12'



SEC No. VA8311


Weight:-2.000Kg/12'



G RILL


SEC No. VA8312

Weight:-2.760Kg/12'




SEC No. VA8313

Weight:-2.235Kg/12'




SEC No. 8362

Weight:-14.850Kg/12'




SEC No. 8363

Weight:-1.840Kg/12'




SEC No. GA8408

Weight:-1.100Kg/12'



SEC No. 8482


Weight:-1.300Kg/12'



G RILL


SEC No. GA8515

Weight:-1.550Kg/12'




SEC No. GA8516

Weight:-0.400Kg/12'



SEC No. 8652



Weight:1.450Kg/12'



LEG PARTITON

SEC. NO:-2516


Weight :-3.810kg/12'



SEC. NO:-2521

Weight :-4.780kg/12'


SEC. NO.	A	B	T	Weight KG/12'
2495	63.50	49.6	1.15	2.8 00- 3.000
2496	63.50	38.1	1.25	3.0 00- 3.300
2497	63.50	38.1	1.55	3.8 00- 4.000
2498	63.50	38.1	2.00	6.6 50- 7.100
2499	63.50	38.1	3.00	4.6 50- 5.050



PARTITON


SEC. NO:-2466

Weight :-2.555kg/12'




SEC. NO:-2471

Weight :-4.775kg/12'




SEC. NO:-2476

Weight :-2.350kg/12'




SEC. NO:-2481

Weight :-3.025kg/12'



SEC. NO:-2486


Weight :-2.640kg/12'



SEC. NO:-2491

Weight :-3.170kg/12'


CORNER PARTITION



PARTITON


SEC. NO:-2491/1

Weight :-2.600kg/12'




SEC. NO:-2495

Weight:- 2.865KG/12'




SEC. NO:-2506

Weight : 0.714kg/12'




SEC. NO:-2506/1

Weight:- 0.800KG/12'




SEC No. 7021/1

Weight : 0.400kg/12'



SEC No. 7030


Weight :2.775kg/12'



PARTITON


SEC No. 7087

Weight:- 4.735kg/12'




SEC No.7234

Weight:- 2.600kg/12'




SEC No. 7315

Weight:-4.135kg/12'




SEC No. 7316

Weight:-4.375kg/12'




SEC No. 7470

Weight:-0.300kg/12'



SEC No. 7471


Weight:-3.000kg/12'



PARTITON


SEC. NO:-7544

Weight:- 2.517kg/12'




SEC. NO:-7542

Weight:- 2.865kg/12'




SEC. NO:-7543

Weight:- 2.275kg/12'




SEC No. 7602

Weight :- 3.300kg/12'




SEC No. 7733

Weight:-5.000Kg/12'



SEC No:- 8123


Weight:-3.565Kg/12'



PARTITON


SEC No:- 8124

Weight:-3.365Kg/12'




SEC No:- 8125

Weight:-2.900Kg/12'




SEC No:- 8126

Weight:-2.820Kg/12'




SEC No:- 8127

Weight:-2.570Kg/12'




SEC No:- 8128

Weight:-3.580Kg/12'



SEC No:- 8129


Weight:-2.100Kg/12'



PARTITON


SEC No:- 8130

Weight:-2.215Kg/12'




SEC No:- 8131

Weight:-2.640Kg/12'




SEC No:- 8132

Weight:-1.840Kg/12'




SEC No. 8156

Weight:-0.700Kg/12'




SEC No. 8214

Weight:-2.180Kg/12'



SEC No. 8215


Weight:-0.740Kg/12'



PARTITON


SEC No. 8216

Weight:-2.000Kg/12'




SEC No. 8217

Weight:-2.650Kg/12'




SEC No. 8218

Weight:-2.750Kg/12'




SEC No. 8219

Weight:-0.925Kg/12'




SEC No. 8387

Weight:-0.550Kg/12'



SEC No. 8388


Weight:-0.570Kg/12'



PARTITON


SEC No. 8409

Weight:-7.100Kg/12'




SEC No. 8410

Weight:-9.700Kg/12'




SEC No. 8411

Weight:-7.400Kg/12'




SEC No. 8412

Weight:-9.200Kg/12'




SEC No. 8414

Weight:-1.850Kg/12'



SEC No. 8633


Weight:0.760Kg/12'



PARTITON

SEC No. 8634


Weight:0.500Kg/12'



VERTICAL BLINDS


SEC. NO:-5601

Weight :- 2.200kg/12'




SEC. NO:-5603

Weight :- 2.770kg/12'




SEC. NO:-5605

Weight :- 1.160kg/12'




SEC. NO:-5607

Weight :- 1.350kg/12'




SEC. NO:-5609

Weight :- 1.325kg/12'



SEC. NO:-5611


Weight :- 1.680kg/12'



VERTICAL BLINDS


SEC. NO:-5613

Weight :- 1.142kg/12'




SEC. NO:-5615

Weight :- 1.320kg/12'




SEC. NO:-5617

Weight :- 1.510kg/12'




SEC. NO:-5619

Weight :- 0.900kg/12'




SEC. NO:-5621

Weight :- 0.955kg/12'



SEC. NO:-5623


Weight :- 1.100kg/12'



VERTICAL BLINDS


SEC. NO:-5625

Weight :- 1.270kg/12'




SEC. NO:-5627

Weight :- 2.635kg/12'




SEC. NO:-5629

Weight :- 1.200kg/12'




SEC. NO:-5631

Weight :- 1.390kg/12'




SEC. NO:-5633

Weight :- 2.920kg/12'



SEC. NO:-5635


Weight :- 1.210kg/12'



VERTICAL BLINDS


SEC No. 5635 (1)

Weight :- 1.335kg/12'




SEC. NO:-5637

Weight :- 2.455kg/12'




SEC. NO:-5639

Weight :- 14.515kg/12'




SEC. NO:-5641

Weight :- 1.315kg/12'




SEC. NO:-5643

Weight :- 3.300kg/12'



SEC. NO:-5645


Weight :- 1.745kg/12'



VERTICAL BLINDS


SEC. NO:-5647

Weight :- 1.800kg/12'




SEC. NO:-5649

Weight :- 0.815kg/12'




SEC. NO:-5651

Weight :- 0.880kg/12'




SEC. NO:-5653

Weight :- 0.570kg/12'




SEC. NO:-5655

Weight :- 0.675kg/12'



SEC. NO:-5657


Weight :- 0.965kg/12'



VERTICAL BLINDS


SEC. NO:-5659

Weight :- 0.330kg/12'




SEC. NO:-5661

Weight :- 0.420kg/12'




SEC. NO:-5663

Weight :- 0.470kg/12'




SEC. NO:-5665

Weight :- 11.875kg/12'




SEC. NO:-5667

Weight :- 0.564kg/12'



SEC. NO:-5669


Weight :- 0.840kg/12'



VERTICAL BLINDS


SEC. NO:-5671

Weight :- 0.590kg/12'




SEC. NO:-5673

Weight :- 0.875kg/12'




SEC. NO:-5675

Weight :- 1.560kg/12'




SEC. NO:-5677

Weight :- 0.735kg/12'




SEC. NO:-5679

Weight :- 1.715kg/12'



SEC No.7252


Weight :- 1.065kg/12'



VERTICAL BLINDS


SEC No. 7253

Weight :- 0.155kg/12'




SEC No. 7254

Weight :- 0.250kg/12'




SEC No. 7255

Weight :- 0.695kg/12'




SEC No. 7258

Weight :- 0.875kg/12'




SEC No. 7259

Weight :- 3.300kg/12'



SEC No. 7269


Weight :- 1.270kg/12'



VERTICAL BLINDS


SEC No. 7272

Weight :- 1.450kg/12'




SEC No. 7335

Weight :- 3.100kg/12'




SEC No. 7352

Weight :- 1.140kg/12'




SEC No. 7309

Weight :- 0.720kg/12'




SEC No. 7310

Weight :- 0.300kg/12'



SEC No. 7311


Weight :- 0.880kg/12'



VERTICAL BLINDS


SEC No.7312

Weight :- 2.165kg/12'




SEC No. 7415

Weight :- 2.200kg/12'




SEC No.7428

Weight :- 2.000kg/12'




SEC No. 7448

Weight :- 1.960kg/12'




SEC. NO:-7449

Weight :- 4.240kg/12'



SEC No. 7451


Weight :- 3.000kg/12'



VERTICAL BLINDS


SEC No. 7458

Weight :- 0.975kg/12'




SEC No. 7495

Weight :- 0.845kg/12'




SEC. NO:-7624

Weight :- 1.065kg/12'




SEC No. 7856

Weight:-2.200Kg/12'




SEC No. 7949

Weight:-0.850Kg/12'



SEC No. 7950


Weight:-0.850Kg/12'



VERTICAL BLINDS


SEC No. 7952

Weight:-1.450Kg/12'




SEC No. 7953

Weight:-1.790Kg/12'




SEC No. 8057

Weight:-1.200Kg/12'




SEC No. 8058

Weight:-2.000Kg/12'




SEC No. 8159

Weight:-1.500Kg/12'



SEC No. 8380


Weight:-1.950Kg/12'



VERTICAL BLINDS


SEC No. 8646

Weight:1.100Kg/12'




SEC No. 8647

Weight:2.000Kg/12'




SEC No. 8740

Weight:-0.860Kg/12'




SEC No. 8741

Weight:-1.000Kg/12'




SEC No. 8742

Weight:-0.884Kg/12'



SEC No. 8743


Weight:-1.115Kg/12'



VERTICAL BLINDS


SEC No. 8744

Weight:-2.150Kg/12'




SEC No. 8745

Weight:-1.420Kg/12'




SEC No.: -8811

Weight:-0.800Kg/12'




1" WINDOW SECTIONS

2 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12075	75.00	25.40	1.10	0.601

2 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12078	75.00	25.40	1.10	0.683

2 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12211	75.00	25.40	1.30	0.820

2 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12212	75.00	25.40	1.28	0.875
2	ART 12218	75.00	25.40	1.65	0.794

3 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12354	116.00	25.00	1.40	1.005
2	ART 12356	116.00	25.00	1.70	1.192

3 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12081	116.00	25.40	1.10	0.847

3 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12084	116.00	25.40	1.05	0.929

3 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12357	116.00	25.40	1.05	0.930
2	ART 12351	116.00	25.40	1.10	0.840
3	ART 12119	116.00	25.40	1.35	0.960

3 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12355	116.00	25.00	1.35	1.161
2	ART 12118	116.00	25.40	1.40	1.135

4 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12451	155.00	25.00	1.50	1.437

4 TRACK BOTTOM



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12452	155.00	25.00	1.50	1.670

3 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12501	116.00	45.50	1.30	1.819

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


1" WINDOW SECTIONS

BEARING BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12087	60.00	25.00	1.10	0.601
2	ART 12117	60.00	25.00	1.30	0.692
3	ART 12657	60.00	25.00	1.45	0.781

MIDDLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12096	50.00	25.00	1.10	0.547

TOP BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17216	50.00	25.00	1.20	0.563
2	ART 12197	80.00	25.00	1.50	0.967

HANDLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12091	50.00	25.00	0.90	0.437
2	ART 12667/A	50.00	25.00	1.00	0.480
3	ART 12093	50.00	25.00	1.15	0.547
4	ART 12115	50.00	25.00	1.33	0.615
5	ART 12655	43.00	25.00	1.98	0.833
6	ART 12680	43.50	25.50	1.30	0.578

HANDLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12198	65.00	25.00	1.50	0.833

INTER LOCK




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12090	50.00	25.00	1.15	0.601
2	ART 12118	50.00	25.00	1.30	0.657


INTER LOCK




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12199	65.00	25.00	1.50	0.893




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12652	45.00	30.00	2.00	0.845




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12658	43.00	25.00	1.70	0.803



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12734	75.00	25.00	1.00	0.647
2	ART 12695	75.00	25.00	1.40	0.895



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12696	75.00	25.00	1.40	0.895




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12735	75.00	25.00	1.00	0.614
1	ART 12701	75.00	25.00	1.30	0.800

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


1" SPECIAL WINDOW SERIES

CURVE HANDLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17215	50.00	25.00	1.20	0.553


CURVE INTER LOCK




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12712	50.00	25.00	1.20	0.607




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12164	50.00	25.00	1.10	0.490




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12166/A	60.00	25.00	1.10	0.560
2	ART 12793	60.00	25.00	1.50	0.760
3	ART 12714	60.00	25.00	2.50	1.203




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12664	60.00	25.00	1.00	0.517




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12719/B	60.00	25.00	1.10	0.552




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12780	60.00	25.00	1.10	0.534




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12167/A	70.00	25.00	1.10	0.629




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12707/A	75.00	25.00	1.10	0.643
2	12794	75.00	25.00	1.50	0.882



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12708	75.00	25.00	1.20	0.694



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12720/B	75.00	25.00	1.10	0.644




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12709	75.00	25.00	1.20	0.684


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

1" SPECIAL WINDOW SERIES



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12713	75.00	25.00	1.20	0.740




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27019	75.00	25.00	1.10	0.620

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


3/4" WINDOW SECTIONS

2 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12001	61.50	31.50	0.85	0.437
2	ART 12003	61.50	31.50	1.05	0.547
3	ART 12170	61.50	31.50	1.50	0.724

2 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12004	61.50	31.50	0.75	0.485
2	ART 12008	61.50	31.50	0.95	0.574
3	ART 12171	61.50	31.50	1.50	0.821

2 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17211/A	61.50	31.50	1.20	0.637
2	ART 12131	61.50	31.50	1.40	0.715

2 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17212/A	61.50	31.50	1.20	0.743
2	ART 12132	61.50	31.50	1.50	0.867

3 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12007	91.80	31.50	0.80	0.601
2	ART 12009	91.80	31.50	1.00	0.765
3	ART 12172	91.50	31.50	1.50	0.985

3 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12010	91.50	31.50	0.70	0.629
2	ART 12012	91.50	31.50	0.90	0.820
3	ART 12173	91.50	31.50	1.50	1.131

3 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12362/A	92.00	31.75	1.20	0.865
2	ART 12208	92.00	31.75	1.30	0.927

3 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12363/A	92.00	31.75	1.20	1.009
2	ART 12209	92.00	31.75	1.30	1.064

3 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12352	92.00	31.75	1.00	0.734
2	ART 12358	92.00	31.75	1.40	1.010

3 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12353	92.00	31.75	0.90	0.778
2	ART 12359	92.00	31.75	1.30	1.082

4 TRACK TOP



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12015	122.40	31.50	1.15	1.121

4 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12018	122.40	31.50	1.05	1.176

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


3/4" WINDOW SECTIONS

4 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12453/A	122.40	31.75	1.45	1.387

4 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12454/A	122.40	31.75	1.50	1.622

5 TRACK TOP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12481	152.50	31.75	1.10	1.293

5 TRACK BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12482	152.50	31.75	1.00	1.511

BEARING BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12154	51.00	18.00	0.80	0.355
2	ART 12184	51.00	18.00	1.10	0.463
3	ART 12185	51.00	18.00	1.29	0.531

MIDDLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12072	40.00	18.00	1.20	0.465

TOP BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12153	40.00	18.00	0.77	0.273
2	ART 12069	40.00	18.00	1.00	0.355
3	ART 12206	40.00	18.00	1.29	0.455
4	ART 12178	40.00	18.00	1.50	0.533

HANDLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12152	40.00	18.00	0.77	0.273
2	ART 12066	40.00	18.00	1.00	0.355
3	ART 12205	40.00	18.00	1.29	0.455
4	ART 12175	40.00	18.00	1.50	0.533

INTER LOCK



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12151	40.00	18.00	0.75	0.327
2	ART 12063	40.00	18.00	1.00	0.424
3	ART 12174	40.00	18.00	1.50	0.627

INTER LOCK




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12651	40.00	18.00	0.90	0.404
2	ART 12207	40.00	18.00	1.29	0.548

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

3/4" WINDOW SECTIONS



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12781	40.00	18.00	1.29	0.426


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


Page 1 of 1

Page 1 of 1


18X60mm. CURVE SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12684	60.00	18.00	1.20	0.570
2	ART 12134	60.00	18.00	1.40	0.648




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12156	60.00	18.00	1.20	0.531




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12157	60.00	18.00	1.20	0.837



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12685	60.00	18.00	1.20	0.565




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12686	60.00	18.00	1.20	0.700




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12711	60.00	18.00	1.20	0.671


18X50mm. CURVE SERIES



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12736	50.00	18.00	1.20	0.502
2	ART 12685	50.00	18.00	1.30	0.534




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12686	50.00	18.00	1.30	0.580



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12737	50.00	18.00	1.20	0.610
1	ART 12710	50.00	18.00	1.30	0.648


18X40mm. CURVE SERIES

HANDLE



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17209	40.00	18.00	1.20	0.422

INTER LOCK




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17210	40.00	18.00	1.20	0.511

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


DOOR & PARTITION SECTIONS

DOOR TOP




Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	ART 12021	47.62	44.45	10.00	1.35	0.711
2	ART 12804	47.62	44.50	10.00	1.74	0.886

DOOR VERTICAL




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12024	47.50	44.45	1.30	0.711
2	ART 12802	47.62	44.45	1.62	0.857
3	ART 18009	70.00	44.45	1.55	1.006
4	ART 12036	85.00	44.45	1.55	1.148
5	ART 12827	85.00	44.45	2.35	1.640
6	ART 12035	85.00	44.45	3.25	2.213

DOOR MIDDLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12027	47.50	44.45	1.20	0.711
2	ART 12805	49.91	44.45	1.60	0.896
3	ART 12042	85.00	44.45	1.50	1.148
4	ART 12841	85.00	44.45	2.00	1.444
5	ART 12830	85.00	44.45	2.35	1.663

DOOR SINGLE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12030	47.50	44.45	1.33	0.711
2	ART 12803	47.62	44.45	1.74	0.879
3	ART 18010	70.00	44.45	1.45	0.926
4	ART 12041	85.00	44.45	1.45	1.039
5	ART 12039	85.00	44.45	1.60	1.148
6	ART 12839	85.00	44.45	2.00	1.399
7	ART 12829	85.00	44.45	2.35	1.623

DOOR BOTTOM




Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	ART 18008	70.00	44.45	10.00	1.60	0.996
2	ART 12033	85.00	44.45	10.00	1.60	1.148
3	ART 12838	85.00	44.45	10.00	2.00	1.399
4	ART 12828	85.00	44.45	10.00	2.35	1.623
5	ART 12202	85.00	44.45	25.00	1.85	1.415
6	ART 12831	95.00	44.45	25.00	2.35	1.760
7	ART 12045	114.30	44.45	25.00	1.43	1.258

CORNER GLAZING PARTITION




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18012	47.50	47.50	1.33	0.795

SINGLE PARTITION




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12808	50.80	25.40	0.91	0.418
2	ART 12836	50.80	25.40	1.20	0.534
3	ART 12179	63.50	38.00	0.80	0.492
4	ART 12052	63.50	38.00	0.90	0.547
5	ART 12821	63.50	38.00	1.03	0.614
6	ART 12054	63.50	38.00	1.05	0.656
7	ART 12121	63.50	38.00	1.30	0.756
8	ART 12122	63.50	38.00	1.50	0.861
9	ART 12810	63.50	38.10	1.95	1.093
10	ART 12812	63.50	38.10	3.18	1.708
11	ART 18211	72.00	25.40	1.20	0.672
12	ART 12046	101.60	44.45	1.25	1.039
13	ART 12048	101.60	44.45	1.40	1.148
14	ART 12814	101.60	44.45	2.01	1.606
15	ART 12816	101.60	44.45	3.00	2.341
16	ART 12047	101.60	44.45	3.50	2.708

DOUBLE PARTITION




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12809	50.80	25.40	0.79	0.419
2	ART 12837	50.80	25.40	1.20	0.590
3	ART 12180	63.50	38.00	0.70	0.519
4	ART 12055	63.50	38.00	0.80	0.574
5	ART 12822	63.50	38.00	0.93	0.614
6	ART 12057	63.50	38.00	1.00	0.683
7	ART 12123	63.50	38.00	1.30	0.820
8	ART 12124	63.50	38.00	1.50	0.926
9	ART 12811	63.50	38.00	1.85	1.104
10	ART 12813	63.50	38.10	3.18	1.781
11	ART 18212	72.00	25.40	1.20	0.728
12	ART 17179	90.00	45.00	1.75	1.374
13	ART 12823	92.00	32.00	1.20	0.938
14	ART 12049	101.60	44.45	1.20	1.066
15	ART 12051	101.60	44.45	1.33	1.178
16	ART 12815	101.60	44.45	1.93	1.610
17	ART 12817	101.60	44.45	3.00	2.412
18	ART 12050	101.60	44.45	3.50	2.788

TIPS VERTICAL



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12820	64.50	49.50	1.70	0.984

GLASS BOTTOM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12165	40.00	88.50	2.00	2.226

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


DOOR & PARTITION SECTIONS

GLAZING CLIP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12801	19.00	17.30	0.35	0.060
2	ART 12178	19.00	17.30	0.40	0.066
3	ART 12155	19.00	17.30	0.60	0.080
4	ART 12060	19.00	17.30	0.70	0.096
5	ART 12818	19.00	17.30	0.80	0.109
6	ART 12819	19.00	17.30	0.90	0.124
7	ART 12177	19.00	17.30	1.00	0.116

GLAZING CLIP




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17073/A	19.00	17.10	0.70	0.132

GLAZING FLAT




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12108	44.50	3.90	0.90	0.191
2	ART 12807	44.45	3.75	1.21	0.220

L PIPE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12100	45.00	24.00	0.85	0.328
2	ART 12102	45.00	24.00	1.10	0.437

LEG SINGLE PARTITION




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12099	63.50	50.00	1.37	0.929
2	ART 12806	63.50	49.50	1.70	1.124
3	ART 12840	63.50	49.50	2.00	1.307
4	ART 12826	63.50	49.50	2.35	1.489

LEG SINGLE PARTITION




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12125	63.50	38.00	2.00	1.171


L PIPE




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12103	38.00	24.00	0.75	0.246
2	ART 12105	38.00	24.00	1.05	0.342




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17057	53.00	27.50	1.00	0.438



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12842/A	65.00	41.00	1.15	0.711



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18165	65.00	41.00	1.15	0.711




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18011	108.00	53.00	1.80	1.884

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


DOOR & PARTITION SECTIONS

DOOR FRAME




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17129	112.00	46.00	1.60	1.008


DOOR FRAME




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17213	112.00	20.50	1.60	0.650




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 18041	75.00	44.39	2.00	1.420




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 18042	75.00	42.28	1.78	1.147




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 17967	19.45	13.59	1.11	0.190




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17234	70.00	12.00	1.50	0.701



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17235	50.00	50.00	1.80	0.832



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17236	69.70	20.00	1.60	0.851




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17237	55.00	40.00	1.50	0.798


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


20 MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12215	56.53	31.50	1.40	0.648




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12361	86.53	31.50	1.40	0.890




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12455	116.53	31.50	1.40	1.190




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12694/A	54.00	20.00	1.40	0.608



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17916	34.00	24.50	1.20	0.248




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17917	16.00	14.50	1.40	0.165




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12702/B	54.00	20.00	1.40	0.636


21 MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12592	37.20	29.80	1.20	0.569




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12593	65.40	29.80	1.20	0.914




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12868	50.00	21.00	1.10	0.518



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12869	50.00	21.00	1.50	0.605



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27053	50.30	21.00	1.20	0.544




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18724	28.04	23.10	1.40	0.219


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


22 MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30016	67.00	40.00	1.50	1.162




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30017	96.80	40.00	1.50	1.576




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30015	67.00	40.00	1.50	1.178




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30018	96.80	40.00	1.50	1.592




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27035	49.50	22.40	1.50	0.654




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27037	37.00	27.40	1.25	0.487




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27036	52.40	37.00	1.50	0.916




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27075	41.88	22.40	1.50	0.615




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19168	50.00	48.00	1.50	0.808



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19170	67.00	45.00	1.40	0.956



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19167	78.50	58.00	1.40	1.138




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19169	50.00	48.30	1.40	0.504


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


22 MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18843	24.45	23.77	1.20	0.247




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19171	67.00	64.74	1.50	1.101




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18841	35.16	27.99	1.80	0.417




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18842	15.05	5.51	1.20	0.066




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18840	22.79	15.54	1.00	0.209




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27038	20.66	4.00	1.20	0.090




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	13766	15.19	12.48	1.60	0.171




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	13767	15.19	10.48	1.60	0.162



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	13615	30.00	12.00	2.90	0.306



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	16024	60.00	20.00	1.50	0.623




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.852


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


23MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12502	40.00	40.00	1.40	0.713




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12217	58.80	40.00	1.40	0.953




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12538	69.50	40.00	1.40	1.098




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12541	99.00	40.00	1.40	1.495




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12660	57.60	23.00	1.40	0.668




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17035/A	32.60	26.20	1.20	0.246



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12703	57.60	13.30	1.20	0.501




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12867	57.60	23.00	1.30	0.640




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18805	34.33	24.75	1.25	0.254


25mm SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12613	64.00	39.50	1.30	1.124




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12614	67.00	39.50	1.30	0.866




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12615	100.00	39.50	1.30	1.676



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12616	103.00	39.50	1.50	1.380




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12684	58.00	25.50	1.30	0.712




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27119	58.00	25.50	1.50	0.884


TOP BOTTOM FOR 90° SHUTTER




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27154	58.00	22.30	1.30	0.688




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12900	33.70	19.60	1.60	0.544




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27120	33.70	19.60	1.60	0.489



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18770	19.20	4.20	1.50	0.105



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27121	74.94	19.60	1.60	1.185



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27122	74.94	19.60	1.60	1.130


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


25mm SLIDING SERIES



Sr.No.	Section No.	A	B	Wt. Kg/Mtr.
1	18868	12.30	3.50	0.111



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.852




Sr.No.	Section No.	A	B	Wt. Kg/Mtr.
1	18778	14.00	5.50	0.194


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


25mm SLIDING SERIES 2




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	30051	107.35	39.39	1.40	1.390




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	27099	54.10	24.90	1.15	0.632




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	27101	35.73	21.00	1.50	0.484




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	27102	60.73	21.00	1.30	0.785




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	27100	60.00	18.00	1.40	0.698



Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	19207	98.00	39.00	1.20	0.913



Sr. No.	Section No.	A	B	C	T	WL Kg/Mtr.
1	ART 17033	32.00	17.72	22.00	1.00	0.210
2	ART 17091	32.00	17.72	26.00	1.00	0.213
2	ART 18883	32.30	17.65	21.10	1.00	0.207




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	ART 17050	32.14	17.80	1.00	0.187


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


26MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12191	66.50	50.00	1.50	1.336




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12529	101.50	50.00	1.35	1.750
2	ART 12192	101.50	50.00	1.50	1.921




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12544	49.00	39.70	1.50	0.736



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12188	66.00	26.00	1.50	0.851




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12190	66.00	26.00	1.50	0.815




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12189	38.00	30.00	1.20	0.286


27MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12536	115.00	45.00	1.40	1.765




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 30069	80.00	45.00	1.20	1.130
2	ART 12923	80.00	45.00	1.40	1.320
3	ART 12136	80.00	45.00	1.50	1.412




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 30070	45.00	45.00	1.20	0.721
2	ART 12924	45.00	45.00	1.40	0.839
3	ART 12137	45.00	45.00	1.50	0.900




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30025	45.00	45.00	1.20	0.729




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12570	64.00	43.48	1.40	1.185




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12571	99.00	43.48	1.40	1.686




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12525	69.48	40.00	1.50	0.946




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12527	106.98	40.00	1.80	1.425




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12526	69.48	40.00	1.50	1.118



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12528	106.98	40.00	1.80	1.678



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12579/A	80.00	45.00	1.50	1.487




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12580/A	45.00	45.00	1.50	0.928


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


27MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 27118	65.00	27.00	1.20	0.680
2	ART 12680	65.00	27.00	1.30	0.789
3	ART 12925	65.00	27.00	1.40	0.833
4	ART 12139	65.00	27.00	1.50	0.878




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12677	66.00	28.00	1.30	0.784




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12683	65.00	27.00	1.40	0.904




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12750	65.00	27.00	1.25	0.732




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27090	33.00	27.30	1.80	0.572




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12751	54.90	25.52	1.40	0.633




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12792	50.00	14.00	1.20	0.432




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12857	65.00	27.00	1.50	0.919




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18712	16.80	12.70	1.20	0.132



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12138	39.00	28.40	1.30	0.301



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18856	39.00	28.40	1.10	0.266
2	18794	39.00	28.40	1.30	0.301




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17965	39.00	36.40	1.30	0.496

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


27MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17047	26.30	21.60	1.40	0.263




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17915	12.60	10.70	1.00	0.083




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17061	24.00	37.00	1.20	0.195




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17048	38.00	38.00	2.00	0.814




Sr.No.	Section No.	A	B	Wt. Kg/Mtr.
1	18703	15.58	10.20	0.188



Sr.No.	Section No.	A	B	Wt. Kg/Mtr.
1	18704	17.48	10.20	0.211




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17034	72.43	59.52	1.25	0.920




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17943	81.75	38.75	1.50	1.026




Sr.No.	Section No.	A	B	Wt. Kg/Mtr.
1	18807	17.50	3.40	0.156



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27031	65.00	27.00	1.40	0.900



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12961	95.00	48.00	1.50	1.678




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17421	48.00	15.60	1.20	0.322

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

27MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	17402	50.00	24.00	1.40	0.652


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


27MM SLIDING SERIES 2




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12193	38.70	45.00	1.20	0.580




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12194	63.50	45.00	1.30	1.006




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12195	100.50	45.00	1.30	1.493




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12673	60.00	27.00	1.30	0.742




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12674	60.00	27.00	1.30	0.706




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12704	60.00	27.00	1.30	0.758



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17084	32.20	33.00	1.40	0.351



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17904	22.10	19.70	1.00	0.200




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27109/A	50.00	30.00	1.50	0.670


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


SLEEK 27MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12516	65.05	44.10	1.20	0.880




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12517	104.40	44.10	1.20	1.305




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12518	126.10	46.40	1.50	1.915




Sr.No.	Section No.	A	B	C	Wt. Kg/Mtr.
1	ART 17067	15.60	10.20	4.40	0.190




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12670	61.30	29.00	1.24	0.735



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12671	51.80	25.76	1.30	0.640




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17068	35.94	29.25	1.20	0.500




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17069	70.40	29.25	1.30	0.750


SLEEK 27MM SLIDING SERIES 2




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12583	50.29	45.00	1.50	0.970




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12582	90.58	45.00	1.50	1.574




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12591	50.29	45.00	1.50	1.016




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12590	90.58	45.00	1.50	1.619




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12605	130.87	45.00	1.50	2.244




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12798	65.00	27.00	1.40	0.837




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12799	65.00	27.00	1.40	0.867




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18708/A	36.50	33.50	1.35	0.361




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18739	45.98	36.50	1.35	0.595



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12796	38.10	23.00	1.40	0.614



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12866	38.10	23.00	1.40	0.628









Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12797	83.54	18.75	2.00	1.246




ALL DIMENSIONS ARE IN MM.



WEIGHT TOLERANCES ± 7 TO 10%

29 MM SLIDING SERIES [90° System] *

																	
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30056	82.62	40.30	1.25	1.331	1	30057	85.71	26.63	1.25	0.858	1	30058	123.90	40.30	1.25	1.912
2	12844	82.62	40.30	1.50	1.568	2	12843	85.71	26.63	1.50	0.992	2	30000	123.90	40.30	1.47	2.262

																		
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	30059	126.99	26.63	1.25	1.182	1	27107	61.52	29.00	1.20	0.768	1	27003	61.52	29.00	20.34	1.50	0.884
1	30001	126.99	26.63	1.50	1.401	2	27001	61.52	29.00	1.50	0.921	2	27150	66.00	29.00	22.00	1.50	0.912


																		
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	27108	61.52	29.00	1.20	0.728	1	27105	57.10	25.35	1.20	0.642	1	27005	57.10	25.35	20.34	1.40	0.691
2	27011	61.52	29.00	1.50	0.869	2	27000	57.10	25.35	1.40	0.726	2	27151	66.00	25.35	22.00	1.40	0.788
						3	27106	61.52	25.35	1.40	0.760							

												
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	27160	61.57	25.35	1.40	0.799	1	27151	66.00	25.35	22.19	1.40	0.788


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES [90° System] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27012	38.76	23.00	1.66	0.615




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27004/A	38.76	23.00	1.66	0.710




Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	27002/A	38.76	23.00	20.34	1.66	0.672
2	27153	38.76	23.00	22.00	1.50	0.664




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27161	50.00	23.00	1.66	0.962
2	27058	80.00	23.00	1.66	1.351
3	27078	115.00	23.00	1.66	1.805
4	27077	145.00	23.00	1.66	2.194




Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	27013	80.00	23.00	20.34	1.66	1.313
1	27152	80.00	23.00	22.00	1.66	1.306




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27014	80.00	23.00	1.66	1.298




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18924	21.28	12.80	1.40	0.194
2	18925	23.13	12.80	1.40	0.192
3	18836	24.50	12.80	1.40	0.209




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27097	61.52	29.00	1.50	0.886




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18712	16.80	12.70	1.20	0.132



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27070	70.28	30.00	1.50	1.021



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27071	76.98	61.40	2.00	1.684




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27149	61.52	29.00	1.20	0.786


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES [90° System] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18817	18.34	13.00	1.50	0.216




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18818	9.03	5.10	1.20	0.057




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27021	39.40	29.00	1.50	0.617




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17419	85.71	85.71	1.50	1.217




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19142	82.62	50.00	1.50	1.215




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19147	82.62	72.00	1.50	1.481




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19145	123.90	50.00	1.80	1.900




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19146	123.90	72.00	1.80	2.162




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17418	123.90	123.90	2.50	2.923



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18766	25.70	19.62	1.49	0.250



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18767	26.00	25.80	1.50	0.316




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18770	19.20	4.20	1.50	0.105


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES [90° System] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18714	13.94	7.75	1.50	0.146




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18813	38.78	37.81	1.50	0.432




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18814	48.57	37.81	1.50	0.710




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17473	22.84	13.98	1.30	0.145




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18881	12.37	8.00	1.20	0.070




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18816	29.60	29.00	2.51	0.412




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27109/A	50.00	30.00	1.50	0.670



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27095	24.90	19.26	1.90	0.378



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18815	13.50	13.00	1.50	0.182



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.652

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

29 MM SLIDING SERIES [90° System - Track For SS Rail] *

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30081	82.62	40.30	1.25	1.357
2	30030	82.62	40.30	1.50	1.588

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30080	85.71	28.63	1.25	0.867
2	30029	85.71	28.63	1.50	1.002

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30082	123.90	40.30	1.25	1.936
2	30031	123.90	40.30	1.50	2.292

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30083	126.99	28.63	1.25	1.196
2	30032	126.99	28.63	1.50	1.411

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30089	165.18	40.30	1.50	2.996

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30090	168.27	18.21	1.50	1.804

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27108	61.52	29.00	1.20	0.728
2	27011	61.52	29.00	1.50	0.869

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27107	61.52	29.00	1.20	0.768
2	27001	61.52	29.00	1.50	0.921

Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	27003	61.52	29.00	20.34	1.50	0.884
2	27150	66.00	29.00	22.00	1.50	0.912

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27160	61.57	25.35	1.40	0.799

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27105	57.10	25.35	1.20	0.642
2	27000	57.10	25.35	1.40	0.728
3	27106	61.52	25.35	1.40	0.760

Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	27005	57.10	25.35	20.34	1.40	0.691

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

29 MM SLIDING SERIES [90° System - Track For SS Rail] *

Sr.No.	Section No.	A	B	C	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.		
1	27151	66.00	25.35	22.19	1.40	0.788	1	27070	70.28	30.00	1.50	1.021	1	27071	78.98	61.40	2.00	1.684		

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	C	T	Wt. Kg/Mtr.		
1	27012	38.76	23.00	1.66	0.615	1	27004/A	38.76	23.00	1.66	0.710	1	27002/A	38.76	23.00	20.34	1.66	0.672		
						2						2	27153	38.76	23.00	22.00	1.50	0.664		


Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	C	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.		
1	27161	50.00	23.00	1.66	0.982	1	27013	80.00	23.00	20.34	1.66	1.313	1	27014	80.00	23.00	1.66	1.298		
2	27058	80.00	23.00	1.66	1.351	1	27152	80.00	23.00	22.00	1.66	1.308								
3	27078	115.00	23.00	1.66	1.805															
4	27077	145.00	23.00	1.66	2.194															

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.			
1	18924	21.28	12.80	1.40	0.194	1	27149	61.52	29.00	1.20	0.788	1	27097	61.52	29.00	1.50	0.886			
2	18925	23.13	12.80	1.40	0.192															
3	18839	24.50	12.80	1.40	0.209															


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES [90° System - Track For SS Rail] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18817	18.34	13.00	1.50	0.216




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18818	9.03	5.10	1.20	0.057




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18712	16.80	12.70	1.20	0.132




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17419	85.71	85.71	1.50	1.217




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19142	82.62	50.00	1.50	1.215




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19147	82.62	72.00	1.50	1.481




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19145	123.90	50.00	1.80	1.900




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19146	123.90	72.00	1.80	2.162




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17418	123.90	123.90	2.50	2.923



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18766	25.70	19.62	1.49	0.250



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18767	26.00	25.80	1.50	0.316



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18770	19.20	4.20	1.50	0.105


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES [90° System - Track For SS Rail] *




Sr.No.	Section No.	A	B	Wt. Kg/Mtr.
1	18778	14.00	5.50	0.194




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18813	38.78	37.81	1.50	0.432




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18814	48.57	37.81	1.50	0.710




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17473	22.84	13.98	1.30	0.145




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18881	12.37	8.00	1.20	0.070




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18816	29.60	29.00	2.51	0.412




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27109/A	50.00	30.00	1.50	0.670




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27021	39.40	29.00	1.50	0.617



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18861	13.50	13.00	1.50	0.193



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.652




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27095	24.90	19.26	1.90	0.376


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES 2 [45° System] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30064	82.62	43.50	1.25	1.287
2	30002	82.62	43.50	1.50	1.524




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30085	123.90	43.50	1.25	1.878
2	30003	123.90	43.50	1.50	2.231




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30089	185.18	40.30	1.50	2.998




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30004	68.45	43.50	1.50	1.378




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
2	30005	109.73	43.50	1.50	2.086




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30066/A	53.58	40.75	1.25	0.932




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30067	94.86	40.75	1.25	1.502




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30071	54.28	40.75	1.25	0.898



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30072	95.56	40.75	1.25	1.568



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30054	73.43	43.50	1.25	1.162









Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30055	114.71	43.50	1.25	1.756




ALL DIMENSIONS ARE IN MM.




WEIGHT TOLERANCES ± 7 TO 10%

29 MM SLIDING SERIES 2 [45° System] *

																		
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	C	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27107	61.52	29.00	1.20	0.768	1	27003	61.52	29.00	20.34	1.50	0.884	1	27108	61.52	29.00	1.20	0.728
2	27001	61.52	29.00	1.50	0.921	2	27150	66.00	29.00	22.00	1.50	0.912	2	27011	61.52	29.00	1.50	0.889

																							
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	C	T	Wt. Kg/Mtr.					
1	27012	38.76	23.00	1.66	0.615	1	27004/A	38.76	23.00	1.66	0.710	1	27002/A	38.76	23.00	20.34	1.66	0.672					
												2						27153	38.76	23.00	22.00	1.50	0.664


																		
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	C	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27161	50.00	23.00	1.66	0.982	1	27013	80.00	23.00	20.34	1.66	1.313	1	27014	80.00	23.00	1.66	1.298
2	27058	80.00	23.00	1.66	1.351	2	27152	80.00	23.00	22.00	1.66	1.308						
3	27078	115.00	23.00	1.66	1.805													
4	27077	145.00	23.00	1.66	2.194													

																	
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18924	21.28	12.80	1.40	0.194	1	27097	61.52	29.00	1.50	0.886	1	18712	16.80	12.70	1.20	0.132
2	18925	23.13	12.80	1.40	0.192												
3	18839	24.50	12.80	1.40	0.209												


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES 2 [45° System] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27070	70.28	30.00	1.50	1.021




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27071	76.98	61.40	2.00	1.684




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27149	61.52	29.00	1.20	0.788




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18817	18.34	13.00	1.50	0.216




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18818	9.03	5.10	1.20	0.057




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27021	39.40	29.00	1.50	0.817



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18813	38.78	37.81	1.50	0.432




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18814	48.57	37.81	1.50	0.710




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18770	19.20	4.20	1.50	0.105



Sr.No.	Section No.	A	B	Wt. Kg/Mtr.
1	18778	14.00	5.50	0.194



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17473	22.84	13.96	1.30	0.145




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18881	12.37	6.00	1.20	0.070


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES 2 [45° System] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27109/A	50.00	30.00	1.50	0.670




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18816	29.60	29.00	2.51	0.412



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18815	13.50	13.00	1.50	0.182



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.652




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27095	24.90	19.28	1.90	0.376


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


29 MM SLIDING SERIES 2 [45° System] *




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19142	82.62	50.00	1.50	1.215




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19147	82.62	72.00	1.50	1.481




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17419	85.71	85.71	1.50	1.217




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19143	109.73	50.00	1.50	1.456




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19144	109.73	72.00	1.50	1.700




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17417	109.73	109.73	2.00	2.076




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19145	123.90	50.00	1.80	1.900




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19146	123.90	72.00	1.80	2.162



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17418	123.90	123.90	2.50	2.923



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18766	25.70	19.82	1.49	0.250




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18767	25.00	25.80	1.50	0.316


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


32.50 MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30022	96.20	28.20	1.80	1.633




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30020	92.70	12.10	1.80	1.127




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30021	147.69	11.80	1.80	1.720




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27052	51.40	32.50	1.50	1.130




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27082	51.40	32.50	1.50	1.051




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27050	42.26	23.00	2.00	0.708




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27051	42.26	23.00	2.00	0.654



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18848	26.00	10.60	1.50	0.274



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18849	16.68	5.10	1.20	0.082




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18850	13.60	11.50	1.30	0.167


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


35 MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12942	75.00	35.00	1.50	1.123



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12943	75.00	35.00	1.50	1.172




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12944	41.50	39.00	1.50	0.449




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17905	28.90	19.00	1.40	0.280


35 MM SLIDING SERIES




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	30006	92.10	47.00	1.50	1.809




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	30007	139.80	47.00	1.80	2.631




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	30008	58.70	44.00	1.50	0.972



Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	27022	73.15	35.00	1.50	1.388




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	27023	73.15	35.00	1.50	1.259




TOP BOTTOM


Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27092	73.15	31.00	1.50	1.142




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27030	44.76	23.00	1.66	0.799




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27029	44.76	23.00	1.66	0.721




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27043	86.00	23.00	1.60	1.440



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27044	86.00	23.00	1.60	1.362



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27079	165.00	23.00	3.00	2.823




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18822	47.00	17.50	1.40	0.312


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


35 MM SLIDING SERIES




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18821	54.56	42.08	1.50	0.791




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18825	28.00	13.00	1.50	0.288




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18826	18.69	5.10	1.20	0.088




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18827	34.80	32.24	1.21	0.487




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	19149	139.80	50.59	1.80	2.054




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	19148	139.80	72.00	1.80	2.317




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	17420	139.80	139.80	2.50	3.307




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	17992	30.50	12.80	1.40	0.232




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18713	30.50	12.80	1.40	0.244



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18770	19.20	4.20	1.50	0.105



Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18823	18.40	14.60	1.00	0.196




Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18824	13.30	9.07	1.50	0.135


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


35 MM SLIDING SERIES



Sr.No.	SECTION NO.	A	B	T	Wt. Kg/Mtr.
1	18820	44.68	42.08	1.50	0.487



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27109/A	50.00	30.00	1.50	0.670




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.852


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


35 MM MONORAIL SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30033	102.00	50.00	2.00	2.033




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19183	102.00	52.00	2.00	1.674




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27087	74.73	57.80	2.00	1.471




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27088	58.18	38.00	2.00	1.026




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27089	44.38	35.96	1.86	1.018




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	14386	49.36	33.50	1.80	1.062




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18863	58.30	25.35	1.40	0.444




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18864	58.30	24.73	1.40	0.471




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18865	27.80	25.90	1.20	0.280



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18866	23.00	18.80	1.70	0.218



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18867	27.80	25.90	1.20	0.259




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.652


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


37 MM SLIDING SERIES




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30041	89.81	53.00	1.50	1.758




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	30040	140.00	53.00	1.50	2.573




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12535	90.00	52.30	1.50	1.730




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12672/A	82.70	37.00	1.50	1.335




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12689	82.70	37.00	1.50	1.274




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12676	82.70	37.01	1.50	1.518




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17070	52.20	44.90	1.60	0.689




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17088	52.21	57.10	1.60	1.055




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17089	37.00	37.01	1.40	0.673



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17080	16.20	12.91	1.08	0.117



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17072	51.50	23.00	1.60	0.720




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18871	13.90	9.07	1.73	0.154


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

37 MM SLIDING SERIES



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18770	19.20	4.20	1.50	0.105









Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27109/A	50.00	30.00	1.50	0.670

ALL DIMENSIONS ARE IN MM.




WEIGHT TOLERANCES ± 7 TO 10%


CASEMENT SERIES 29MM

																	
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19005	53.80	30.00	1.40	0.684	1	ART 19003	37.00	30.00	1.30	0.386	1	ART 12658	55.50	29.00	1.30	0.594

																	
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19004/A	20.60	17.90	1.00	0.135	1	ART 12663	60.00	29.00	1.30	0.620	1	18819	35.50	30.00	1.30	0.328

CASEMENT SERIES 38MM


																	
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.	Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17058	65.00	38.30	1.20	0.956	1	ART 17059	108.50	48.70	1.25	1.298	1	ART 17060	108.50	68.90	1.25	1.522

																	
Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.												
1	ART 17056	54.00	54.00	1.30	0.968												


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


CASEMENT SERIES 40MM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19001	40.00	39.00	1.20	0.547




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19214	54.00	40.00	1.20	0.612
1	ART 19007/A	54.00	40.00	1.40	0.684




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19008	54.00	39.90	1.30	0.715




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19008	70.10	40.00	1.50	0.905




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19217	70.10	40.00	1.20	0.740
1	ART 19013	70.10	40.00	1.50	0.867




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19178	55.00	40.00	1.40	0.838




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19215	70.10	40.00	1.20	0.738
1	ART 19021/A	70.10	40.00	1.50	0.868




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19216	55.30	40.00	1.20	0.654
1	ART 19022	55.30	40.00	1.50	0.783




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19175	40.00	37.70	1.40	0.449



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19014	40.00	37.70	1.50	0.433



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17918	40.00	21.28	1.30	0.305



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19002	47.30	42.90	1.30	0.682

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

CASEMENT SERIES 40MM

Sr.No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	ART 17033	32.00	17.72	22.00	1.00	0.210
2	ART 17091	32.00	17.72	28.00	1.00	0.213
2	ART 18883	32.30	17.85	21.10	1.00	0.207

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17050	32.14	17.80	1.00	0.187

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12859	99.50	40.00	1.60	1.298

Sr.No.	Section No.	A	B	T	C	Wt. Kg/Mtr.
1	ART 17023	114.00	47.15	1.20	22.00	1.252
1	ART 17375	117.00	47.15	1.20	25.00	1.272

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19012	112.00	86.10	1.30	1.981

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17008	44.40	35.40	1.40	0.515

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19038	75.00	39.00	1.30	0.920

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19141	80.00	24.65	1.40	0.932

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19207	98.00	39.00	1.20	0.913

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19204	51.35	40.00	1.20	0.686


Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19206	65.30	40.00	1.50	0.940

Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19212	61.80	40.00	1.40	0.865

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

CASEMENT SERIES 40MM




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	19205	92.00	70.10	1.50	1.476


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


40MM CASEMENT SERIES 2




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19119	44.60	40.00	1.40	0.612



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19120	65.60	40.00	1.40	0.828




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19121	71.00	48.00	1.40	1.022




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18768	24.50	23.50	1.20	0.253


CASEMENT SERIES 42MM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12983	46.20	42.00	1.35	0.656



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12984	42.00	31.00	1.25	0.436



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12985	42.00	46.20	1.35	0.656




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12986	28.00	15.30	1.11	0.226


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


CASEMENT SERIES 45MM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12979	67.00	45.00	1.40	0.901




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12980	45.00	45.00	1.40	0.784




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17007	67.00	45.00	1.40	0.901




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19047	90.00	45.00	1.60	1.238




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12981	31.37	28.00	1.10	0.246



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12982	31.41	28.00	1.10	0.263




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17912	31.42	28.01	1.20	0.285




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17913	31.40	28.00	1.20	0.283


CASEMENT SERIES 45MM




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	19026/A	69.48	67.00	1.40	1.125




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	19027/A	69.48	45.00	1.40	1.009




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	19028	107.00	45.00	1.40	1.354



Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	19029	107.00	67.00	1.40	1.464




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	17926	38.67	26.00	1.20	0.370




Sr.No.	Section No.	A	B	T	WL Kg/Mtr.
1	17927	76.20	26.00	1.20	0.500


45MM CASEMENT SERIES 2




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19108	50.00	45.00	1.50	0.816




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19109	72.00	45.00	1.50	0.990




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19117	72.00	45.00	1.50	1.008




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19116	88.00	45.00	1.50	1.136




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19115	74.94	52.00	1.50	1.000




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19114	75.25	52.00	1.50	1.020




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19111	93.51	52.02	1.50	1.183




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19110	94.05	52.00	1.50	1.159




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19112	55.05	45.00	1.50	0.598



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19113	60.98	45.00	1.50	0.863



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18769/A	50.30	28.03	1.20	0.597




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18767	26.50	26.00	1.50	0.316


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


45MM CASEMENT SERIES 2




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18905	28.48	22.50	1.49	0.300




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18904	28.48	19.62	1.49	0.280




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18766	25.70	19.62	1.49	0.250




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19118	115.00	13.01	4.01	1.264




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19142	82.62	50.00	1.50	1.215




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19218	88.71	50.00	1.50	1.258



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19219	88.71	74.00	1.50	1.518



Sr.No.	Section No.	A	B	C	Wt. Kg/Mtr.
1	19220	110.00	74.00	1.50	1.789




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19221	74.00	45.00	1.50	1.096


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


CASEMENT SERIES 50MM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19051	66.00	50.00	1.40	0.999




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19088	50.00	45.00	1.50	0.805




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19136	50.00	45.00	1.50	0.810




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19092	73.50	50.00	1.60	1.114




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19093	90.50	50.00	1.80	1.324




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19094	105.00	66.00	1.60	1.958




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19095	100.00	50.58	1.80	1.758




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19090	79.00	58.50	1.60	1.250




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19172	79.00	58.50	1.60	1.226



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19089	58.50	41.50	3.10	1.086



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19096	75.00	58.50	1.60	1.462




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19097	92.40	58.50	1.60	1.390


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


CASEMENT SERIES 50MM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19091	66.50	57.00	1.80	0.840




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18725	58.50	34.00	1.20	0.460




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19098/A	50.00	48.40	1.40	0.512




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19122	85.80	45.00	1.50	1.170




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19192	85.80	60.00	1.50	1.338




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19009	80.00	45.70	1.50	1.304



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19010	100.00	50.00	1.50	1.822




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 19011	99.00	67.00	1.50	1.675




C - GLASS GAP

Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	18926	25.50	20.50	26.00	1.50	0.287
2	18927	25.50	16.00	30.50	1.50	0.248
3	18786	25.50	11.00	35.50	1.50	0.228




C - GLASS GAP

Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	18929	25.50	32.00	14.50	1.50	0.392
2	18928	25.50	25.75	20.75	1.50	0.367



C - GLASS GAP

Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	18888	25.50	37.00	9.50	1.20	0.318
2	17955	25.50	32.00	14.50	1.20	0.302
3	18855	25.50	25.75	20.75	1.20	0.282
4	18726	25.50	21.50	24.50	1.30	0.290




C - GLASS GAP

Sr. No.	Section No.	A	B	C	T	Wt. Kg/Mtr.
1	17954	25.50	16.00	30.50	1.20	0.229


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


CASEMENT SERIES 50MM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17063	35.03	25.50	1.20	0.243




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19135	50.00	45.00	1.50	0.820




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	27109	50.00	30.00	1.50	0.670




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18795	39.00	23.85	1.20	0.404



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19222	50.00	24.00	1.50	0.868



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17402	50.00	24.00	1.40	0.852




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	19087	50.35	35.00	1.60	0.493


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


CASEMENT SERIES 52MM




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12918	52.00	44.50	1.50	0.889




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12919	52.00	66.00	1.50	0.986




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17144	52.00	95.00	1.50	1.268




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12920	52.00	66.00	1.50	0.986



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12921	31.50	26.20	1.20	0.277




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	18857	31.50	26.20	1.20	0.330




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12922	31.50	26.20	1.20	0.306


INSECT SCREEN SECTIONS




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17114	25.50	23.10	1.00	0.276




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17115	25.50	31.20	1.00	0.326




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17116	32.30	45.30	1.00	0.484




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17117	32.30	16.80	1.00	0.300




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17118	29.00	45.00	1.00	0.421




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17119	29.00	45.00	1.00	0.443




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 17302	58.00	47.00	1.20	0.620




Sr.No.	Section No.	D	T	Wt. Kg/Mtr.
1	* 17303	26.30	1.10	0.335




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 17304	40.00	22.00	1.20	0.413



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	* 17305	38.00	24.80	1.20	0.322



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17145	26.10	22.10	1.00	0.295




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17146	26.20	25.40	1.00	0.285


ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%

INSECT SCREEN SECTIONS



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17147	26.20	45.00	1.00	0.385




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17148	24.40	60.00	1.00	0.527

ALL DIMENSIONS ARE IN MM.


WEIGHT TOLERANCES ± 7 TO 10%

ARCHITECTURAL




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17001	61.00	34.00	1.50	0.924


SUB FRAME




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17024	125.00	28.00	1.50	0.864




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12162	22.00	20.50	1.30	0.153




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17009	53.43	40.95	1.50	1.051




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 12515	96.10	40.00	1.70	1.680




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17181	42.00	42.00	2.00	1.016




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17078	65.00	65.00	3.00	2.290



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17092/A	74.00	30.00	2.00	0.700



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	17393	116.00	24.00	4.00	1.468




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	12759	72.00	21.50	1.20	0.984

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


RAILING SECTIONS

RAILING COVER




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17054	134.60	32.40	1.50	0.738

RAILING COVER



Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	ART 17098	102.10	16.59	1.60	0.595




Sr.No.	Section No.	A	B	T	Wt. Kg/Mtr.
1	14378	120.00	45.50	2.70	5.520

ALL DIMENSIONS ARE IN MM.

WEIGHT TOLERANCES ± 7 TO 10%


18X40 SLIDING SERIES

3/4" HANDLE




SECTION NO	A	B	T	Weight (Kg/12')
2100	40.00	18.00	0.65	0.800-0.900
2101	40.00	18.00	0.75	1.000-1.200
2102	40.00	18.00	1.10	1.400-1.600
2103	40.00	18.00	1.42	1.500-1.700
2104	40.00	18.00	1.20	1.800-2.000

3/4" TOP BOTTOM




SECTION NO	A	B	T	Weight (Kg/12')
2121	40.00	18.00	0.65	0.800-1.000
2122	40.00	18.00	0.80	1.000-1.200
2123	40.00	18.00	1.15	1.400-1.600
2124	40.00	18.00	1.20	1.550-1.750
2125	40.00	18.00	1.50	1.800-2.000

3/4" MATTING




SECTION NO	A	B	T	Weight (Kg/12')
2141	40.00	18.00	0.75	1.100-1.200
2142	40.00	18.00	0.95	1.300-1.500
2143	40.00	18.00	1.15	1.500-1.700

3/4" BEARING BOTTOM



SECTION NO	A	B	T	Weight (Kg/12')
2161	52.00	18.00	0.85	1.200-1.500
2162	52.00	18.00	1.20	1.800-2.000


3/4" INTERLOCK



SECTION NO	A	B	T	Weight (Kg/12')
2181	40.00	27.00	0.70	1.100-1.200
2182	40.00	27.00	0.80	1.200-1.400
2183	40.00	27.00	0.95	1.400-1.600
2184	40.00	27.00	1.20	1.800-2.000
2185	40.00	27.00	1.50	2.100-3.000

SEC NO. :-2201

Weight :- 1.000kg/12'




3/4" SINGLE LEG BOTTOM

18X40 SLIDING SERIES


SEC NO. :-2211

Weight :- 0.825kg/12'




SEC NO. :-2231

Weight :- 0.950kg/12'




¾" 2 TRACK TOP



Sr No.	SECTION NO.	A	B	T	Weight (Kg/12')
1	2231	61.85	31.75	0.60	1.100-1.300
2	2232	61.85	31.75	0.70	1.400-1.600
3	2233	61.85	31.75	0.85	1.500-2.000
4	2234	61.85	31.75	1.00	2.000-2.200
5	2235	61.85	31.75	1.20	2.400-2.600
6	2236	61.85	31.75	1.50	2.800-3.000


¾" 2 TRACK BOTTOM



Sr No.	SECTION NO.	A	B	T	Weight (Kg/12')
1	2241	61.85	31.75	0.60	1.400-1.600
2	2242	61.85	31.75	0.80	1.800-2.000
3	2243	61.85	31.75	0.95	2.100-2.300
4	2244	61.85	31.75	1.20	2.600-2.800
5	2245	61.85	31.75	1.50	3.200-3.400


SEC NO. :-2251

Weight :- 1.700kg/12'




SEC NO. :-2261

Weight :- 1.970kg/12'




18X40 SLIDING SERIES

¾" 3 TRACK TOP




Sr. No.	SECTION NO.	A	B	T	Weight (Kg/12')
1	2271	92	31.75	0.70	1.800-2.000
2	2272	92	31.75	0.80	2.000-2.300
3	2273	92	31.75	0.93	2.400-2.600
4	2274	92	31.75	1.10	2.700-3.000
5	2275	92	31.75	1.20	3.000-3.200
6	2276	92	31.75	1.50	4.000-4.200

¾" 3 TRACK BOTTOM




SL SECTION NO.	SECTION NO.	A	B	T	WT. RANGE KG/12'
1	2281	92	31.75	0.73	2.200-2.400
2	2282	92	31.75	0.80	2.500-2.700
3	2283	92	31.75	0.95	2.800-3.000
4	2284	92	31.75	1.20	3.000-3.300
5	2285	92	31.75	1.50	3.500-3.700
6	2286	92	31.75	1.50	4.200-4.400

¾" 4 TRACK TOP



Sr. No.	SECTION NO.	A	B	T	Weight (Kg/12')
1	2291	122.5	31.5	0.80	2.800-3.000
2	2292	122.5	31.5	0.90	3.000-3.300
3	2293	122.5	31.5	1.05	3.500-3.700
4	2294	122.5	31.5	1.50	5.000-5.300

¾" 4 TRACK BOTTOM




Sr. No.	SECTION NO.	A	B	T	Weight (Kg/12')
1	2301	122.5	31.5	0.95	3.800-4.000
2	2302	122.5	31.5	1.05	4.000-4.200
3	2303	122.5	31.5	1.50	6.200-6.500

18X40 SLIDING SERIES

SEC NO. :-3261


$\frac{3}{4}$ " 5 TRACK TOP



Sr. No.	SECTION NO.	A	B	T	Weight (Kg/12')
1	2311	153	31.80	0.95	4.400-4.800
2	2312	153	31.80	1.10	5.800-5.600
3	2313	153	31.80	1.50	6.400-6.800

SEC NO. :-3271

$\frac{3}{4}$ " 5 TRACK BOTTOM




SL NO.	SECTION NO.	A	B	T	WT. RANGE KG/12'
1	2321	153	31.80	0.95	5.000-5.500
2	2322	153	31.80	1.10	5.800-6.300
3	2323	153	31.80	1.50	7.300-7.700

18X40 SLIDING SERIES

SEC NO. :-2331


Weight :- 3.715kg/12'

$\frac{3}{4}$ " 2 TRACK BOTTOM (HOLLOW)



SEC NO. :-2341


Weight :- 4.200kg/12'



SEC NO. :-2351

Weight :- 5.075kg/12'


$\frac{3}{4}$ " 3 TRACK BOTTOM (HOLLOW)



18X48 SLIDING SERIES


SEC NO. :-2691

Weight :- 1.200kg/12'




SEC NO. :-2696

Weight :- 1.430kg/12'



SEC NO. :-2701


Weight :- 1.200kg/12'



18X50 SLIDING SERIES


SEC NO. :-2706

Weight :- 1.370kg/12'




SEC NO. :-2711

Weight :- 1.435kg/12'




SEC NO. :-2716

Weight :- 1.700kg/12'




SEC NO. :-2721

Weight :- 1.335kg/12'




SEC NO. :-2726

Weight :- 1.200kg/12'



SEC NO. :-2731


Weight :- 1.520kg/12'



18X60 SLIDING SERIES


SEC NO. :-2751

Weight :- 2.555kg/12'




SEC NO. :-2761

Weight :- 2.120kg/12'




SEC NO. :-2766

Weight :- 2.050kg/12'




SEC NO. :-2771

Weight :- 1.910kg/12'




SEC NO. :-2776

Weight :- 1.690kg/12'



SEC NO. :-2781


Weight :- 1.725kg/12'



20mm SERIES


SEC NO. :-2801

Weight :- 1.255kg/12'




SEC NO. :-2802

Weight :- 1.425kg/12'




SEC NO. :-2803

Weight :- 1.410kg/12'




SEC NO. :-2804

Weight :- 1.700kg/12'




SEC NO. :-2805

Weight :- 2.330kg/12'



SEC NO. :-2806


Weight :- 2.625kg/12'



20mm SERIES


SEC NO. :-2807

Weight :- 3.195kg/12'




SEC NO. :-2808

Weight :- 3.635kg/12'




SEC NO. :-2809

Weight :- 1.400kg/12'




25mm (1") SERIES

1" HANDLE




SEC. NO.	A	B	T	WT. kg./mtr	Weight KG/12'
2825	50.00	25.00	0.85	0.420	1.500-1.700
2826	50.00	25.00	1.20	0.593	2.100-2.300
2827	50.00	25.00	1.30	0.617	2.260-2.400
2828	50.00	25.00	1.40	0.655	2.400-2.600
2829	50.00	25.00	1.50	0.717	2.600-2.800

1" MATTING



SEC. NO.	A	B	T	WT. kg./mtr	Weight KG/12'
2836	50.00	25.00	0.85	0.437	1.600-1.800
2837	50.00	25.00	0.95	0.510	1.800-2.100
2838	50.00	25.00	1.40	0.683	2.500-2.700
2839	52.00	18.00	0.78	0.339	1.200-1.500

SEC NO. :-5121




SEC. NO.	A	B	T	WT. kg./mtr	Weight KG/12'
2845	50.00	25.00	1.20	0.633	2.300-2.400
2846	50.00	25.00	1.30	0.683	2.400-2.600
2847	50.00	25.00	1.50	0.788	2.800-3.100

SEC NO. :-2851

Weight :- 1.540kg/12'


1" TOP BOTTOM



SEC NO. :-2856

Weight :- 1.500kg/12'


1" SINGLE LEG TOP BOTTOM



SEC NO. :-2861


Weight :- 6.470kg/12'

1" 3 TRACK BOTTOM HOLLOW




25mm (1") SERIES

1" 2 TRACK TOP




SECTION NO.	A	T	WT. RANGE KGS/12'
2871	29.25	1.10	2.000-2.200
2872	29.10	1.35	2.200-2.400
2873	29.15	1.40	2.500-2.800

1" 2 TRACK BOTTOM



SECTION NO.	A	T	WT. RANGE KGS/12'
2876	29.35	1.10	2.200-2.400
2877	29.00	1.30	2.400-2.600
2878	29.00	1.35	2.700-3.000


1" 3 TRACK TOP



SECTION NO.	A	T	WT. RANGE KGS/12'
2881	30.20	1.25	3.200-3.400
2882	29.60	1.60	4.000-4.200
2883	29.20	1.95	4.400-4.600

SEC NO. :-5176

1" 3 TRACK BOTTOM




SECTION NO.	A	T	WT. RANGE KGS/12'
2886	30.55	1.15	3.200-3.400
2887	29.85	1.35	4.000-4.200
2888	29.50	1.62	4.400-4.600

SEC NO. :-2891

1" 4 TRACK TOP

Weight :- 3.930kg/12'




25mm (1") SERIES

SEC NO. :-2896

Weight :- 4.565kg/12'


1" 4 TRACK BOTTOM



SEC NO. :-2901 (25mm)1"

Weight :- 6.400kg/12'

2 TRACK BOTTOM HOLLOW




25mm (1") SERIES

SEC. NO:-3001

Weight :- 2.385kg/12'


65 X 25 HANDLE



SEC. NO:-3005

Weight :- 3.025kg/12'


65 X 25 INTERLOCK



SEC. NO:-3009

Weight :- 1.935kg/12'


60 X 25 HANDLE



SEC. NO:-3009/1

Weight :- 2.180kg/12'


75 X 25 MATTING



SEC. NO:-3011/1

Weight :- 2.242kg/12'


75 X 25 HANDLE



30mm SERIES


SEC NO. :-2901

Weight :- 2.675kg/12'




SEC NO. :-2911

Weight :-2.765kg/12'



SEC NO. :-2916


Weight :- 3.290kg/12'



SEC NO. :-2921

Weight :- 5.420kg/12'


2 TRACK BOTTOM HOLLOW



SEC NO. :-2951


Weight :- 7.325kg/12'

30mm 3 TRACK BOTTOM HOLLOW



SEC. NO:-2956


Weight :- 3.200kg/12'



30mm SERIES


SEC. NO:-2961

Weight :- 3.690kg/12'




SEC. NO:-2966

Weight :- 4.275kg/12'




SEC. NO:-2971

Weight :- 5.380kg/12'



SEC. NO:-3007


Weight :- 2.600kg/12'



SEC. NO:-3011

Weight :- 3.550kg/12'


65 X 30 INTERLOCK



SEC. NO:-3015

Weight :- 2.910kg/12'


65 X 30 HANDLE



30mm SERIES


SEC. NO:- 3841

Weight :- 1.460kg/12'




SEC. NO:- 3843

Weight :- 2.875kg/12'



SEC. NO:- 3845


Weight :- 2.885kg/12'



50mm SERIES


SEC No. 7046

Weight-4.150kg/12'



SEC No. 7047


Weight-4.700kg/12'



SLIDING


SEC. NO:- 3805

Weight :- 2.500kg/12'




SEC. NO:- 3807

Weight :- 2.830kg/12'




SEC. NO:- 3809

Weight :- 1.890kg/12'




SEC. NO:- 3811

Weight :- 0.790kg/12'




SEC. NO:- 3813

Weight :- 0.600kg/12'



SEC. NO:- 3815


Weight :- 0.570kg/12'



SLIDING


SEC. NO:- 3817

Weight :- 1.290kg/12'




SEC. NO:- 3819

Weight :- 0.970kg/12'




SEC. NO:- 3821

Weight :- 1.140kg/12'




SEC. NO:- 3823

Weight :- 1.360kg/12'



SEC. NO:- 3825


Weight :- 0.575kg/12'



SLIDING


SEC No. 7100

Weight :- 2.340kg/12'




SEC No. 7101

Weight :- 2.890kg/12'




SEC No. 7201

Weight :- 2.035kg/12'




SEC No. 7202

Weight :- 2.300kg/12'




SEC No. 7232

Weight :- 2.450kg/12'



SEC No. 7262


Weight :- 1.750kg/12'



SLIDING


SEC No. 7263

Weight :- 2.825kg/12'




SEC No. 7321

Weight :- 1.960kg/12'




SEC No. 7382

Weight :- 2.125kg/12'




SEC No. 7406

Weight :- 4.670kg/12'




SEC No. 7407

Weight :- 1.400kg/12'



SEC No. 7408


Weight :- 6.150kg/12'



SLIDING


SEC No. 7409

Weight :-1.810kg/12'




SEC No. 7410

Weight :- 1.855kg/12'




SEC No. 7411

Weight :- 1.850kg/12'




SEC No.7442

Weight :- 1.360kg/12'




SEC No.7443

Weight :- 1.570kg/12'



SEC No. 7501


Weight :- 8.470kg/12'



SLIDING


SEC No. 7502

Weight :-10.100kg/12'




SEC No. 7503

Weight :- 8.570kg/12'




SEC No. 7504

Weight :-5.400kg/12'




SEC No. 7505

Weight :-5.800kg/12'




SEC No. 7506

Weight :-5.600kg/12'



SEC No. 7507


Weight :-0.565kg/12'



SLIDING


SEC No. 7508

Weight :-1.000kg/12'



SEC No. 7509


Weight :- 2.900kg/12'



SLIDING WINDOW


SEC No. 2451

Weight :- 2.780kg/12'




SEC No. 2461

Weight :- 2.670kg/12'




SEC No. 2471

Weight :- 3.290kg/12'




SEC No. 2591

Weight :- 4.100-4.600kg/12'




SEC No. 2601

Weight :- 4.200kg/12'



SEC No. 2602


Weight :- 4.00-4.500kg/12'



SLIDING WINDOW


SEC. NO. 3011/3

Weight :-1.900-2.200kg/12'




SEC. NO. 3021

Weight :- 2.200-2.600kg/12'




SEC. NO. 7152

Weight :- 2.800kg/12'




SEC No. 7153

Weight :- 2.600kg/12'




SEC No. 7154

Weight :-1.470kg/12'



SEC No. 7155


Weight :-4.050kg/12'



SLIDING WINDOW


SEC No. 7156

Weight :-5.000kg/12'




SEC No. 7157

Weight :-0.600kg/12'




SEC No. 7158

Weight :-3.700kg/12'




SEC No. 7385

Weight :-1.940kg/12'




SEC No. 7387

Weight :-3.700kg/12'



SEC No. 7524


Weight :-3.340kg/12'



SLIDING WINDOW


SEC No. 7525

Weight :- 2.570kg/12'




SEC No. 7526

Weight :- 1.865kg/12'



SEC No. 7527


Weight :- 4.445kg/12'



SEC No. 7704


Weight :- 1.950kg/12'

18x60 Sliding Series




SEC No. 7708

Weight:-4.850Kg/12'



SEC No. 7709


Weight:-3.735Kg/12'



SLIDING WINDOW


SEC No. 7795

Weight:-4.935Kg/12'




SEC No. 7796

Weight:-4.935Kg/12'




SEC No. 7797

Weight:-7.130Kg/12'




SEC No. 7798

Weight:-4.950Kg/12'




SEC No. 7799

Weight:-3.675Kg/12'



SEC No. 7800


Weight:-3.650Kg/12'



SLIDING WINDOW


SEC No. 7801

Weight:-2.325Kg/12'




SEC No. 7802

Weight:-3.055Kg/12'




SEC No. 7803

Weight:-3.260Kg/12'




SEC No. 7804

Weight:-0.420Kg/12'




SEC No. 7805

Weight:-0.330Kg/12'



SEC No. 7806


Weight:-2.560Kg/12'



SLIDING WINDOW


SEC No. 7807

Weight:-0.332Kg/12'




SEC No. 7808

Weight:-0.960Kg/12'




SEC No. 7809

Weight:-4.285Kg/12'




SEC No. 7810

Weight:-3.300Kg/12'




SEC No. 7811

Weight:-3.700Kg/12'



SEC No. 7820


Weight:-1.925Kg/12'



SLIDING WINDOW


SEC No. 7862

Weight:-4.350Kg/12'




SEC No. 7863

Weight:-5.042Kg/12'




SEC No. 7864

Weight:-7.340Kg/12'




SEC No. 7865

Weight:-2.940Kg/12'




SEC No. 7866

Weight:0.775Kg/12'



SEC No. 7867


Weight:-0.874Kg/12'



SLIDING WINDOW


SEC No. 7868

Weight: 1.275Kg/12'




SEC No. 7889

Weight: -1.485Kg/12'




SEC No. 7916

Weight: -2.460Kg/12'




SEC No. 7917

Weight: -2.750Kg/12'




SEC No. 7918

Weight: -2.480Kg/12'



SEC No. VA7922


Weight: -2.775Kg/12'



SLIDING WINDOW


SEC No. VA7923

Weight:-2.650Kg/12'




SEC No. VA7924

Weight:-2.500Kg/12'




SEC No. 7946

Weight:-5.400Kg/12'




SEC No. 7964

Weight:-4.200Kg/12'




SEC No. 7993

Weight:-3.825Kg/12'



SEC No. 7994


Weight:-3.592Kg/12'



SLIDING WINDOW


SEC No. 8059

Weight:-2.785Kg/12'




SEC No:- 8101

Weight:-1.600Kg/12'




SEC No. 8134

Weight:-1.715Kg/12'




SEC No. 8135

Weight:-4.475Kg/12'




SEC No. 8140

Weight:-0.500Kg/12'



SEC No. 8160


Weight:-1.220Kg/12'



SLIDING WINDOW


SEC No. 8161

Weight:-1.380Kg/12'




SEC No. 8306

Weight:-1.150Kg/12'




SEC No. 8307

Weight:-2.200Kg/12'




SEC No. 8314

Weight:-2.600Kg/12'




SEC No. 8327

Weight:-1.260Kg/12'



SEC No. 8329


Weight:-6.000Kg/12'



SLIDING WINDOW


SEC No. 8334

Weight:-1.200Kg/12'




SEC No. 8355

Weight:-6.100Kg/12'




SEC No. 8356

Weight:-3.810Kg/12'




SEC No. 8357

Weight:-0.550Kg/12'




SEC No. 8358

Weight:-3.300Kg/12'



SEC No. 8359


Weight:-3.000Kg/12'



SLIDING WINDOW


SEC No. 8360

Weight:-1.150Kg/12'




SEC No. 8361

Weight:-1.800Kg/12'




SEC No. 8469

Weight:-2.800Kg/12'




SEC No. 8470

Weight:-2.600Kg/12'




SEC No. 8471

Weight:-2.050Kg/12'



SEC No. 8472


Weight:-2.050Kg/12'



SLIDING WINDOW


SEC No. 8473

Weight:-2.450Kg/12'




SEC No. 8474

Weight:-2.725Kg/12'




SEC No. 8550

Weight:3.595Kg/12'




SEC No. 8551

Weight:1.560Kg/12'




SEC No. 8562

Weight:7.900Kg/12'



SEC No. 8580


Weight:1.725Kg/12'



SLIDING WINDOW


SEC No. GA8730

Weight:-2.000Kg/12'




SEC No. GA8731

Weight:-2.350Kg/12'




SEC No. GA8732

Weight:-2.355Kg/12'




SEC No. 8737

Weight:-1.200Kg/12'




SEC No.:- 8777

Weight:-2.185Kg/12'



SEC No.:- 8778


Weight:-3.815Kg/12'



SLIDING WINDOW


SEC No.: 8779

Weight: -4.950Kg/12'




SEC No.: 8780

Weight: -7.230Kg/12'




SEC No.: 8781

Weight: -3.290Kg/12'




SEC No.: 8782

Weight: -3.565Kg/12'



SEC No.: 8783

Weight: -0.850Kg/12'



SEC No.: 8785

Weight: -6.340Kg/12'

