


LED PROFILES

2401




Wt:2.102 KG/M

2402




Wt:0.371 KG/M

2403




Wt:0.600 KG/M

2404




Wt:0.325KG/M

2405




Wt:0.310 KG/M

2406




Wt:0.620 KG/M

2407




Wt:0.270 KG/M

2408



Wt:0.330 KG/M

NL-01




Wt:2.000 KG/M

NL-02




Wt:3.500 KG/M

9491




Wt:0.475-0.525 KG/M

9351



Wt:0.590KG/M

2102



Wt:0.460-0.510 KG/M

2103




Wt:0.110-0.130 KG/M

2104




Wt:0.215 KG/M

2105




Wt:0.445 KG/M

2106




Wt:0.125 KG/M

1910




Wt:2.300 KG/M

1911




Wt:11.815 KG/M

7481



Wt:0.375KG/M

7482




Wt:0.620 KG/M

7483




Wt:0.175 KG/M

7484




Wt:0.190 KG/M

7485




Wt:0.340 KG/M

7486




Wt:1.140 KG/M

7487




Wt:1.960 KG/M

7488




Wt:1.520 KG/M

7601




Wt:0.630KG/M

2451




Wt:1.080 KG/12'

2452




Wt:0.440-0.460 KG/M

2453




Wt:1.900 KG/M

2454




Wt:1.455 KG/M

2455




Wt:1.680 KG/M

2456




Wt:0.250 KG/M

2457



Wt:2.120 KG/M

2458




Wt:2.160 KG/M

2459




Wt: 3.470KG/12'

2460




Wt:6.520 KG/12'

2461




Wt:3.956 KG/12'

7891




Wt:1.180 KG/M

7331




Wt:0.410 KG/M

7332




Wt:13.900 KG/M

UV-01



Wt:0.290 KG/12'

UV-02




Wt: 0.100 KG/M

UV-03




Wt:0.060 KG/M

UV-04



Wt: 3.000 KG/M

UV-05



Wt:3.100 KG/M

UV-06



Wt:3.660 KG/M



Global Solutions For Aluminium Extrusions

UV-07




Wt:0.170 KG/M

ELECTRICAL & ELECTRONICS


Die No.: 45720

Wt.: 0.150 - 0.180 (KG/M)




Die No.: 46225

Wt.: 0.162-0.192 (KG/M)




Die No.: 46227

Wt.: 0.148-0.168 (KG/M)



Die No.: 46240


Wt.: 0.051-0.074 (KG/M)



LED


Die No.: 45989

Wt.: 0.255 - 0.360 (KG/M)




Die No.: 46226

Wt.: 0.150-0.171 (KG/M)




Die No.: 46230

Wt.: 0.087-0.113 (KG/M)



DIE.NO. :- 46117


Wt :-0.380-0.524KG/M



ELECTRICAL & ELECTRONICS


Die No.: 46001

Wt.: 0.330 - 0.410 (KG/M)




Die No.: 46051

Wt.: 0.091-0.122 (KG/M)




Die No.: 9459

Wt.: 0.110-0.140 (KG/M)



Die No.: 45931


Wt.: 1.438 - 1.589 (KG/M)



LED


Die No.: 45945

Wt.: 0.243 - 0.297 (KG/M)




Die No.: 45992

Wt.: 0.158 - 0.217 (KG/M)




Die No.: 5675

Wt.: 0.835-0.865 (KG/M)



Die No.: 45885


Wt.: 0.360-0.440 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 46061

Wt.: 0.254-0.300 (KG/M)




Die No.: 36128

Wt.: 0.305-0.373 (KG/M)




Die No.: 45843

Wt.: 0.910 - 1.040 (KG/M)



DIE.NO. :- 46121


Wt :-0.120-0.157KG/M



LED


Die No.: 45758

Wt.: 0.400 - 0.500 (KG/M)




Die No.: 45813

Wt.: 0.740 - 0.850 (KG/M)




Die No.: 32073

Wt.: 0.117 - 0.149 (KG/M)



DIE.NO. :- 46122


Wt :-0.207-0.289KG/M



ELECTRICAL & ELECTRONICS

Die No.: 49535

Wt.: 0.400 - 0.500 (KG/M)




Die No.: 46115

Wt.: 0.179-0.242 (KG/M)




Die No.: 9430

Wt.: 0.720-0.780 (KG/M)



Die No.: 45893


Wt.: 0.920-1.050 (KG/M)



LED


Die No.: 46114

Wt.: 0.936-1.119 (KG/M)




Die No.: 9187

Wt.: 0.520-0.550 (KG/M)




Die No.: 45930

Wt.: 3.091 - 3.349 (KG/M)



Die No.: 46029


Wt.: 1.072 - 1.371 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 45991

Wt.: 0.417 - 0.509 (KG/M)




Die No.: 45630

Wt.: 0.170 - 0.210 (KG/M)




Die No.: 46166

Wt.: 0.469-0.567 (KG/M)



Die No.: 46258


Wt.: 0.474-0.616 (KG/M)



LED


Die No.: 5275

Wt.: 1.150 - 1.300 (KG/M)




Die No.: 46066

Wt.: 0.747-0.790 (KG/M)




Die No.: 46133

Wt.: 1.551-1.946 (KG/M)



Die No.: 46259


Wt.: 1.535-1.887 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 45892

Wt.: 0.420-0.520 (KG/M)




Die No.: 45810

Wt.: 0.330-0.400 (KG/M)




Die No.: 45987

Wt.: 0.454 - 0.519 (KG/M)



DIE.NO. :- 46116

Wt :-0.301-0.449KG/M



LED


Die No.: 36153

Wt.: 0.319 - 0.414 (KG/M)




Die No.: 46010

Wt.: 0.349 - 0.441 (KG/M)




DIE.NO. :- 46113

Wt :-0.333-0.427KG/M



Die No.: 46141


Wt.: 0.872-1.181 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 46156

Wt.: 0.961-1.256 (KG/M)




Die No.: 46132

Wt.: 1.597-2.003 (KG/M)



Die No.: 46401


Wt.:0.115 (KG/M)



LED


Die No.:46186

Wt.:0.162 - 0.192 (KG/M)




Die No.: 46170








Wt.: 1.937-2.363 (KG/M)



Die No.: 46167

Wt.: 0.536-0.694 (KG/M)



Die No.19401 0.183Kg/m 	Die No.19400 0.280Kg/m 
Die No.19635 0.135Kg/m 	Die No.19634 0.174Kg/m 
Die No.19523 0.121Kg/m 	Die No.19521 0.184Kg/m 
Die No.19522 0.117Kg/m 	









Global Solutions For Aluminium Extrusions

Die No. 19686 0.110 Kg/m	Die No. 19687 0.210 Kg/m
Die No. 19693 0.285 Kg/m	Die No. 19692 0.653 Kg/m
Die No. 19001 0.220 Kg/m	Die No. 19000 0.374 Kg/m
Die No. PB-4-3 0.418 Kg/m	



Global Solutions For Aluminium Extrusions


Die No. PB-4-2  0.963Kg/m	
Die No. 19601  0.987Kg/m	Die No.10204  1.067Kg/m
Die No. 19602  1.243Kg/m	Die No.1302  1.057Kg/m
Die No. 19110  1.572Kg/m	



Global Solutions For Aluminium Extrusions


Die No. 1266

1.023 Kg/m




Die No. 16024

1.125Kg/m




Die No. 19106

1.083Kg/m




Die No. 16025

1.217 Kg/m



Die No. 19373

1.228Kg/m





Global Solutions For Aluminium Extrusions

Die No. 19732 1.648Kg/m	
Die No. 19734 0.455Kg/m	Die No. 19904 0.485Kg/m
Die No. 19907 0.469Kg/m	Die No. 1267 0.761Kg/m
Die No. 19437 0.458Kg/m	Die No. 19701 0.451Kg/m



Global Solutions For Aluminium Extrusions


Die No. 23005 0.264Kg/m	Die No. 23007 0.286Kg/m
Die No. 23006 0.078Kg/m	Die No. 19741 0.797Kg/m
Die No. 19158 0.966Kg/m	Die No. 16164 1.077Kg/m



Global Solutions For Aluminium Extrusions


Die No. 19908

1.106 Kg/m




Die No. 19173

0.906Kg/m




Die No. 19202

1.008Kg/m




Die No. 19168

1.056Kg/m



Die No. 19203

0.383Kg/m






Global Solutions For Aluminium Extrusions


Die No. 19190

0.897Kg/m




Die No. 19325

0.808Kg/m




Die No. 1276

1.690Kg/m




Die No. 19716

0.917Kg/m




Die No. 19198

0.918Kg/m



Die No. 19455








0.904Kg/m



















Global Solutions For Aluminium Extrusions

Die No. 19193 0.985Kg/m	Die No. 19191 1.107Kg/m
Die No. 1080 0.301Kg/m	Die No. 1301 0.453Kg/m
Die No. 19614 0.388Kg/m	Die No. 19729 0.325Kg/m
Die No. 19167 0.296Kg/m	Die No. 19166 0.417Kg/m







Die No. 1275 0.145Kg/m 	Die No. 19530 0.117Kg/m 
Die No. 19529 0.850Kg/m 	Die No. 19531 0.554Kg/m 
Die No. 19723 0.190Kg/m 	Die No. 19676 0.351Kg/m 
Die No. 1238 0.327Kg/m 	Die No. 1250 0.453Kg/m 

Die No.1248 0.522Kg/m 	Die No. 19467 1.183Kg/m 
Die No. 19183 0.485Kg/m 	Die No.1079 0.311Kg/m 
Die No.1237 0.209Kg/m 	Die No.1249 0.512Kg/m 
Die No.1264 0.443Kg/m 	Die No.1242 1.433Kg/m 

Die No. 23018 0.435 Kg/m 	Die No. 19375 0.452 Kg/m 
Die No. 1240 0.562 Kg/m 	Die No. 19733 1.343 Kg/m 
Die No. 20035 2.081 Kg/m 	Die No. 20036 3.016 Kg/m 
Die No. 1251 1.123 Kg/m 	



Global Solutions For Aluminium Extrusions


Die No.1278 1.313Kg/m 	Die No.1271 1.437Kg/m 
Die No.1245 0.690Kg/m 	Die No. 1252 1.384Kg/m 
Die No. 19962 0.903 Kg/m 	
Die No.1244 0.665Kg/m 	



Global Solutions For Aluminium Extrusions


Die No.19074

2.730Kg/m




Die No.19075

2.120Kg/m



Die No.19076

2.370Kg/m






Global Solutions For Aluminium Extrusions


Die No. 16241

0.750Kg/m




Die No. 1428

1.507Kg/m




ELECTRICAL & ELECTRONIC

PROFILE NO:- 8402




WT. RANGE KG/12':- 2.450 - 2.750

PROFILE NO:- 8403




WT. RANGE KG/12':- 0.462 - 0.550

PROFILE NO:- 8404




WT. RANGE KG/12':- 0.100 - 0.130

PROFILE NO:- 8405




WT. RANGE KG/12':- 0.220 - 0.280

PROFILE NO:- 8406




WT. RANGE KG/12':- 0.160 - 0.200

PROFILE NO:- 8407




WT. RANGE KG/12':- 0.150 - 0.250

PROFILE NO:- 8413




WT. RANGE KG/12':- 0.660 - 0.740

PROFILE NO:- 8415




WT. RANGE KG/12':- 0.630 - 0.700

PROFILE NO:- 8416




WT. RANGE KG/12':- 3.325 - 3.700

PROFILE NO:- 8417




WT. RANGE KG/12':- 0.800 - 0.900

PROFILE NO:- 8418




WT. RANGE KG/12':- 2.350 - 2.600

PROFILE NO:- 8421



WT. RANGE KG/12':- 0.315 - 0.350


PROFILE NO:- 8422



WT. RANGE KG/12':- 0.150 - 0.200


ELECTRICAL & ELECTRONIC

PROFILE NO:- 8423




WT. RANGE KG/12':- 0.140 - 0.200

PROFILE NO:- 8424




WT. RANGE KG/12':- 0.135 - 0.200

PROFILE NO:- 8425




WT. RANGE KG/12':- 0.125 - 0.200

PROFILE NO:- 8426




WT. RANGE KG/12':- 0.200 - 0.250

PROFILE NO:- 8428




WT. RANGE KG/12':- 0.970 - 1.100

PROFILE NO:- 8427




WT. RANGE KG/12':- 0.235 - 0.300

PROFILE NO:- 8429




WT. RANGE KG/12':- 0.530 - 0.600

PROFILE NO:- 8600




WT. RANGE KG/12':- 1.550 - 1.750

PROFILE NO:- 8602



WT. RANGE KG/12':- 3.000 - 3.400


PROFILE NO:- 8601



WT. RANGE KG/12':- 0.280 - 0.350


ELECTRICAL & ELECTRONIC

PROFILE NO:- 8603




WT. RANGE KG/12' :- 1.800 - 2.100

PROFILE NO:- 8604




WT. RANGE KG/12' :- 1.750 - 1.950

PROFILE NO:- 8607




WT. RANGE KG/12' :- 1.950 - 2.180

PROFILE NO:- 8605




WT. RANGE KG/12' :- 1.100 - 1.200

PROFILE NO:- 8608




WT. RANGE KG/12' :- 3.440 - 3.820

PROFILE NO:- 8609




WT. RANGE KG/12' :- 2.850 - 3.150

PROFILE NO:- 8606




WT. RANGE KG/12' :- 0.315 - 0.400

PROFILE NO:- 8610




WT. RANGE KG/12' :- 0.900 - 1.000

PROFILE NO:- 8612



WT. RANGE KG/12' :- 0.450 - 0.500


PROFILE NO:- 8611



WT. RANGE KG/12' :- 0.900 - 1.050


ELECTRICAL & ELECTRONIC

PROFILE NO:- 8613



WT. RANGE KG/12':- 1.650 - 1.850

PROFILE NO:- 8614



WT. RANGE KG/12':- 1.450 - 1.650


HEATSINK PROFILES

ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 49491

Wt.: 1.180 - 1.325 (KG/M)




Die No.: 49489

Wt.: 0.530 - 0.615 (KG/M)




Die No.: 49502

Wt.: 1.050 - 1.150 (KG/M)




Die No.: 9155

Wt.: 4.100 (KG/M)




Die No.: 9472

Wt.: 0.200-0.240 (KG/M)




Die No.: 9110

Wt.: 1.930-1.960 (KG/M)




Die No.: 9448

Wt.: 3.550-3.650 (KG/M)



Die No.: 9168

Wt.: 1.735-1.765 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9450

Wt.: 0.510-0.570 (KG/M)




Die No.: 9170

Wt.: 0.270-0.300 (KG/M)




Die No.: 9466

Wt.: 1.755-1.800 (KG/M)




Die No.: 9452

Wt.: 1.950-2.020 (KG/M)




Die No.: 4975

Wt.: 0.420-0.500 (KG/M)




Die No.: 9052

Wt.: 2.845-3.080 (KG/M)




Die No.: 9172

Wt.: 0.690-0.720 (KG/M)



Die No.: 9017

Wt.: 0.290 - 1.00 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink

Die No.: 9043

Wt.: 0.225 (KG/M)




Die No.: 49639

Wt.: 0.250 - 0.300 (KG/M)




Die No.: 9007

Wt.: 0.775-0.845 (KG/M)




Die No.: 49568

Wt.: 0.230 - 0.280 (KG/M)




Die No.: 9021

Wt.: 0.500 (KG/M)




Die No.: 9010

Wt.: 1.100-1.200 (KG/M)




Die No.: 9032

Wt.: 0.640-0.740 (KG/M)



Die No.: 9071


Wt.: 2.100-2.200 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 49731


Wt.: 9.227-10.055 (KG/M)



Heat Sink


Die No.: 9190

Wt.: 0.460-0.500 (KG/M)




Die No.: 9185

Wt.: 0.410-0.440 (KG/M)



Die No.: 9114

Wt.: 0.500-0.530 (KG/M)



Die No.: 9186

Wt.: 0.900-1.130 (KG/M)




Die No.: 9115

Wt.: 0.325-0.370 (KG/M)




Die No.: 49592

Wt.: 0.420 - 0.500 (KG/M)



Die No.: 9135

Wt.: 0.885-0.915 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9152

Wt.: 1.020 - 1.120 (KG/M)




Die No.: 9417

Wt.: 2.800-2.890 (KG/M)




Die No.: 9144

Wt.: 1.545-1.575 (KG/M)




Die No.: 9166

Wt.: 0.925-0.955 (KG/M)




Die No.: 49663

Wt.: 2.256 - 2.444 (KG/M)




Die No.: 9418

Wt.: 3.290-3.340 (KG/M)




Die No.: 49581

Wt.: 2.150 - 2.320 (KG/M)



Die No.: 5757

Wt.: 0.140-0.175 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 49612

Wt.: 0.190 - 0.230 (KG/M)




Die No.: 9117

Wt.: 0.550-0.580 (KG/M)




Die No.: 9119

Wt.: 0.285-0.385 (KG/M)




Die No.: 9057

Wt.: 2.400-2.500 (KG/M)




Die No.: 9146

Wt.: 0.700-0.715 (KG/M)




Die No.: 49666

Wt.: 0.310 - 0.379 (KG/M)



Die No.: 49589

Wt.: 0.940 - 1.060 (KG/M)



Die No.: 9124

Wt.: 1.845-1.875 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9421

Wt.: 4.150-4.230 (KG/M)




Die No.: 49505

Wt.: 0.300 - 0.365 (KG/M)




Die No.: 9495

Wt.: 0.240-0.285 (KG/M)




Die No.: 49497

Wt.: 1.215 - 1.360 (KG/M)




Die No.: 49616

Wt.: 0.540 - 0.620 (KG/M)




Die No.: 49578

Wt.: 2.370 - 2.560 (KG/M)




Die No.: 9127

Wt.: 0.330-0.380 (KG/M)



Die No.: 9131

Wt.: 0.360-0.390 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9151

Wt.: 1.200-1.250 (KG/M)




Die No.: 9157

Wt.: 0.770-0.800 (KG/M)




Die No.: 49517

Wt.: 0.170 - 0.210 (KG/M)




Die No.: 9121

Wt.: 0.960-0.990 (KG/M)




Die No.: 9033

Wt.: 0.365-0.390 (KG/M)




Die No.: 9122

Wt.: 1.740-1.770 (KG/M)




Die No.: 9107

Wt.: 1.400-1.460 (KG/M)



Die No.: 9112

Wt.: 1.795-1.840 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9156

Wt.: 0.155-0.185 (KG/M)




Die No.: 9158

Wt.: 1.040-1.070 (KG/M)




Die No.: 9063

Wt.: 2.380-2.400 (KG/M)




Die No.: 9066

Wt.: 1.500 (KG/M)




Die No.: 9038

Wt.: 1.170-1.300 (KG/M)




Die No.: 9070

Wt.: 2.600 - 2.700 (KG/M)




Die No.: 9159

Wt.: 0.655-0.685 (KG/M)



Die No.: 9163

Wt.: 0.315-365 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9426

Wt.: 0.925-0.985 (KG/M)




Die No.: 49470

Wt.: 0.160 - 0.180 (KG/M)




Die No.: 9040

Wt.: 1.300-1.360 (KG/M)




Die No.: 9042

Wt.: 0.820 (KG/M)




Die No.: 9051

Wt.: 0.650-0.750 (KG/M)




Die No.: 9076

Wt.: 0.340-0.365 (KG/M)




Die No.: 9079

Wt.: 1.675-1.750 (KG/M)



Die No.: 9012

Wt.: 4.000-4.100 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9015

Wt.: 4.450-4.550 (KG/M)




Die No.: 9023

Wt.: 2.900-3.000 (KG/M)




Die No.: 9405

Wt.: 2.000-2.100 (KG/M)




Die No.: 9431

Wt.: 1.750-1.810 (KG/M)




Die No.: 9456

Wt.: 2.650-2.750 (KG/M)




Die No.: 9467

Wt.: 2.850-2.920 (KG/M)




Die No.: 9009

Wt.: 0.315-0.370 (KG/M)



Die No.: 9162

Wt.: 0.635-0.655 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9129

Wt.: 0.225-0.275 (KG/M)




Die No.: 9132

Wt.: 0.610-0.665 (KG/M)




Die No.: 9137

Wt.: 3.430-3.500 (KG/M)




Die No.: 9140

Wt.: 1.050-1.110 (KG/M)




Die No.: 9150

Wt.: 2.830 - 3.100 (KG/M)




Die No.: 9164

Wt.: 0.600-0.650 (KG/M)




Die No.: 49591

Wt.: 0.240 - 0.290 (KG/M)



Die No.: 49522


Wt.: 1.100 - 1.230 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 45708


Wt.: 0.215-0.270 (KG/M)



Heat Sink


Die No.: 49587

Wt.: 1.500 - 1.650 (KG/M)




Die No.: 45831

Wt.: 0.490 - 0.570 (KG/M)




Die No.: 49620

Wt.: 0.160 - 0.190 (KG/M)




Die No.: 49621

Wt.: 0.380 - 0.460 (KG/M)




Die No.: 9093

Wt.: 1.100 (KG/M)




Die No.: 49492

Wt.: 0.980 - 1.100 (KG/M)











Die No.: 49613

Wt.: 0.100 - 0.140 (KG/M)



ELECTRICAL & ELECTRONICS

Heat Sink




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9016

Wt.: 0.365-0.405 (KG/M)




Die No.: 9123

Wt.: 0.825-0.855 (KG/M)




Die No.: 9136

Wt.: 1.860-1.890 (KG/M)




Die No.: 9143

Wt.: 0.250-0.275 (KG/M)




Die No.: 9149

Wt.: 1.100-1.130 (KG/M)




Die No.: 9153

Wt.: 1.040-1.070 (KG/M)




Die No.: 9165

Wt.: 1.660-1.690 (KG/M)



Die No.: 9022

Wt.: 3.180-3.250 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9026

Wt.: 0.925-1.025 (KG/M)




Die No.: 9174

Wt.: 0.440 - 0.480 (KG/M)




Die No.: 9404

Wt.: 0.480-0.550 (KG/M)




Die No.: 9420

Wt.: 7.00-7.150 (KG/M)




Die No.: 9177

Wt.: 0.325-0.355 (KG/M)




Die No.: 9141

Wt.: 0.510-0.560 (KG/M)



Die No.: 9147

Wt.: 0.430-0.460 (KG/M)



Die No.: 49508

Wt.: 1.755 - 1.800 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9428

Wt.: 0.900-0.960 (KG/M)




Die No.: 9432

Wt.: 1.960-2.000 (KG/M)




Die No.: 9139

Wt.: 4.140-4.170 (KG/M)




Die No.: 9133

Wt.: 1.750-1.850 (KG/M)




Die No.: 9433

Wt.: 0.345-0.380 (KG/M)




Die No.: 9184

Wt.: 1.220-1.250 (KG/M)




Die No.: 49606

Wt.: 2.500 - 2.700 (KG/M)



Die No.: 49643

Wt.: 0.230 - 0.280 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 49644

Wt.: 1.800 - 1.980 (KG/M)




Die No.: 9025

Wt.: 2.900-3.100 (KG/M)




Die No.: 9097

Wt.: 4.745-5.135 (KG/M)




Die No.: 9088

Wt.: 4.300 - 4.380 (KG/M)




Die No.: 49661

Wt.: 1.084 - 1.223 (KG/M)




Die No.: 9118

Wt.: 1.880-1.950 (KG/M)




Die No.: 9008

Wt.: 0.245-0.300 (KG/M)



Die No.: 9005

Wt.: 0.830-0.930 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 49686

Wt.: 3.853 - 4.109 (KG/M)




Die No.: 9167

Wt.: 0.570-0.600 (KG/M)




Die No.: 49550

Wt.: 2.950 - 3.200 (KG/M)




Die No.: 9183

Wt.: 1.540-1.620 (KG/M)




Die No.: 9004

Wt.: 1.500 - 1.650 (KG/M)




Die No.: 9029

Wt.: 0.900-1.000 (KG/M)




Die No.: 5780

Wt.: 0.215-0.270 (KG/M)



Die No.: 49655

Wt.: 0.360 - 0.441 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9006

Wt.: 1.345-1.375 (KG/M)




Die No.: 9031

Wt.: 0.245-0.280 (KG/M)




Die No.: 49633

Wt.: 0.850 - 0.970 (KG/M)




Die No.: 9013

Wt.: 2.330-2.430 (KG/M)




Die No.: 9027

Wt.: 0.670-0.720 (KG/M)




Die No.: 9188

Wt.: 1.550-1.600 (KG/M)




Die No.: 9424

Wt.: 4.370-4.450 (KG/M)



Die No.: 49599

Wt.: 0.130 - 0.160 (KG/M)




ELECTRICAL & ELECTRONICS

Heat Sink


Die No.: 9160

Wt.: 0.300-0.350 (KG/M)




Die No.: 9099

Wt.: 2.165-2.195 (KG/M)




Die No.: 49603

Wt.: 0.210 - 0.260 (KG/M)




Die No.: 9145

Wt.: 0.200-0.230 (KG/M)




Die No.: 9080

Wt.: 1.950-2.100 (KG/M)




Die No.: 49503

Wt.: 1.100 - 1.230 (KG/M)




Die No.: 49712

Wt.: 7.794-8.533 (KG/M)



Die No.: 49721


Wt.: 3.289-3.756 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 49562


Wt.: 0.920 - 1.050 (KG/M)



Heat Sink


Die No.: 45891

Wt.: 3.00 - 3.250 (KG/M)



Die No.: 49602

Wt.: 5.200 - 5.400 (KG/M)




Die No.: 9001

Wt.: 0.490-0.555 (KG/M)




Die No.: 9036

Wt.: 4.300-1.400 (KG/M)




Die No.: 49618

Wt.: 0.940 - 1.070 (KG/M)




Die No.: 49636

Wt.: 1.670 - 1.840 (KG/M)



Die No.: 49530


Wt.: 0.800 - 0.950 (KG/M)



ELECTRICAL & ELECTRONICS

Die No.: 49509


Wt.: 0.105-0.125 (KG/M)



Heat Sink


Die No.: 49534

Wt.: 0.140 - 0.180 (KG/M)




Die No.: 49593

Wt.: 0.690 - 0.800 (KG/M)




Die No.: 49722

Wt.: 4.683-5.309 (KG/M)




Die No.: 49543

Wt.: 0.300-0.350 (KG/M)




Die No.: 49476

Wt.: 0.310 - 0.375 (KG/M)




Die No.: 49718

Wt.: 8.703-9.410 (KG/M)



Die No.: 49719


Wt.: 23.197-24.985 (KG/M)



ELECTRICAL & ELECTRONICS


Die No.: 49702

Wt.: 0.228-0.293 (KG/M)




Die No.: 49727

Wt.: 4.484-5.354 (KG/M)




Die No.: 49730

Wt.: 14.645-16.097 (KG/M)



Die No.: 49714


Wt.: 13.976-14.924 (KG/M)



Heat Sink


Die No.: 49732

Wt.: 7.748-8.559 (KG/M)




Die No.: 49720

Wt.: 1.831-2.142 (KG/M)




Die No.: 49713

Wt.: 12.512-13.286 (KG/M)




Die No.: 49715

Wt.: 15.858-16.978 (KG/M)




1101




Wt:0.945 KG/12'

1102




Wt:0.245-0.280 KG/M

1103




Wt:0.380 KG/M

1104




Wt:1.880-1.950 KG/M

1105




Wt:6.320 KG/12'

1106




Wt:2.960 KG/M

1107




Wt:0.530 KG/M

1108




Wt:0.720 KG/M

1109




Wt:0.650 KG/M

1110




Wt:0.220 KG/M

1111




Wt:1.650 KG/M

1112




Wt:1.180 KG/M

1113




Wt:1.650 KG/M

1114




Wt:0.220 KG/M

1115




Wt:0.530 KG/M

1116




Wt:0.720 KG/M

1117




Wt:0.835 KG/M

1118




Wt:3.400 KG/M

1119




Wt:1.565 KG/M

1120




Wt:2.100KG/M

1121




Wt: 18.32 KG/M

1122



Wt:0.175 KG/M

1123




Wt:7.102 KG/M

1124




Wt:0.400 KG/M

1125




Wt:1.100 KG/M

1126




Wt:0.365 KG/M

1127




Wt:2.610KG/2.4 M

1128




Wt:1.950KG/M

1129




Wt:0.830 KG/M

1130




Wt:2.662 KG/M

1131




Wt:0.880 KG/M

1132




Wt:0.070 KG/M

1133




Wt:0.395 KG/M

1134



Wt:4.550 KG/M

1135




Wt:2.445KG/M

1136




Wt:2.970KG/M

1137




Wt:3.000 KG/M

1138



Wt:1.585 KG/M

1139




Wt:0.880 KG/M

1140




Wt:0.750 KG/M

HS-01



Wt:0.275 KG/M

HS-02




Wt: KG/M

HS-03




Wt:1.300KG/M

HS-04




Wt:3.320KG/M

HS-05




Wt:1.100 KG/M

HS-06




Wt:2.150 KG/M

HS-07




Wt:0.375-0.450 KG/M

HS-08




Wt:0.675-0.770 KG/M

HS-09




Wt:0.675-0.770 KG/M

HS-10




Wt:0.185 KG/M

HS-11




Wt:1.200KG/12'

HS-12



Wt:0.600KG/M

HS-13



Wt:1.115 KG/M

HS-14




Wt:0.190 KG/M

HS-15



Wt:0.165 KG/M

HS-16




Wt:0.190 KG/M

HEAT SINK


SEC No. 7360

Weight :-51.900kg/12'




SEC No. 7361

Weight :-54.850kg/12'




SEC No. 7414

Weight :-40.150kg/12'




SEC No. 7460

Weight :-4.800kg/12'




SEC No. 7494

Weight :-14.880kg/12'



SEC No. 7738


Weight :-33.475Kg /12'



HEAT SINK


SEC No. 7913

Weight :-4.402kg/12'




SEC No. 7914

Weight :-4.450kg/12'




SEC No. 7954

Weight:-5.700Kg/12'




SEC No. GA7965

Weight:-17.000Kg/12'




SEC No. GA7966

Weight:-52.285Kg/12'



SEC No. GA7967


Weight:-37.940Kg/12'



HEAT SINK


SEC No. 25001

Weight :-11.000kg/12'




SEC No. 25002

Weight :-13.400kg/12'




SEC No. 25003

Weight :-4.475kg/12'




SEC No. 25004

Weight :-1.200kg/12'




SEC No.25005

Weight :-6.695kg/12'



SEC No. 25006

Weight :-12.315kg/12'



HEAT SINK

SEC No. 25007

Weight :-4.620kg/12'

